



Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.VIJAY UPADHYAYA Registered On : 22/Apr/2023 08:23:14 Age/Gender Collected : 38 Y 2 M 5 D /M : 22/Apr/2023 10:30:21 UHID/MR NO : CHLD.0000090481 Received : 22/Apr/2023 10:53:25 Visit ID : CHLD0015432324 Reported : 22/Apr/2023 13:36:15

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result	Unit Bio. Ref. Interva	Method
------------------	------------------------	--------

Blood Group (ABO & Rh typing) *, Blood

Blood Group B
Rh (Anti-D) POSITIVE

Complete Blood Count (CBC) *, Whole Blood

Haemoglobin	16.40	g/dl	1 Day- 14.5-22.5 g/	'dl
			1 Wk- 13.5-19.5 g/c	dl
			1 Mo- 10.0-18.0 g/	dl
			3-6 Mo- 9.5-13.5 g	/dl
			0.5-2 Yr- 10.5-13.5	
			g/dl	
			2-6 Yr- 11.5-15.5 g/	
			6-12 Yr- 11.5-15.5 g	g/dl
		7 10 10	12-18 Yr 13.0-16.0	
			g/dl	
			Male- 13.5-17.5 g/d	
			Female- 12.0-15.5 §	g/dl
TLC (WBC)	4,700.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	64.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	30.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	0.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	6.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	< 1	ELECTRONIC IMPEDANCE
ESR				
Observed	10.00	Mm for 1st hr.		
Corrected	NR	Mm for 1st hr.	. <9	
PCV (HCT)	51.00	%	40-54	
Platelet count				
Platelet Count	1.62	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.80	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	43.30	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.19	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.30	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				

Mill./cu mm 4.2-5.5



RBC Count



ELECTRONIC IMPEDANCE

5.53





Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.VIJAY UPADHYAYA Registered On : 22/Apr/2023 08:23:14 Age/Gender : 38 Y 2 M 5 D /M Collected : 22/Apr/2023 10:30:21 UHID/MR NO : CHLD.0000090481 Received : 22/Apr/2023 10:53:25 Visit ID : CHLD0015432324 Reported : 22/Apr/2023 13:36:15

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	89.90	fl	80-100	CALCULATED PARAMETER
MCH	29.60	pg	28-35	CALCULATED PARAMETER
MCHC	32.90	%	30-38	CALCULATED PARAMETER
RDW-CV	12.70	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	42.60	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,008.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	282.00	/cu mm	40-440	











Ph: ,9235400975

CIN: U85110DL2003PLC308206



 Patient Name
 : Mr.VIJAY UPADHYAYA
 Registered On
 : 22/Apr/2023 08:23:16

 Age/Gender
 : 38 Y 2 M 5 D /M
 Collected
 : 22/Apr/2023 10:30:21

 UHID/MR NO
 : CHLD.0000090481
 Received
 : 22/Apr/2023 10:53:25

 Visit ID
 : CHLD0015432324
 Reported
 : 22/Apr/2023 12:17:23

isit ID : CHLD0015432324 Reported : 22/Apr/2023 12:17:23

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
CLUCOSE FASTING OF					

GLUCOSE FASTING, Plasma

Glucose Fasting 97.60 mg/dl < 100 Normal GOD POD 100-125 Pre-diabetes

≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP 120.50 mg/dl <140 Normal GOD POD
Sample:Plasma After Meal 140-199 Pre-diabetes

140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.20	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	33.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	103	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.VIJAY UPADHYAYA : 22/Apr/2023 08:23:16 Registered On Age/Gender : 38 Y 2 M 5 D /M Collected : 22/Apr/2023 10:30:21 UHID/MR NO : CHLD.0000090481 Received : 22/Apr/2023 10:53:25 Visit ID : CHLD0015432324 Reported : 22/Apr/2023 12:17:23

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	8.90	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.93	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 20- 275 Female-20-320	MODIFIED JAFFES
Uric Acid Sample:Serum	5.92	mg/dl	3.4-7.0	URICASE





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.VIJAY UPADHYAYA Registered On : 22/Apr/2023 08:23:16 Age/Gender Collected : 22/Apr/2023 10:30:21 : 38 Y 2 M 5 D /M UHID/MR NO : CHLD.0000090481 Received : 22/Apr/2023 10:53:25 Visit ID : CHLD0015432324 Reported : 22/Apr/2023 12:17:23

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	ι	Jnit Bio. Ref.	Interval	Method
LFT (WITH GAMMA GT) * , Serum					
SGOT / Aspartate Aminotransferase (AST)	27.53	U/L	< 35	IFCC	WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	32.08	U/L	< 40	IFCC	WITHOUT P5P
Gamma GT (GGT)	20.80	IU/L	11-50	OPTI	MIZED SZAZING
Protein	6.76	gm/dl	6.2-8.0	BIRU	ET
Albumin	4.35	gm/dl	3.8-5.4	B.C.G	i.
Globulin	2.41	gm/dl	1.8-3.6	CALC	ULATED
A:G Ratio	1.80		1.1-2.0	CALC	ULATED
Alkaline Phosphatase (Total)	131.60	U/L	42.0-165.0	IFCC	METHOD
Bilirubin (Total)	1.22	mg/dl	0.3-1.2	JEND	RASSIK & GROF
Bilirubin (Direct)	0.50	mg/dl	< 0.30	JEND	RASSIK & GROF
Bilirubin (Indirect)	0.72	mg/dl	< 0.8	JEND	RASSIK & GROF
LIPID PROFILE (MINI) , Serum					
Cholesterol (Total)	177.00	mg/dl	<200 Desirable 200-239 Borderli		D-PAP
			> 240 High		
HDL Cholesterol (Good Cholesterol)	39.20	mg/dl	30-70	. DIRE	CT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	115	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above O 130-159 Borderli	Optimal	ULATED
*			160-189 High > 190 Very High	ne nign	
VLDL	22.92	mg/dl	10-33	CALC	ULATED
Triglycerides	114.60	mg/dl	< 150 Normal 150-199 Borderli 200-499 High >500 Very High	GPO [.] ne High	PAP











Ph: ,9235400975

CIN: U85110DL2003PLC308206



 Patient Name
 : Mr.VIJAY UPADHYAYA
 Registered On
 : 22/Apr/2023 08:23:15

 Age/Gender
 : 38 Y 2 M 5 D /M
 Collected
 : 22/Apr/2023 13:18:28

 UHID/MR NO
 : CHLD.0000090481
 Received
 : 22/Apr/2023 13:45:45

Visit ID : CHLD0015432324 Reported : 22/Apr/2023 14:50:36

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE *	, Urine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		,	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++) > 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT	ilig/ui	0.2-2.01	DIOCHEIVIISTICI
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:	Abserti		3	
	0000000000			MICROSCORIC
Epithelial cells	OCCASIONAL			MICROSCOPIC EXAMINATION
Pus cells	OCCASIONAL			EXAMINATION
RBCs	ABSENT			MICROSCOPIC
RDCS	ADSEIVI			EXAMINATION
Cast	ABSENT			LAAMINATION
Crystals	ABSENT			MICROSCOPIC
Ci yataia	ADJENT			EXAMINATION
Others	ABSENT			
UGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
To Assess As Alberta				

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2









Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.VIJAY UPADHYAYA

: 38 Y 2 M 5 D /M

Collected

Registered On

: 22/Apr/2023 08:23:15 : 22/Apr/2023 13:18:28

Age/Gender UHID/MR NO

: CHLD.0000090481

Received : 22/Apr/2023 13:45:45

Visit ID

: CHLD0015432324

Reported

: 22/Apr/2023 14:50:36

Ref Doctor

: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%











Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.VIJAY UPADHYAYA Registered On : 22/Apr/2023 08:23:16 Age/Gender Collected : 38 Y 2 M 5 D /M : 22/Apr/2023 10:30:21 UHID/MR NO : CHLD.0000090481 Received : 22/Apr/2023 10:53:25 Visit ID : 22/Apr/2023 13:22:24 : CHLD0015432324 Reported

: Dr.MEDIWHEEL ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD HLD

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL *, Serum				
T3, Total (tri-iodothyronine)	106.10	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	8.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.40	μIU/mL	0.27 - 5.5	CLIA
		¥		
Interpretation:				
		0.3-4.5 µIU/r	nL First Trimest	er
		0.5-4.6 μIU/r	nL Second Trim	ester
		0.8-5.2 μIU/n	nL Third Trimes	ter
		0.5-8.9 μIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/n		> 37Week
		0.7-64 μIU/n		- 20 Yrs.)
			/mL Child	0-4 Days
		1.7-9.1 μIU/r		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.













Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.VIJAY UPADHYAYA Registered On : 22/Apr/2023 08:23:18

 Age/Gender
 : 38 Y 2 M 5 D /M
 Collected
 : N/A

 UHID/MR NO
 : CHLD.0000090481
 Received
 : N/A

Visit ID : CHLD0015432324 Reported : 22/Apr/2023 13:37:27

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW:-

- Bilateral lung fields appear grossly unremarkable.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Bilateral hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

IMPRESSION:-

No significant abnormality is seen.

Adv:-Clinico-pathological correlation.

Dr Sushil Pandey(MD Radiodignosis)



Home Sample Collection 1800-419-0002





UHID/MR NO

Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.VIJAY UPADHYAYA

Age/Gender : 38 Y 2 M 5 D /M

: CHLD.0000090481

Visit ID : CHLD0015432324

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH
CARE LTD HLD

Registered On

Collected

Received

: 22/Apr/2023 08:23:18

: N/A

: N/A

Reported

: 22/Apr/2023 10:57:25

Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

ULTRASOUND WHOLE ABDOMEN

LIVER: Is normal in size and echotexture. No SOL seen. No dilatation of IHBR seen. Hepatic vessels are normal. Portal vein is patent.

GALL BLADDER: Lumen anechoic, wall is normal in thickness (~3 mm). No pericholecystic fluid seen. **CBD:** Normal in caliber and smoothly tapering towards its lower end.

PANCREAS: Normal in size and echotexture.

SPLEEN: Normal in size and echotexture.

KIDNEYS:-

Right kidney is normal in size, shape and echotexture with maintained CM differentiation. No dilatation of PC system is seen.

No calculus seen.

Left kidney is normal in size, shape and echotexture with maintained CM differentiation. No dilatation of PC system is seen.

No calculus seen.

URINARY BLADDER: Normal capacity bladder with anechoic lumen and smooth regular walls of normal thickness.

PROSTATE: Is normal in size (vol~20cc) and normal in echotexture. No focal lesion seen.

No evidence of any free fluid/retroperitoneal lymphadenopathy.



Home Sample Collection 1800-419-0002





Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.VIJAY UPADHYAYA Registered On : 22/Apr/2023 08:23:18

 Age/Gender
 : 38 Y 2 M 5 D /M
 Collected
 : N/A

 UHID/MR NO
 : CHLD.0000090481
 Received
 : N/A

Visit ID : CHLD0015432324 Reported : 22/Apr/2023 10:57:25

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

IMPRESSION:- Essentially a normal scan.

(Adv:- Clinico-pathological correlation and further evaluation).

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG



Dr Sushil Pandey(MD Radiodignosis)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location







Chandan Diagnostic




Age / Gender: 38/Male Date and Time: 22nd Apr 23 8:57 AM

Patient ID:

CHLD0015432324

Patient Name:

Mr.MR.VIJAY UPADHYAYA



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

Dr. Charit MD, DM: Cardiology

63382

AUTHORIZED BY

REPORTED BY

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.