

Mr. Biswajit Sahu  
Age - 35/m

BP - 120/80  
P - 76/ut  
H - 128  
wt - 70kg

no H/O  
@M. HTN. 1000

RAV  
R-regular walking



**EXAMINATION OF EYES :- ( BY OPHTHALMOLOGIST )**

Patient Name Mr. Biswajit


Date 7/10/23

Sex/Age 36/M

MR No .....

Employee Id .....

EXTERNAL EXAMINATION				
SQUINT	- No			
NYSTAGMUS	- No			
COLOUR VISION	- Normal			
FUNDUS:(RE):-	clear	(LE):-	clear	
INDIVIDUAL COLOUR IDENTIFICATION				
DISTANT VISION:(RE):-	6/6	(LE):-	6/6	
NEAR VISION:(RE):-	6/6	(LE):-	6/6	
NIGHT BLINDNESS				
	SPH	CYL	AXIS	ADD
RIGHT				
LEFT				
REMARKS :-				
<p>fundus - clear</p> <p>CPG val 6/6</p> <p>6/6</p>				



**Dr. Sweety Lath**

BDS (Cosmetic Dental Surgeon)



**Dr. Vivek Lath**

Chief Dental Consultant  
BDS, MDS, Diplomate (WCOI, Japan)  
Professor, MCDRC - Durg  
Reg. No. CGDC/14/PG/45

- Consult for : Digital Dentistry • Fixed Teeth • RCT • Dental Implants • Gums Diseases • Dentures • Cosmetic Filling • Tooth Jewellery
- Digital OPG • Braces Treatment • Tooth Removal • Kids Dental Treatment • All Kind of Dental Surgeries

Biswajit Sahu  
36/M

7/10/23

Pt has come for routine dental checkup

O/E → Calculus ++  
Stains +

Crowding in lower & upper anterior

Adv → Oral prophylaxis

gph



Apollo Clinic

LICENSEE : SAMRIDDHI AROGYAM PVT LTD

Apollo Clinic @ Tiara Complex A.T. Classic Near Ashoka Ratan, VIP Estate, Raipur (C.G.)

Email : raipur1@apolloclinic.com

Online appointments: www.askapollo.com | Online reports: https://phr.apolloclinic.com



0771 4033341/42

www.apolloclinic.com

Patient Name : MR BISWAJIT SAHU  
UHID/ MR No : 7112  
Visit Date : 07/10/2023  
Sample Collected On : 07/10/2023 05:13PM  
Ref. Doctor : SELF  
Sponsor Name :

Age/Gender : 36 Y Male  
OP Visit No : OPD-UNIT-II-2  
Reported On : 09/10/2023 09:05PM

### HAEMATOLOGY

Investigation	Observed Value	Unit	Biological Reference Interval
<b>HEMOGRAM</b>			
Haemoglobin(HB) Method: CELL COUNTER	13.6	gm/dl	12 - 17
Erythrocyte (RBC) Count Method: CELL COUNTER	4.23	mill/cu.mm.	4.20 - 6.00
PCV (Packed Cell Volume) Method: CELL COUNTER	40.80	%	39 - 52
MCV (Mean Corpuscular Volume) Method: CELL COUNTER	96.5	fL	76.00 - 100
MCH (Mean Corpuscular Haemoglobin) Method: CELL COUNTER	32.2	pg	26 - 34
MCHC (Mean Corpuscular Hb Concn.) Method: CELL COUNTER	33.3	g/dl	32 - 35
RDW (Red Cell Distribution Width) Method: CELL COUNTER	12.1	%	11- 16
Total Leucocytes (WBC) Count Method: CELL COUNTER	4.12	cells/cumm	3.50 - 10.00
Neutrophils Method: CELL COUNTER	36	%	40.0 - 73.0
Lymphocytes Method: CELL COUNTER	56	%	15.0 - 45.0
Eosinophils Method: CELL COUNTER	03	%	1-6%
Monocytes Method: CELL COUNTER	05	%	4.0 - 12.0
Basophils Method: CELL COUNTER	00	%	0.0 - 2.0

**End of Report**  
*Results are to be correlated clinically*

Lab Technician / Technologist  
path

Page 5 of 7

*Amal*  
DR DHANANJAY RAMCHANDRA PRASAD  
M.D. PATHOLOGY

Patient Name : MR BISWAJIT SAHU  
UHID/ MR No : 7112  
Visit Date : 07/10/2023  
Sample Collected On : 07/10/2023 05:13PM  
Ref. Doctor : SELF  
Sponsor Name :

Age/Gender : 36 Y. Male  
OP Visit No : OPD-UNIT-II-2  
Reported On : 09/10/2023 09:05PM

### HAEMATOLOGY

Investigation	Observed Value	Unit	Biological Reference Interval
Platelet Count Method: CELL COUNTER	133	lacs/cu.mm	150-400
ESR- Erythrocyte Sedimentation Rate Method: Westergren's Method	35	mm /HR	0 - 10


### Blood Group (ABO Typing)

Blood Group (ABO Typing) : O  
RhD factor (Rh Typing) : POSITIVE

**End of Report**  
*Results are to be correlated clinically*

Lab Technician / Technologist  
path

Page 6 of 7

  
DR DHANANJAY RAMCHANDRA PRASAD  
M.D. PATHOLOGY

\*THIS PAPER IS USED FOR CLINICAL REPORTING PURPOSE ONLY

Apollo Clinic

LICENSEE : SAMRIDDI AROGYAM PVT. LTD.

Apollo Clinic @ Tiara Complex A.T. C. Assic Near Ashoka Ratan, VIP Estate, Shankar Nagar, Raipur (C.G.)

Email : raipur1@apolloclinic.com | Website : www.apolloclinic.com

Online appointments: www.askapollo.com | Online reports: https://phr.apolloclinic.com

 +91 96918 26363

 0771 4033341/42

Patient Name : MR BISWAJIT SAHU  
 UHID/ MR No : 7112  
 Visit Date : 07/10/2023  
 Sample Collected On : 07/10/2023 05:13PM  
 Ref. Doctor : SELF  
 Sponsor Name :

Age/Gender : 36 Y Male  
 OP Visit No : OPD-UNIT-II-2  
 Reported On : 09/10/2023 09:05PM

### BIO CHEMISTRY

Investigation	Observed Value	Unit	Biological Reference Interval
HbA1c (Glycosalated Haemoglobin)	5.4	%	Non-diabetic: ≤5.6, Pre-Diabetic 5.7-6.4, Diabetic: ≥6.5

- HbA1c is used for monitoring diabetic control. It reflects the estimated average glucose (eAG).
  - HbA1c has been endorsed by clinical groups & ADA (American Diabetes Association) guidelines 2017, for diagnosis of diabetes using a cut-off point of 6.5%.
  - Trends in HbA1c are a better indicator of diabetic control than a solitary test.
  - Low glycated haemoglobin (below 4%) in a non-diabetic individual are often associated with systemic inflammation.
- HbA1c is used for monitoring diabetic control. It reflects the estimated average glucose (eAG).
  - HbA1c has been endorsed by clinical groups & ADA (American Diabetes Association) guidelines 2017, for diagnosis of diabetes using a cut-off point of 6.5%.
  - Trends in HbA1c are a better indicator of diabetic control than a solitary test.
  - Low glycated haemoglobin (below 4%) in a non-diabetic individual are often associated with systemic inflammatory diseases, chronic anaemia (especially severe iron deficiency & haemolytic), chronic renal failure and liver diseases. Clinical correlation suggested.
  - To estimate the eAG from the HbA1C value, the following equation is used:  $eAG(mg/dl) = 28.7 * A1c - 46.7$
  - Interference of Haemoglobinopathies in HbA1c estimation.
    - For HbF > 25%, an alternate platform (Fructosamine) is recommended for testing of HbA1c.
    - Homozygous hemoglobinopathy is detected, fructosamine is recommended for monitoring diabetic status
    - Heterozygous state dete

**End of Report**  
 Results are to be correlated clinically

Lab Technician / Technologist  
 path

Page 4 of 7

*Dhananjay*  
 DR DHANANJAY RAMCHANDRA PRASAD  
 M.D. PATHOLOGY

\*THIS PAPER IS USED FOR CLINICAL REPORTING PURPOSE ONLY

Apollo Clinic

LICENSEE : SAMRIDDI AROGYAM PVT. LTD.

Apollo Clinic @ Tiara Complex A.T. Class c Near Ashoka Ratan. VIF Estate, Shankar Nagar, Raipur (C.G.)

Email : raipur1@apolloclinic.com | Website : www.apolloclinic.com

Online appointments: www.askapollo.com | Online reports: https://phr.apolloclinic.com

+91 96918 26363

0771 4033341/42

Patient Name : MR BISWAJIT SAHU  
 UHID/ MR No : 7112  
 Visit Date : 07/10/2023  
 Sample Collected On : 07/10/2023 05:13PM  
 Ref. Doctor : SELF  
 Sponsor Name :

Age/Gender : 36 Y. Male  
 OP Visit No : OPD-UNIT-II-2  
 Reported On : 09/10/2023 09:05PM

**BIO CHEMISTRY**

Investigation	Observed Value	Unit	Biological Reference Interval
<b>GLUCOSE (FASTING)</b>			
Glucose- Fasting	79.0	mg/dl	70 - 120
SUGAR REAGENT GRADE WATER			
<b>KFT - RENAL PROFILE - SERUM</b>			
BUN-Blood Urea Nitrogen	11	mg/dl	7 - 20
METHOD: Spectrophotometric			
<b>Creatinine</b>	1.0	mg/dl	0.6-1.4
METHOD: Spectrophotometric			
<b>Uric Acid</b>	3.6	mg/dL	2.6 - 7.2
Method: Spectrophotometric			

**End of Report**  
 Results are to be correlated clinically

Lab Technician / Technologist  
 path



Patient Name : MR BISWAJIT SAHU  
 UHID/ MR No : 7112  
 Visit Date : 07/10/2023  
 Sample Collected On : 07/10/2023 05:13PM  
 Ref. Doctor : SELF  
 Sponsor Name :

Age/Gender : 36 Y. Male  
 OP Visit No : OPD-UNIT-II-1  
 Reported On : 09/10/2023 09:05PM

### BIO CHEMISTRY

Investigation	Observed Value	Unit	Biological Reference Interval
<b>LIVER FUNCTION TEST</b>			
<b>Bilirubin - Total</b> Method: Spectrophotometric	0.6	mg/dl	0.1- 1.2
<b>Bilirubin - Direct</b> Method: Spectrophotometric	0.1	mg/dl	0.05-0.3
<b>Bilirubin (Indirect)</b> Method: Calculated	0.50	mg/dl	0 - 1
<b>SGOT (AST)</b> Method: Spectrophotometric	18	U/L	0 - 40
<b>SGPT (ALT)</b> Method: Spectrophotometric	25	U/L	0 - 41
<b>ALKALINE PHOSPHATASE</b>	74	U/L	25-147
<b>Total Proteins</b> Method: Spectrophotometric	6.9	g/dl	6 - 8
<b>Albumin</b> Method: Spectrophotometric	4.4	mg/dl	3.4 - 5.0
<b>Globulin</b> Method: Calculated	2.5	g/dl	1.8 - 3.6
<b>A/G Ratio</b> Method: Calculated	1.76	%	1.1 - 2.2

**End of Report**  
 Results are to be correlated clinically

Lab Technician / Technologist  
 path

Page 3 of 7

*Dhananjay*  
 DR DHANANJAY RAMCHANDRA PRASAD  
 M.D. PATHOLOGY

\*THIS PAPER IS USED FOR CLINICAL REPORTING PURPOSE ONLY

Apollo Clinic

LICENSEE : SAMRIDHI AROGYAM PVT LTD.

Apollo Clinic @ Tiara Complex A.T. Classic Near Ashoka Ratan, VIP Estate, Shankar Nagar, Raipur (C.G.)

Email : raipur1@apolloclinic.com | Website : www.apolloclinic.com

Online appointments: www.askapollo.com | Online reports: https://chr.apolloclinic.com





Patient Name : MR BISWAJIT SAHU  
UHID/ MR No : 7112  
Visit Date : 07/10/2023  
Sample Collected On : 07/10/2023 05:13PM  
Ref. Doctor : SELF  
Sponsor Name :

Age/Gender : 36 Y. Male  
OP Visit No : OPD-UNIT-II-2  
Reported On : 09/10/2023 09:05PM

### IMMUNO ASSAY

Investigation	Observed Value	Unit	Biological Reference Interval
<b>T3, T4, TSH</b>			
<b>T3 (Total) by CLIA,serum</b>	1.21	ng/mL	0.79-1.58
Clinical Use - Diagnose and monitor treatment of Hyperthyroidism Increased Levels: Pregnancy, Graves disease, T3 thyrotoxicosis, TSH dependent Hyperthyroidism, Increased TBG Decreased Levels: Nonthyroidal illness, Hypothyroidism, Nutritional deficiency, Systemic illness, Decreased TBG			
<b>T4(Total) by CLIA,serum</b>	7.80	mcg/dl	4.5-12.0
Clinical Use - Diagnose Hypothyroidism and Hyperthyroidism when overt and / or due to pituitary or hypothalamic disease. Increased Levels: Hyperthyroidism, Increased TBG, Familial dysalbuminemic hyperthyroxinemia, Increased Transthyretin, Estrogen therapy, Pregnancy Decreased Levels: Primary hypothyroidism, Pituitary TSH deficiency, Hypothalamic TRH deficiency, Non thyroidal illness, Decreased TBG.			
<b>TSH (Ultrasensitive) CLIA Serum</b>	4.0	mIU/ml	0.34- 5.6
Initial test of thyroid function in patients with suspected thyroid dysfunction - Assess thyroid status in patients with abnormal total T4 concentrations - Distinguish Euthyroid hyperthyroxinemias from hypothyroidism. Increased Levels: Thyroid hormone resistance, Hyperthyroidism Decreased Levels: Primary hypothyroidism, Secondary hypothyroidism Clinical Use - Initial test of thyroid function in patients with suspected thyroid dysfunction			

Note: Total T3 & T4 levels measure the hormone which is in the bound form and is not available to most tissues. In addition severe systemic illness which affects the thyroid binding proteins can falsely alter Total T4 levels in the absence of a primary thyroid disease. Hence Free T3 & T4 levels are recommended for accurate assessment of thyroid dysfunction.

**End of Report**  
Results are to be correlated clinically

Lab Technician / Technologist  
path

Page 7 of 7

*Amrind*  
DR DHANANJAY RAMCHANDRA PRASAD  
M.D. PATHOLOGY

Apollo Clinic

LICENSEE : SAMRIDDI AROGYAM PVT LTD.

Apollo Clinic @ Tiara Complex A.T. Classic Near Ashoka Ratan, VIP Estate, Shankar Nagar Raipur (C.G.)

Email : raipur1@apolloclinic.com | Website : www.apolloclinic.com

Online appointments : www.askapollo.com | Online reports : https://phr.apolloclinic.com

\*THIS PAPER IS USED FOR CLINICAL REPORTING PURPOSE ONLY

+91 96918 26363

+0771 4033341/42

**Patient Name** : MR BISWAJIT SAHU  
**UHID/ MR No** : 7112  
**Visit Date** : 07/10/2023  
**Sample Collected On** : 07/10/2023 05:13PM  
**Ref. Doctor** : SELF  
**Sponsor Name** :

**Age/Gender** : 36 Y. Male  
**OP Visit No** : OPD-UNIT-II-2  
**Reported On** : 09/10/2023 09:05PM

### CLINICAL PATHOLOGY

Investigation	Observed Value	Unit	Biological Reference Interval
<b>URINE ROUTINE EXAMINATION</b>			
<b>Physical Examination</b>			
Volum of urine	30ML		
Appearance	Clear		Clear
Colour	Pale Yellow		Colourless
Specific Gravity	1.020		1.001 - 1.030
Reaction (pH)	6.0		
<b>Chemical Examination</b>			
Protein(Albumin) Urine	Absent		Absent
Glucose(Sugar) Urine	Absent		Absent
Blood	Absent		Absent
Leukocytes	Absent		Absent
Ketone Urine	Absent		Absent
Bilirubin Urine	Absent		Absent
Urobilinogen	Absent		Absent
Nitrite (Urine)	Absent		Absent
<b>Microscopic Examination</b>			
RBC (Urine)	NIL	/hpf	0 - 2
Pus cells	2-4	/hpf	0 - 5
Epithelial Cell	Occasional	/hpf	0 - 5
Crystals	Not Seen	/hpf	Not Seen
Bacteria	Not Seen	/hpf	Not Seen
Budding yeast	Not Seen	/hpf	

**End of Report**  
*Results are to be correlated clinically*

Lab Technician / Technologist  
 path

Page 1 of 2

*Amal*  
**DR DHANANJAY RAMCHANDRA PRASAD**  
 M.D. PATHOLOGY

Patient Name : MR BISWAJIT SAHU  
 UHID/ MR No : 7112  
 Visit Date : 07/10/2023  
 Sample Collected On : 07/10/2023 05:13PM  
 Ref. Doctor : SELF  
 Sponsor Name :

Age/Gender : 36 Y. Male  
 OP Visit No : OPD-UNIT-II-2  
 Reported On : 09/10/2023 09:05PM

**BIO CHEMISTRY**

Investigation	Observed Value	Unit	Biological Reference Interval
<b>LIPID PROFILE TEST (PACKAGE)</b>			
Cholesterol - Total	155.0	mg/dl	Desirable: < 200 Borderline High: 200-239 High: >= 240
Triglycerides level	138.0	mg/dl	Normal : < 150 Borderline High : 150-199 Very High : >=500
Method: Spectrophotometric HDL Cholesterol	42.0	mg/dl	Major risk factor for heart disease: < 40 Negative risk factor for heart disease :>60
Method: Spectrophotometric LDL Cholesterol	113	mg/dl	Optimal:< 100                      Near Optimal:100 – 129 Borderline High : 130-159 High : 160-189                      Very High : >=190
Method: Spectrophotometric VLDL Cholesterol	27.60	mg/dl	6 - 38 3.5-5
Total Cholesterol/HDL Ratio	3.69		
Method: Spectrophotometric			

**End of Report**  
*Results are to be correlated clinically*

Lab Technician / Technologist  
 path

Page 2 of 7

*Dhananjay*  
**DR DHANANJAY RAMCHANDRA PRASAD**  
 M.D. PATHOLOGY