

Jeevan Jyoti HLM

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

: Mrs. MAMTA DEVI REG 315711 Name Billing Date 04/02/202310:27:50 Age : 30 Yrs Sample Collected on 04/02/2023 14:03:05 06/02/2023 12:01:05 Sex : Female Sample Received on P. ID No. : P1212100009376 Report Released on 06/02/2023 12:52:48

Accession No: **121222029454** Barcode No. : 1212046273

Referring Doctor: MR. SELF

Referred By : Ref no. :

Report Status - Final

	Report Status - Til	iai	
Test Name	Result	Biological Ref. Interval	Unit
	<u>HAEMATOLO</u>	<u>DGY</u>	
Complete Blood Count (CBC)			
Haemoglobin (Hb) Sample: Whole Blood EDTA Method: Photometric measurement	12.4	12.0 - 15.0	gm/dL
Total WBC Count / TLC Sample: Whole Blood EDTA Method: Impedance	5.6	4.0 - 10.0	thou/µL
RBC Count Sample: Whole Blood EDTA Method: Impedance	4.4	3.8 - 4.8	million/μL
PCV / Hematocrit Sample: Whole Blood EDTA Method: Impedance	40.1	36.0 - 46.0	%
MCV Sample: Whole Blood EDTA Method: Calculated	92.0	83.0 - 101.0	fL
MCH Sample: Whole Blood EDTA Method: Calculated	28.4	27.0 - 32.0	pg
MCHC Sample: Whole Blood EDTA Method: Calculated	30.9 L	31.5 - 34.5	g/dL
RDW (Red Cell Distribution Width) Sample: Whole Blood EDTA Method: Calculated	13.9	11.9 - 15.5	%
<u>DLC (Differential Leucocyte Count)</u> Method: Flowcytometry/Microscopy			
Neutrophils Sample: Whole Blood EDTA Method: VCS Technology & Microscopy	55	40 - 80	%
Lymphocytes Sample: Whole Blood EDTA Method: VCS Technology & Microscopy	39	20 - 40	%















: 30 Yrs

: Female

: P1212100009376

: 121222029454

: Mrs. MAMTA DEVI REG 315711

Client

Name

Age

Sex

P. ID No.

Accession No

Referred By

Jeevan Jyoti HLM

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Referring Doctor: MR. SELF

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj Uttar Pradesh-211003

Sample Collected on

Billing Date 04/02/202310:27:50

Sample Received on 06/02/2023 12:01:05

04/02/2023 14:03:05

Report Released on 06/02/2023 12:52:48

Barcode No. 1212046273

Ref no.

Report Status - Final

Test Name	Result	Biological Ref. Interval	Unit
Eosinophils Sample: Whole Blood EDTA Method: VCS Technology & Microscopy	02	01 - 06	%
Monocytes Sample: Whole Blood EDTA Method: VCS Technology & Microscopy	04	02 - 10	%
Basophils Sample: Whole Blood EDTA Method: VCS Technology & Microscopy	00	00 - 02	%
Absolute Neutrophil Count Sample: Whole Blood EDTA	3080	2000 - 7000	/µL
Absolute Lymphocyte Count Sample: Whole Blood EDTA	2184	1000 - 3000	/µL
Absolute Eosinophil Count Sample: Whole Blood EDTA	112	20 - 500	/µL
Absolute Monocyte Count Sample: Whole Blood EDTA	224	200 - 1000	/µL
Absolute Basophil Count Sample: Whole Blood EDTA	0 L	20 - 100	/µL
DLC Performed By Sample: Whole Blood EDTA	EDTA Smear		
Platelet Count Sample: Whole Blood EDTA Method: Impedance	166	150 - 410	thou/μL
MPV (Mean Platelet Volume) Sample: Whole Blood EDTA Method: Calculated	12.7 H	6.8 - 10.9	fL
Sample: Whole Blood EDTA Erythrocyte Sedimentation Rate (ESR) Sample: Whole Blood EDTA	10	<12	mm 1st Hour

Sample: Whole Blood EDTA

Method: Modified Westergren Method











Jeevan Jyoti HLM

Referred By

Sample: Serum Method: ECLIA

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Referring Doctor: MR. SELF

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

: Mrs. MAMTA DEVI REG 315711 Name Billing Date 04/02/202310:27:50 : 30 Yrs Sample Collected on 04/02/2023 14:03:05 Age : Female Sample Received on 06/02/2023 12:01:05 Sex P. ID No. : P1212100009376 Report Released on 06/02/2023 12:52:48

Accession No : 121222029454 Barcode No. 1212046271, 1212046248, 1212046272, 1212046273

Ref no.

Report Status - Final

roport states Tine				
Test Name	Result	Biological Ref. Interval	Unit	
Blood Group Blood Grouping Sample: Whole Blood EDTA	" A "			
Rh (D) Typing Sample: Whole Blood EDTA	Positive			

BIOCHEMISTRY

Fasting Plasma Glucose Sample: Fluoride Plasma - F	89	74 - 106	mg/dl
Glucose Post-Prandial Sample: Fluoride Plasma - PP Method: Hexokinase	98	70 - 140	mg/dl
Thyroid Profile Total			
Total T3 (Triiodothyronine) Sample: Serum Method: ECLIA	1.49	0.80 - 2.00	ng/mL
Total T4 (Thyroxine) Sample: Serum Method: ECLIA	7.92	5.10 - 14.10	μg/dL
TSH 3rd Generation	2.190	0.270 - 4.200	μIU/mL















Name

Referred By

Jeevan Jyoti HLM

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Referring Doctor: MR. SELF

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com

Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

Ref no.

: Mrs. MAMTA DEVI REG 315711 Billing Date 04/02/202310:27:50

: 30 Yrs 04/02/2023 14:03:05 Age Sample Collected on Sample Received on 06/02/2023 12:01:05 Sex : Female

Report Released on P. ID No. : P1212100009376 06/02/2023 12:52:48 : 121222029454 Accession No

Barcode No. 1212046271, 1212046248,

1212046272, 1212046244,

1212046273

Report Status - Final

CYTOLOGY

GYNAECYTOPATHOLOGY REPORT

Gynaec Cyto no. C008/2023

Clinical details : Routine screening

No of slides received / prepared : 02(labelled)

: Conventional pap smear Specimen type

: Bethesda system Reporting mode : Satisfactory without endocervical cells metaplastic cells.

Specimen adequacy **Descriptive interpretation**

1. Non Neoplastic findings : Normal morphology of benign squamous epithelial cells seen with

predominance of superficial and intermediate cells.

Inflammatory cells mostly neutrophils and occasional histiocytes seen with

reactive cells.

2. Organisms : Normal flora

3. Epithelial abnormalities : Negative for intraepithelial lesion / Malignancy

4. Other

Impression : Negative for intraepithelial lesion or malignancy

Disclaimer: Gynaecologial cytology is a screening test that aids in the detection of cervical cancer and cancer precurssor. Both false positive and false negative result can occur. The test should be used at regular intervals, and positive result should be conrirmed before definitive therapy.













Jeevan Jyoti HLM

Accession No

Referred By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Referring Doctor: MR. SELF

Method: Calculated

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

: Mrs. MAMTA DEVI REG 315711 Name Billing Date 04/02/202310:27:50 Age : 30 Yrs Sample Collected on 04/02/2023 14:03:05 : Female Sample Received on 06/02/2023 12:01:05 Sex P. ID No. : P1212100009376 Report Released on 06/02/2023 12:52:48

Barcode No. : 121222029454

1212046271, 1212046248, 1212046272, 1212046244,

1212046273

Ref no.

Report	2utst2	_	Final
VEDOL	Status	-	ı II Iai

Report Status - Final			
Test Name	Result	Biological Ref. Interval	Unit
	<u>BIOCHEMIS</u>	<u>TRY</u>	
<u>Liver Function Test (LFT)</u>			
Bilirubin Total Sample: Serum Method: Spectrophotometery	0.3	<1.1	mg/dL
Bilirubin Direct Sample: Serum Method: Spectrophotometery	0.1	<0.2	mg/dL
Serum Bilirubin (Indirect) Sample: Serum Method: Calculated	0.2	<0.90	mg/dL
SGOT / AST Sample: Serum Method: Spectrophotometery	45 H	<31	U/L
SGPT / ALT Sample: Serum Method: Spectrophotometery	64 H	<33	U/L
AST / ALT Ratio Sample: Serum Method: Calculated	0.7		
Alkaline Phosphatase (ALP) Sample: Serum Method: Spectrophotometery	104 H	<98	U/L
Total Protein Sample: Serum Method: Spectrophotometry	7.8	6.4 - 8.3	g/dL
Albumin Sample: Serum Method: Spectrophotometery	5.2 H	4.0 - 4.9	g/dL
Globulin Sample: Serum	2.6	1.9 - 3.7	g/dL













Jeevan Jyoti HLM

Referred By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Referring Doctor: MR. SELF

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

: Mrs. MAMTA DEVI REG 315711 Name Billing Date 04/02/202310:27:50 Age : 30 Yrs Sample Collected on 04/02/2023 14:03:05 : Female Sample Received on 06/02/2023 12:01:05 Sex Report Released on 06/02/2023 12:52:48

P. ID No. : P1212100009376 Barcode No. **Accession No** : 121222029454

1212046271, 1212046248, 1212046272, 1212046244,

1212046273

Ref no.

Referred by .		Kerno.	
Report Status - Final			
Test Name	Result	Biological Ref. Interval	Unit
Albumin/Globulin (A/G) Ratio Sample: Serum Method: Calculated	2	1.0 - 2.1	g/dL
Lipid Profile			
Total Cholesterol Sample: Serum Method: Spectrophotometery	140	No risk : < 200 Moderate risk : 200–239 High risk : =240	mg/dL
Triglycerides Sample: Serum Method: Spectrophotometry	36	Desirable : < 150 Borderline High : 150 - 199 High : 200 - 499 Very High : >/= 500	mg/dL
LDL Cholesterol (Calculated) Sample: Serum Method: Calculated	81	Optimal : <100 Near Optimal : 100 - 129 Borderline High : 130 - 160 High : 161 - 189 Very High : >/=190	mg/dL
HDL Cholesterol Sample: Serum Method: Spectrophometry	52	Low : < 40 Optimal : 40 - 60 High : > 60	mg/dl
Non HDL Cholesterol Sample: Serum	88	< 130	mg/dL
VLDL Cholesterol Sample: Serum Method: Calculated	7.2 L	Desirable 10 - 35	mg/dL
Total Cholesterol / HDL Ratio Sample: Serum Method: Calculated	2.69 L	Low Risk : 3.3 - 4.4 Average Risk : 4.5 - 7.0 Moderate Risk : 7.1 - 11.0 High Risk : > 11.0	
LDL / HDL Ratio Sample: Serum Method: Calculated	1.6	0.5 - 3.0	

Low Risk : 0.5 - 3.0













Jeevan Jyoti HLM

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

: Mrs. MAMTA DEVI REG 315711 Name

Age : 30 Yrs : Female Sex

P. ID No. : P1212100009376

Accession No : 121222029454

Referring Doctor: MR. SELF

Referred By

Billing Date 04/02/202310:27:50 Sample Collected on 04/02/2023 14:03:05

Sample Received on 06/02/2023 12:01:05

Report Released on 06/02/2023 12:52:48

Barcode No. 1212046271, 1212046248, 1212046272, 1212046244,

1212046273

Ref no.

Report Status - Final

Report Status - Final			
Test Name	Result	Biological Ref. Interval	Unit
Kidney Profile (KFT) Blood Urea		Moderate Risk : 3.1 - 6.0 High Risk : > 6.0	
Blood Urea Nitrogen (BUN) Sample: Serum Method: Spectrophotometry-Urease / GLDH	7.79	7.00 - 18.69	mg/dL
Urea Sample: Serum Method: Spectrophotometery	16.67 L	17.00 - 43.00	mg/dL
Creatinine Sample: Serum Method: Spectrophotometry	0.49 L	0.50 - 1.10	mg/dL
BUN Creatinine Ratio Sample: Serum Method: Calculated	16	10 - 20	
Calcium Sample: Serum Method: Spectrophotometery	9.4	8.6 - 10.0	mg/dL
Uric Acid Sample: Serum Method: Spectrophotometery	3.2	2.4 - 5.7	mg/dL
Total Protein Sample: Serum Method: Spectrophotometry	7.8	6.4 - 8.3	g/dL
Albumin Sample: Serum Method: Spectrophotometery	5.2 H	4.0 - 4.9	g/dL
Globulin Sample: Serum Method: Calculated	2.6	1.9 - 3.7	g/dL
Albumin/Globulin (A/G) Ratio Sample: Serum Method: Calculated	2	1.0 - 2.1	g/dL











Jeevan Jyoti HLM

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

Name : Mrs. MAMTA DEVI REG 315711

Age 30 Yrs Sex : Female

P. ID No. : P1212100009376

: 121222029454 **Accession No**

Referring Doctor: MR. SELF

Referred By

Billing Date 04/02/202310:27:50 Sample Collected on 04/02/2023 14:03:05

06/02/2023 12:01:05 Sample Received on

Report Released on 06/02/2023 12:52:48

Barcode No. 1212046271, 1212046248, 1212046272, 1212046244,

1212046276, 1212046273

Ref no.

Report Status - Final

Test Name Result Biological Ref. Interval Unit

CLINICAL PATHOLOGY

Urine Routine & Microscopic Examination

Method: Reflectance Photometry

Physical Examination

Colour

Sample: Urine

Method: Physical Examination

Appearance

Sample: Urine

Method: Physical Examination

Specific Gravity

Sample: Urine

Method: pKa change of pretreated polyelectrolytes

pΗ Sample: Urine

. Method: Double indicator principle

4.7 - 7.5

1.003 - 1.035

Pale Yellow

Clear

Chemical Examination

Glucose

Sample: Urine

. Method: Glucose oxidase/peroxidase

Protein

Sample: Urine

Method: Protein-error-of-indicators principle

Ketones

Sample: Urine

Method: Sodium nitroprusside reaction

Sample: Urine

Method: Peroxidase

Bilirubin Sample: Urine

Method: Diazo reaction

Pale Yellow

Clear

1.010

Not Detected

Not Detected

Not Detected

Not Detected

Not Detected

6.5

Not Detected

Not Detected

Not Detected

Not Detected

Not Detected









Jeevan Jyoti HLM

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

Name : Mrs. MAMTA DEVI REG 315711

: 30 Yrs Age Sex : Female

P. ID No. : P1212100009376

Accession No : 121222029454

Referring Doctor: MR. SELF

Referred By

Billing Date 04/02/202310:27:50 Sample Collected on 04/02/2023 14:03:05

Sample Received on 06/02/2023 12:01:05

Report Released on 06/02/2023 12:52:48

Barcode No. 1212046271, 1212046248, 1212046272, 1212046244,

1212046276, 1212046273

Ref no.

Report Status - Final

	nopontotates inite		
Test Name	Result	Biological Ref. Interval	Unit
Urobilinogen Sample: Urine Method: Ehrlich's reaction	Normal	Normal	
Nitrite Sample: Urine Method: Nitrite Test	Not Detected	Not Detected	
Microscopic Examination Method: Microscopy			
Pus Cells Sample: Urine	2 - 3	0 - 5	/hpf
RBC Sample: Urine	Not Detected	Not Detected	/hpf
Epithelial Cells Sample: Urine	5 - 7	0 - 5	/hpf
Casts Sample: Urine	Not Detected	Not Detected	/hpf
Crystals Sample: Urine	Not Detected	Not Detected	/hpf
Bacteria Sample: Urine	Not Detected	Not Detected	/hpf
Remarks			

Remarks: Microscopic Examination is performed on urine sediment **BIOCHEMISTRY**

Electrolytes (Na/K/CI)

Sodium 141 136 - 145 mmol/L

Sample: Serum Method: ISE

Sample: Urine













Jeevan Jyoti HLM

Referred By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Referring Doctor: MR. SELF

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56. Udvog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

Name : Mrs. MAMTA DEVI REG 315711 Billing Date 04/02/202310:27:50 : 30 Yrs Age Sample Collected on 04/02/2023 14:03:05 Sample Received on 06/02/2023 12:01:05 Sex : Female P. ID No. : P1212100009376 Report Released on 06/02/2023 12:52:48

: 121222029454 Barcode No. 1212046271, 1212046248, Accession No

1212046272, 1212046244,

1212046276, 1212046273 Ref no.

Report Status - Final

est Name	Result	Biological Ref. Interval	Unit
Potassium Sample: Serum Method: ISE	4.5	3.5 - 5.1	mmol/L
Chloride Sample: Serum Method: ISE	111 H	97 - 107	mmol/L

Complete Blood Count (CBC)

Clinical Significance:

CBC comprises of estimation of the cellular componenets of blood including RBCs, WBCs and Platelets. Mean corpuscular volume (MCV) is a measure of the size of the average RBC, MCH is a measure of the hemoglobin cointent of the average RBC and MCHC is the hemoglobin concentration per RBC. The red cell distribution width (RDW) is a measure of the degree of variation in RBC size (anisocytosis) and is helpful in distinguishing between some anemias. CBC examination is used as a screening tool to confirm a hematologic disorder, to establish or rule out a diagnosis, to detect an unsuspected hematologic disorder, or to monitor effects of radiation or chemotherapy. Abnormal results may be due to a primary disorder of the cell-producing organs or an underlying disease. Results should be interpreted in conjunction with the patient's clinical picture and appropriate additional testing performed.

Erythrocyte Sedimentation Rate (ESR)

The erythrocyte sedimentation rate (ESR) is a simple but non-specific test that helps to detect inflammation associated with conditions such as infections, cancers, and autoimmune diseases.

Total T3 (Triiodothyronine)

Clinical Significance:

Thyroid hormones, T3 and T4, which are secreted by the thyroid gland, regulate a number of developmental, metabolic, and neural activities throughout the body. The thyroid gland synthesizes 2 hormones - T3 and T4. T3 production in the thyroid gland constitutes approximately 20% of the total circulating T3, 80% being produced by peripheral conversion from T4. T3 is more potent biologically. Total T3 comprises of Free T3 and bound T3. Bound T3 remains bound to carrier proteins like thyroid-binding globulin, prealbumin, and albumin). Only the free forms are metabolically active. In hyperthyroidism, both T4 and T3 levels are usually elevated, but in some rare cases, only T3 elevation is also seen. In hypothyroidism T4 and T3 levels are both low. T3 levels are frequently low in sick or hospitalized euthyroid patients.

Total T4 (Thyroxine)











Jeevan Jyoti HLM

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56. Udvog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

Name : Mrs. MAMTA DEVI REG 315711 Billing Date 04/02/202310:27:50 : 30 Yrs 04/02/2023 14:03:05 Age Sample Collected on Sample Received on 06/02/2023 12:01:05 Sex : Female P. ID No. : P1212100009376 Report Released on 06/02/2023 12:52:48

: 121222029454 Barcode No. Accession No

1212046271, 1212046248, 1212046272, 1212046244,

Referring Doctor: MR. SELF 1212046276, 1212046273 Referred By Ref no.

Report Status - Final

Result **Test Name** Biological Ref. Interval Unit

Clinical Significance:

Total T4 is synthesized in the thyroid gland. About 0.05% of circulating T4 is in the free or biologically active form. The remainder is bound to thyroxine-binding globulin (TBG), prealbumin, and albumin. High levels of T4 (and FT4) causes hyperthroidism and low levels lead to hypothyroidism.

TSH 3rd Generation

Clinical Significance:

TSH levels are elevated in primary hyporthyroidism and low in primary hyperthyroidism. Evaluation of TSH is useful in the differential diagnosis of primary from secondary and tertiary hypothyroidism. In primary hypothyroidism, TSH levels are elevated, while in secondary and tertiary hypothyroidism, TSH levels are low or normal. High TSH level in the presence of normal FT4 is called subclinical hypothyroidism and low TSH with normal FT4 is called subclinical hyperthyroidism. Sick, hospitalized patients may have falsely low or transiently elevated TSH. Significant diurnal variation is also seen in TSH levels.

Guidelines for TSH levels in pregnancy, as per American Thyroid Association, are as follows:

PREGNANCY TRIMESTER	BIOLOGICAL REFERENCE INTERVAL	UNIT
FIRST TRIMESTER	0.100 - 2.500	μIU/mL
SECOND TRIMESTER	0.200 - 3.000	μIU/mL
THIRD TRIMESTER	0.300 - 3.000	uIU/mL

PAP (Papanicolaou) Smear

Clinical Significance:

PAP smear is used for screening for cervical carcinoma and infections of the female genital tract including human papillomavirus, herpes, Candida, and Trichomonas. Standard reporting done as defined by the Bethesda System (TBS).

Bilirubin Total

Clinical Significance:

"Total Bilirubin is one of the most commonly used tests to assess liver function. A number of inherited and acquired diseases affect bilirubin











Jeevan Jyoti HLM

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com **Customer Care: 75000 75111**

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj Uttar Pradesh-211003

: Mrs. MAMTA DEVI REG 315711 04/02/202310:27:50 Name Billing Date Age : 30 Yrs Sample Collected on 04/02/2023 14:03:05 Sex : Female Sample Received on 06/02/2023 12:01:05 : P1212100009376 Report Released on P. ID No. 06/02/2023 12:52:48

Accession No : 121222029454 Barcode No. 1212046271, 1212046248,

1212046272, 1212046244, Referring Doctor: MR. SELF

1212046276, 1212046273 Referred By Ref no.

Report Status - Final

Result Biological Ref. Interval Unit Test Name

production, metabolism, storage and excretion and causes hyperbilirubinemia resulting in jaundice. Hyperbilirubinemia may be due to increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Unconjugated hyperbilirubinemia is seen in newborn andd known as physiological jaundice. Elevated unconjugated bilirubin in the neonatal period may result in brain damage (kernicterus). Crigler-Najjar syndromes type I and type II are also associated with elevated levels of indirect bilirubin. Both conjugated and unconjugated bilirubin are increased in hepatitis and space-occupying lesions of the liver; and obstructive lesions such as carcinoma of the head of the pancreas, common bile duct, or ampulla of Vater."

Bilirubin Direct

Clinical Significance:

"Direct bilirubin is a measurement of conjugated bilirubin. Jaundice can occur as a result of increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg., obstruction and hepatitis), and abnormal bilirubin metabolism (eg., hereditary and neonatal jaundice). Inherited disorders in which direct bilirubin levels are increased are seen in Dubin-Johnson syndrome and Rotor syndrome, idiopathic neonatal hepatitis and biliary atresia. The most commonly occurring form of jaundice of the newborn called physiological jaundiceis due to increase in levels of indirect bilirubin. Both conjugated and unconjugated bilirubin are increased in hepatocellular diseases such as hepatitis and space-occupying lesions of the liver, bstructive lesions such as carcinoma of the head of the pancreas, common bile duct, or ampulla of Vater."

SGOT / AST

"Elevated aspartate aminotransferase (AST) values are seen most commonly in parenchymal liver diseases. Values can be elevated from 10 to 100 times the normal range, though commonly 20 to 50 times elevations are seen. AST levels are raised in infectious hepatitis and other inflammatory conditions affecting the liver along with ALT, though ALT levels are higher. The ALT:AST ratio which is normally <1 is reversed in these conditions and becomes >1. AST levels are usually raised before clinical signs and symptoms of disease appear. AST and ALT also rise in primary or metastatic carcinoma of the liver, with AST usually being higher than ALT. Elevated AST values may also be seen in disorders affecting the heart, skeletal muscle and kidney, such as myocardial infarction, muscular dystrophy, dermatomyositis, acute pancreatitis and crushed muscle injuries."

SGPT/ALT

Clinical Significance:

Elevated alanine aminotransferase (ALT) values are seen in parenchymal liver diseases characterized by a destruction of hepatocytes. Values are at least 10 times higher the normal range and may reach up to 100 times the upper reference limit. Commonly, values are seen to be 20 - 50 times higher than normal. In infectious hepatitis and other inflammatory conditions affecting the liver, ALT levels rise more













Jeevan Jyoti HLM

Referred By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Referring Doctor: MR. SELF

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com **Customer Care: 75000 75111**

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

: Mrs. MAMTA DEVI REG 315711 04/02/202310:27:50 Name Billing Date Age : 30 Yrs Sample Collected on 04/02/2023 14:03:05 Sex : Female Sample Received on 06/02/2023 12:01:05 : P1212100009376 Report Released on P. ID No. 06/02/2023 12:52:48

Accession No : 121222029454 Barcode No. 1212046271, 1212046248,

1212046272, 1212046244,

1212046276, 1212046273 Ref no.

Report Status - Final

Test Name	Result	Biological Ref. Interval	Unit
TOST MUTTIC	Nosait	Diological Noi. Interval	Offic

than aspartate aminotransferase (AST), and the ALT/AST ratio, which is normally <1, is reversed and becomes >1. ALT levels usually rise before clinical signs and symptoms of disease appear.

Alkaline Phosphatase (ALP)

Clinical Significance:

Alkaline Phosphatase levels can be elevated in both liver related as well as bone related conditions. ALP levels are raised (more than 3 fold) in extrahepatic biliary obstruction (eg, by stone or by cancer of the head of the pancreas) than in intrahepatic obstruction, and is directly proportional to the level of obstruction. Levels may rise up to 10 to 12 times the upper limit of normal range and returns to normal on surgical removal of the obstruction. ALP levels rise together with GGT levels and If both GGT and ALP are elevated, a liver source of the ALP is likely. Among bone diseases, ALP levels rise in Paget disease (up to 25 fold), osteomalacia, rickets, primary and secondary hyperparathyroidism and osteogenic bone cancer. Elevated ALP is seen in children following accelerated bone growth. Also, a 2 to 3fold elevation may be observed in women in the third trimester of pregnancy, although the interval is very wide and levels may not exceed the upper limit of the reference interval in some cases.

Total Protein

Clinical Significance:

High levels of Serum Total Protein is seen in increased acute phase reactants in inflammation, late-stage liver disease, infections, multiple myeloma and other malignant paraproteinemias.n. Hypoproteinemia is seen in hypogammaglobulinemia, nephrotic syndrome and protein-losing enteropathy.

Albumin

Clinical Significance:

"Hypoalbuminemia can be caused by impaired synthesis due to liver disease (primary) or due to diminished protein intake (secondary), increased catabolism due to tissue damage and inflammation; malabsorption of amino acids; and increased renal excretion (eg, nephrotic syndrome). Hyperalbuminemia is seen in dehydration."

Lipid Profile

Proposed LDL-C goals in very high risk and extreme risk group patients by the Lipid Association of India.











Jeevan Jyoti HLM

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

Uttar Pradesh-211003

: Mrs. MAMTA DEVI REG 315711 Name Billing Date 04/02/202310:27:50 30 Yrs Age Sample Collected on 04/02/2023 14:03:05 Sex : Female Sample Received on 06/02/2023 12:01:05 P. ID No. : P1212100009376 Report Released on 06/02/2023 12:52:48

Accession No : 121222029454 Report Released on : 06/02/2023 12:52:48

Barcode No. : 1212046271, 1212046248,

Referring Doctor: MR. SELF 1212046272, 1212046274, 1212046274

Referred By : Ref no. : 1212046276, 1212046273

Report Status - Final

Test Name Result Biological Ref. Interval Unit

Very High Risk group(VHRG)	Extreme Risk group		
	Category A	Category B	
LDL-C goal of <50 mg/dl	LDL-C goal of <50 mg/dl (recommended) LDL-C goal of ≤30 mg/dl (optional)	LDL-C goal of ≤30 mg/dl	
High-risk conditions Any one of following:		CAD with ≥ 1 of following:	
ASCVD (CAD/PAD/TIA or stroke)	CAD with ≥1 of following:	 Diabetes + polyvascular disease/≥2 major ASCVD risk factors*/target 	
 Homozygous familial hypercholesterolemia Diabetes with ≥2 major ASCVD risk factors*/target organ damage 	 Diabetes without target organ damage/≤1 major ASCVD risk factors Familial hypercholesterolemia ≥3 major ASCVD risk factors CKD stage 3B and 4 ≥2 major ASCVD risk factors with ≥1 moderate non-conventional risk factor# Lp(a) ≥50 mg/dl Coronary calcium score ≥300 HU Extreme of a single risk factor PAD H/o TIA or stroke Non-stenotic carotid plaque 	organ 3. damage 4. Recurrent ACS (within 12 months) 5. despite on LDL-C goal 6. Homozygous familial 7. Hypercholesterolemia	

The LDL-C goal of ≤30 mg/dl must be pursued after detailed risk-benefit discussion between physician and patient.

Clinical judgment to be used in decision making if the patient has disease/risk factors not covered in the table, eg. peripheral arterial disease or cerebrovascular disease.

*Major ASCVD risk factors: 1. Age- male ≥45 years, female ≥55 years, 2. Family h/o premature CAD- male <55 years, female <65 years, 3. Smoking/tobacco use, 4. Systemic hypertension, 5.Low HDL (males <40 mg/dl and females <50 mg/dl).

Uric Acid













Jeevan Jyoti HLM

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj

PATHKIND REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

Plot No. 55-56, Udyog Vihar, Phase IV, Sector-18, Gurugram-122015 E-Mail: care@pathkindlabs.com | Website: www.pathkindlabs.com Customer Care: 75000 75111

Processed By

Pathkind Diagnostics Pvt. Ltd.

162, Lowther Road, Bai Ka Bagh, Prayagraj Uttar Pradesh-211003

Name : Mrs. MAMTA DEVI REG 315711 Billing Date 04/02/202310:27:50 : 30 Yrs Age Sample Collected on 04/02/2023 14:03:05 Sample Received on 06/02/2023 12:01:05 Sex : Female Report Released on P. ID No. : P1212100009376 06/02/2023 12:52:48

: 121222029454 Barcode No. 1212046271, 1212046248, Accession No

1212046272, 1212046244,

Referring Doctor: MR. SELF 1212046276, 1212046273 Referred By Ref no.

Report Status - Final

Test Name	Docult	Riological Dof Intorval	Unit	
lest ivallie	Result	biological Ref. Ifflet val	Unit	

Clinical Significance:

Uric acid is the final product of purine metabolism. Serum uric acid levels are raised in case of increased purine synthesis, inherited metabolic disorder, excess dietary purine intake, increased nucleic acid turnover, malignancy and cytotoxic drugs. Decreased levels are seen in chronic renal failure, severe hepatocellular disease with reduced purine synthesis, defective renal tubular reabsorption, overtreatment of hyperuricemia with allopurinol, as well as some cancer therapies.

Urine Routine & Microscopic Examination

Clinical Significance:

Urine routine examination and microscopy comprises of a set of screening tests that can detect some common diseases like urinary tract infections, kidney disorders, liver problems, diabetes or other metabolic conditions. Physical characteristics (colour and appearance), chemical composition (glucose, protein, ketone, blood, bilirubin and urobilinogen) and microscopic content (pus cells, epithelial cells, RBCs, casts and crystals) are analyzed and reported.

** End of Report**



MBBS, MD (Pathologist)

Lab Head





In our quest to keep you hale, hearty & healthy, we recommend these following preventive packages

▶ Healthkind - Preventive health check-up packages

Package	Healthkind Complete	Healthkind Advance	Healthkind Platinum	
Tests	77 Tests	83 Tests	85 Tests	
Price	₹6589.* Now at ₹3199	₹7879* Nowat ₹ 3999	₹948@* Nowat ₹4999	
HEART	Lipid Profile	Lipid Profile with Direct LDL	Lipid Profile with Direct LDL	
DIABETES	FBS, HbA1c	FBS, HbA1c, Microalbumin	FBS, HbA1c, Microalbumin	
KIDNEY	BUN, Creatinine, Bun/Creatinine Ratio, Electrolytes, Uric Acid, Urine R/E	BUN, Creatinine, BUN/Creatinine Ratio, Electrolytes, Uric Acid, Urine R/E	BUN, Creatinine, BUN/Creatinine Ratio, Electrolytes, Uric Acid, Urine R/E	
BONES	Vitamin D, Calcium	Vitamin D, Calcium, Phosphorus	Vitamin D, Calcium, Phosphorus, Rheumatoid Factor	
THYROID	T3, T4, TSH	T3, T4, TSH	FT3, FT4, TSH	
NERVES	Vitamin B12	Vitamin B12	Vitamin B12	
LIVER	Bilirubin (Total, Direct, Indirect), SGOT, SGPT, ALP, Protein, Albumin, Globulin, A:G Ratio, HBsAg	Bilirubin (Total, Direct, Indirect), SGOT, SGPT, ALP, GGT, LDH, Protein, Albumin, Globulin, A:G Ratio, HBsAg	Bilirubin (Total, Direct, Indirect), SGOT, SGPT, ALP, GGT, LDH, Protein, Albumin, Globulin, A:G Ratio, HBsAg	
ANAEMIA	Iron, TIBC, UIBC, % Saturation	Iron, TIBC, UIBC, % Saturation, Ferritin	Iron, TIBC, UIBC, % Saturation, Ferritin, Folic Acid	
INFECTION	CBC, ESR	CBC, ESR	CBC, ESR	

Immusure - Immunity Check Package

A comprehensive package that is designed to help you track your immunity level against variety of threats including virus, bacteria & other pathogens.

lm	musure 31 Tests	10410*
-	CBC	now at 7.₹ 3250
-	Iron Studies (Iron, UIBC, TIBC & % Saturation)	1
-	Vitamin-D,	
-	Immunoglobulin IgE Total	
-	Immunoglobulin Profile (IgA, IgG, IgM)	









