

प्रति,

समन्वयक,

Mediwheel (Arcofemi Healthcare Limited) हेल्पलाइन नंबर: 011-41195959

महोदय/ महोदया,

विषय: बैंक ऑफ़ बड़ौदा के कर्मचारियों के लिए वार्षिक स्वास्थ्य जांच।

हम आपको सूचित करना चाहते हैं कि हमारे कर्मचारी जिनका विवरण निम्नानुसार हैं हमारे करार के अनुसार आपके द्वारा उपलब्ध कराई गई कैशलेस वार्षिक स्वास्थ्य जांच सुविधा का लाभ लेना चाहते हैं।

	कर्मचारी विवरण
नाम	MR. TRIPATHI MANISH
क.कू.संख्या	182723
पदनाम	SINGLE WINDOW OPERATOR A
कार्य का स्थान	ALLAHABAD,MEERAPUR
जन्म की तारीख	01-12-1977
स्वास्थ्य जांच की प्रस्तावित तारीख	11-02-2024
बुकिंग संदर्भ सं.	23M182723100089620E

यह अनुमोदन/ संस्तुति पत्र तभी वैध माना जाएगा जब इसे बैंक ऑफ़ बड़ौदा के कर्मचारी आईडी कार्ड की प्रति के साथ प्रस्तुत किया जाएगा। यह अनुमोदन पत्र दिनांक 09-02-2024 से 31-03-2024 तक मान्य है। इस पत्र के साथ किए जाने वाले चिकित्सा जांच की सूची अनुलग्नक के रूप में दी गई है। कृपया नोट करें कि उक्त स्वास्थ्य जांच हमारी टाई-अप व्यवस्था के अनुसार कैशलेस सुविधा है। हम अनुरोध करते हैं कि आप हमारे कर्मचारी के स्वास्थ्य जांच संबंधी आवश्यकताओं पर उचित कार्रवाई करें तथा इस संबंध में अपनी सर्वोच्च प्राथमिकता तथा सर्वोक्तम संसाधन उपलब्ध कराएं। उपर्युक्त सारणी में दी गई कर्मचारी कूट संख्या एवं बुकिंग संदर्भ संख्या का उल्लेख अनिवार्य रूप से इनवाइस में किया जाना चाहिए।

हम इस संबंध में आपके सहयोग की अपेक्षा करते हैं।

भवदीय.

हस्ता/-(मुख्य महाप्रबंधक) मानव संसाधन प्रबंधन विभाग बैंक ऑफ़ बडौदा

(नोट: यह कंप्यूटर द्वारा जनरेट किया गया पत्र है। हस्ताक्षर की आवश्यकता नहीं है। कृपया किसी भी स्पष्टीकरण के लिए Mediwheel (Arcofemi Healthcare Limited) से संपर्क करें।)



# बैंक ऑफ़ बड़ीदा Bank of Baroda

नाम - मनीष त्रिपाठी Name - Manish Tripathi कर्मधारी कूट क्र - 182723 E.C. No. - 182723

0\_\_\_

जारीकर्त्ता प्राधिकारी issuing Authority



धारक के हस्ताक्षर Signature of Holder





CIN: U85110DL2003PLC308206



Patient Name : Mr.MANISH TRIPATHI - 182723 Registered On : 11/Feb/2024 07:56:54 Age/Gender Collected : 11/Feb/2024 08:05:32 : 46 Y 2 M 11 D /M UHID/MR NO Received : ALDP.0000134779 : 11/Feb/2024 10:12:01 Visit ID : ALDP0358952324 Reported : 11/Feb/2024 11:51:09

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

# DEPARTM ENT OF HABMATOLOGY


# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) *, Blood				
Blood Group	Α			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
0 1 1 Pl 10 10 10 10 10 10 10 10 10 10 10 10 10				
Complete Blood Count (CBC) *, Whole Blood	d			
Haemoglobin	13.90	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) DLC	6,600.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils )	50.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	40.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	6.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	4.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	6.00	Mm for 1st hr.		
Corrected	45	Mm for 1st hr.	<9	
PCV (HCT) Platelet count	41.00	%	40-54	
Platelet Count	2.11	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.90	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE



Page 1 of 9





Customer Care No.: +91-9918300637 E-mail: customercare.diagnostic@chandan.co.in Web.: www.chandan.co.in







CIN: U85110DL2003PLC308206



Patient Name : Mr.MANISH TRIPATHI - 182723 Registered On : 11/Feb/2024 07:56:54 : 46 Y 2 M 11 D /M Age/Gender Collected : 11/Feb/2024 08:05:32 UHID/MR NO : ALDP.0000134779 Received : 11/Feb/2024 10:12:01 Visit ID : ALDP0358952324 Reported : 11/Feb/2024 11:51:09

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

# DEPARTMENT OF HAEM ATOLOGY

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS


Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.27	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.60	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.54	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	92.20	fl	80-100	CALCULATED PARAMETER
MCH	30.60	pg	28-35	CALCULATED PARAMETER
MCHC	33.20	%	30-38	CALCULATED PARAMETER
RDW-CV	12.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	43.00	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,300.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	264.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)



Page 2 of 9











CIN: U85110DL2003PLC308206



Patient Name : Mr.MANISH TRIPATHI - 182723 : 11/Feb/2024 07:56:58 Registered On Age/Gender : 46 Y 2 M 11 D /M Collected : 11/Feb/2024 08:05:32 UHID/MR NO : ALDP.0000134779 Received : 11/Feb/2024 10:12:02 Visit ID : ALDP0358952324 Reported : 11/Feb/2024 12:31:51

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

# DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Un	it Bio. Ref. Interv	val Method
GLUCOSE FASTING * , Plasma				
Glucose Fasting	121.40	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

#### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

# GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	6.70	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	50.10	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	147	mg/dl	

## **Interpretation:**

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level





Page 3 of 9







CIN: U85110DL2003PLC308206



: 11/Feb/2024 07:56:58 Patient Name : Mr.MANISH TRIPATHI - 182723 Registered On Age/Gender : 46 Y 2 M 11 D /M Collected : 11/Feb/2024 08:05:32 UHID/MR NO : ALDP.0000134779 Received : 11/Feb/2024 10:12:02 Visit ID : ALDP0358952324 Reported : 11/Feb/2024 12:31:51

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
-----------	--------	------	--------------------	--------	--

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:
- \*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	9.53	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.00	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	3.50	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	18.80	U/L	<35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	19.70	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	34.30	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.90	gm/dl	6.2-8.0	BIURET
Albumin	4.40	gm/dl	3.4-5.4	B.C.G.
Globulin	2.50	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.76		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	102.10	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.40	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.20	mg/dl	< 0.8	JENDRASSIK & GROF



Page 4 of 9





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





CIN: U85110DL2003PLC308206



Patient Name

: Mr.MANISH TRIPATHI - 182723

Registered On

: 11/Feb/2024 07:56:58

Age/Gender

: 46 Y 2 M 11 D /M

Collected

: 11/Feb/2024 08:05:32 : 11/Feb/2024 10:12:02

UHID/MR NO Visit ID

: ALDP.0000134779 : ALDP0358952324 Received Reported

: 11/Feb/2024 12:31:51

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	lnit Bio. Ref. Inte	erval Method
LIPID PROFILE ( MINI ) * , Serum				
Cholesterol (Total)	218.00	mg/dl	<200 Desirable 200-239 Borderline H > 240 High	CHOD-PAP ligh
HDL Cholesterol (Good Cholesterol)	51.90	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	72	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED
			Optimal/Above Opti 130-159 Borderline H 160-189 High > 190 Very High	
VLDL	85.14	mg/dl	10-33	CALCULATED
Triglycerides	425.70	mg/dl	< 150 Normal 150-199 Borderline H 200-499 High >500 Very High	GPO-PAP ligh

AS\_

Dr. Akanksha Singh (MD Pathology)





Page 5 of 9







Test Name

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Method

Patient Name : Mr.MANISH TRIPATHI - 182723 Registered On : 11/Feb/2024 07:56:56 Age/Gender Collected : 46 Y 2 M 11 D /M : 11/Feb/2024 08:05:32 UHID/MR NO : ALDP.0000134779 Received : 11/Feb/2024 10:12:01 Visit ID : ALDP0358952324 Reported : 11/Feb/2024 16:45:25

Result

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

# DEPARTMENT OF CLINICAL PATHOLOGY

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Unit

Bio. Ref. Interval

nesuit	Offic	Dio. Her. Interval	MELTIOU
, Urine			
PALE YELLOW			
1.020			
Acidic ( 6.0 )			DIPSTICK
CLEAR			
ABSENT	mg %	< 10 Absent	DIPSTICK
		10-40 (+)	
		· ·	
ADCENIT	0/		DIRETICK
ABSENT	gms%		DIPSTICK
ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
ABSENT			
ABSENT			
ABSENT			DIPSTICK
ABSENT			DIPSTICK
ABSENT			
ABSENT			DIPSTICK
ABSENT			DIPSTICK
1-2/h.p.f			MICROSCOPIC
			EXAMINATION
·			
ABSENT			MICROSCOPIC
ADCENIT			EXAMINATION
			MICDOCCODIC
ABSENT			MICROSCOPIC EXAMINATION
ABSENT			LAAMINATION
ta arme scannelli.			
	PALE YELLOW 1.020 Acidic ( 6.0 ) CLEAR ABSENT  ABSENT  ABSENT	PALE YELLOW 1.020 Acidic ( 6.0 ) CLEAR ABSENT mg %  ABSENT mg/dl ABSENT	PALE YELLOW 1.020 Acidic ( 6.0 ) CLEAR ABSENT  Mg % < 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)  ABSENT  Mg % < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)  ABSENT  ABSENT

Sugar, Fasting stage **ABSENT** gms%









Page 6 of 9





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Mr.MANISH TRIPATHI - 182723

Registered On

: 11/Feb/2024 07:56:56

Age/Gender

: 46 Y 2 M 11 D /M

: 11/Feb/2024 08:05:32

UHID/MR NO Visit ID

: ALDP.0000134779 : ALDP0358952324 Collected Received

: 11/Feb/2024 10:12:01

- - .

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Reported

: 11/Feb/2024 16:45:25

Ref Doctor

CARE LTD -

Status

: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

## **Interpretation:**

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2



Dr. Akanksha Singh (MD Pathology)



Page 7 of 9









CIN: U85110DL2003PLC308206



Patient Name : Mr.MANISH TRIPATHI - 182723 : 11/Feb/2024 07:57:01 Registered On Age/Gender : 46 Y 2 M 11 D /M Collected : 11/Feb/2024 08:05:32 UHID/MR NO : ALDP.0000134779 Received : 12/Feb/2024 12:15:43 Visit ID : ALDP0358952324 Reported : 12/Feb/2024 13:49:47

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total **	1.03	ng/mL	<4.1	CLIA	
Sample:Serum			· · · <u>-</u>	<b>5</b> 2 \	

# **Interpretation:**

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Bring

Dr. Anupam Singh (MBBS MD Pathology)



Page 8 of 9









CIN: U85110DL2003PLC308206



Patient Name : Mr.MANISH TRIPATHI - 182723 Registered On : 11/Feb/2024 07:56:57 Age/Gender : 46 Y 2 M 11 D /M Collected : 11/Feb/2024 08:05:32 UHID/MR NO : ALDP.0000134779 Received : 11/Feb/2024 10:12:01 Visit ID : ALDP0358952324 Reported : 11/Feb/2024 14:53:19

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	110.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	6.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	4.300	μIU/mL	0.27 - 5.5	CLIA
		,		
Interpretation:				
		0.3-4.5 µIU/r	nL First Trimest	er
		0.5-4.6 μIU/r	nL Second Trim	ester
		0.8-5.2 μIU/n	nL Third Trimes	ter
		0.5-8.9 μIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r		28-36 Week
		2.3-13.2 μIU/n		> 37Week
		0.7-64 μIU/n		- 20 Yrs.)
		1-39 μIU		0-4 Days
		1.7-9.1 μIU/r		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

\*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

AS\_

EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, ECG / EKG, X-RAY DIGITAL CHEST P/ Dr.Akanksha Singh (MD Pathology)

ABDOMEN (UPPER the LOWER) Tread Mill Test (TMT).

ABDOMEN (UPPER the LOWER) Tread Mill Test (TMT).

This report is not for medico legal purpose: if clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \*

\*Facilities Available at Select Location



Page 9 of 9



