PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 : OP
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

Investigation  HAEMATOLOGY	Observed Value	<u>Unit</u>	Biological Reference Interval
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	16.2	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	44.8	%	42 - 52
RBC Count (EDTA Blood)	4.51	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	99.3	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	35.8	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	36.1	g/dL	32 - 36
RDW-CV (EDTA Blood)	12.3	%	11.5 - 16.0
RDW-SD (EDTA Blood)	43.8	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	5100	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	32.9	%	40 - 75
Lymphocytes (EDTA Blood)	54.3	%	20 - 45
Eosinophils (EDTA Blood)	4.8	%	01 - 06
Monocytes (EDTA Blood)	7.5	%	01 - 10





 PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood)	0.5	%	00 - 02
INTERPRETATION: Tests done on Automated Five	Part cell counter. All a	abnormal results are	e reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	1.7	10^3 / μ1	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.8	10^3 / μ1	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.2	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.4	10^3 / μ1	< 1.0
Absolute Basophil count (EDTA Blood)	0.0	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	210	$10^3 / \mu l$	150 - 450
MPV (EDTA Blood)	9.2	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.192	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	2	mm/hr	< 15





 PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.59	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.23	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.36	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	39.88	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	47.24	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	399.98	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	78.9	U/L	53 - 128
Total Protein (Serum/Biuret)	7.77	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	5.12	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.65	gm/dL	2.3 - 3.6
A: GRATIO (Serum/Derived)	1.93		1.1 - 2.2





 PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 : OP
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	249.65	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	535.28	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	45.19	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	97.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	107.1	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	204.5	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

**INTERPRETATION:** 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.





 PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5.5		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	11.8		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.2		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0





 PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 : OP
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/ <i>HPLC</i> )	8.3	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 191.51 mg/dL

(Whole Blood)

### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia,hyperbilirubinemia,Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.





Diabetic:  $\geq 6.5$ 

 PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 : OP
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u>
<u>Value</u> <u>Reference Interval</u>

## **IMMUNOASSAY**

### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total **0.635** ng/ml 0.7 - 2.04

(Serum/ECLIA)

### INTERPRETATION:

### **Comment:**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total 3.92 μg/dl 4.2 - 12.0

(Serum/ECLIA)

### INTERPRETATION:

### **Comment:**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 2.23 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

### **Comment:**

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&amplt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.





 PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 : OP
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

## **CLINICAL PATHOLOGY**

# PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Yellow Yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 20

(Urine)

## CHEMICAL EXAMINATION (URINE

**COMPLETE**)

pH 5 4.5 - 8.0

(Urine)

Specific Gravity 1.025 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)

Glucose **Positive**(++) Negative

(Urine/GOD - POD)





 PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 : OP
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

Crystals

(Urine)

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Leukocytes(CP) (Urine)	Negative		
MICROSCOPIC EXAMINATION (URINE COMPLETE)			
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/hpf	NIL
Others (Urine)	NIL		
<b>INTERPRETATION:</b> Note: Done with Automated U reviewed and confirmed microscopically.	Jrine Analyser & Auton	nated urine sedi	mentation analyser. All abnormal reports are
Casts (Urine)	NIL	/hpf	NIL



NIL

/hpf



NIL

 PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 : OP
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

## **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING

(EDTA Blood/Agglutination)

'O' 'Positive'





 PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 : OP
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	14.55		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	199.99	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) ++ Negative (Urine - F/GOD - POD)
Glucose Postprandial (PPBS) 345.17 mg/dL 70 - 140 (Plasma - PP/GOD-PAP)

### INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	+++		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	9.9	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.68	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid 6.20 mg/dL 3.5 - 7.2

(Serum/Enzymatic)





 PID No.
 : IND649252
 Register On
 : 23/09/2023 8:18 AM

 SID No.
 : 423059551
 Collection On
 : 23/09/2023 9:48 AM

 Age / Sex
 : 49 Year(s) / Male
 Report On
 : 23/09/2023 6:25 PM

 Type
 : OP
 Printed On
 : 25/09/2023 10:46 AM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u> <u>Value</u> <u>Reference Interval</u>

## **IMMUNOASSAY**

Prostate specific antigen - Total(PSA) 0.123 ng/ml Normal: 0.0 - 4.0

(Serum/Manometric method)

Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of

Prostate: > 10.0

### INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH).

Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within 24 hours.

PSA levels tend to increase in all men as they age.

Clinical Utility of PSA:

ÉIn the early detection of Prostate cancer.

ÉAs an aid in discriminating between Prostate cancer and Benign Prostatic disease.

ÉTo detect cancer recurrence or disease progression.





-- End of Report --

Mob:86183852



### SRI PARVATHI OPTICS

**Multi Branded Opticals Store** 

Computerized Eye Testing & Spectacles Clinic # 333.8th Main 5th Cross Near Cambridge & Miranda School HAL 3rd Stage Behind Vishveshvariah Park New Thippasandra, Bangalore - 560075,

2	PECTACLE I	RESCRIPTIO	N
Name: Bhaskas	·A	No.	3676

Date : 23 9 23. Mobil No: 9686948339

Age / Gender Hay /M Ref. No.

		RIGHT	EYE		111	LEF	TEYE	10.70
	SPH	cn	AXIS	VISION	SPH C1L		AXIS	VISION
DETENCE	0.75	5.85	æq	6/6	0.50	0.20	141	96
MA	Add	both	Gye	417		140	1,00	1200

☐ DISTANCE ☐ FAR & NEAR ☐ READING ☐ COMPUTER PURFOSE

We Care Your Eyes

SRI PARVATHI OPTICS NEW THIPPASANIDOA

24 X-RAY

X RAY CHEST Consultation Physician

### Patient Details Print Page


### CLUMAX DIAGNOSTICS CUSTOMER CHECKLIST

### MEDALL HEALTHCARE PVT LTD



Print Date :23/09/2023 08:18 AM MR.BHASKAR A Customer Name MediWheel Ref Dr Name 423059551 IND649252 Customer Id 9686948389 49Y/MALE Phone No Age 23/09/2023 Visit Date 12 May 1974 DOE MediWheel Company Name Package Name: Mediwheel Full Body Health Checkup Male Above 40 Signature S.No Modality Study BLOOD UREA NITROGEN (BUN) GLUCOSE - FASTING GLUCOSE - POSTPRANDIAL (2 HRS) LAE (HbA1c) TOTAL PROSTATE SPECIFIC ANTIGEN -LAB PSA THYROID PROFILE/ TFT( T3, T4, TSH) 11 LAR URINE GLUCOSE - POSTPRANDIAL (2 COMPLETE BLOOD COUNT WITH ESR. STOOL ANALYSIS - ROUTINE 14 LAB BUN/CREATININE RATIO 16 BLOOD GROUP & RH TYPE (Forward Reverse' IND14217261138 -18 ECC 19 OTHERS Texastmill / 2D Echo done ULTRASOUND ABDOMEN Dental Consultation OTHERS

Registerd By (HARLO)



Name	MR.BHASKAR A	ID	IND649252
Age & Gender	49Y/MALE	Visit Date	23 Sep 2023
Ref Doctor Name	MediWheel		

## 2 D ECHOCARDIOGRAPHIC STUDY

### M mode measurement:

AORTA : 3.4cms

LEFT ATRIUM : 3.6cms

AVS :----

LEFT VENTRICLE (DIASTOLE) : 4.4cms

(SYSTOLE) : 3.0cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.9cms

(SYSTOLE) : 1.6cms

POSTERIOR WALL (DIASTOLE) : 0.9cms

(SYSTOLE) : 1.8cms

EDV : 89ml
ESV : 34ml
FRACTIONAL SHORTENING : 33%
EJECTION FRACTION : 62%

EPSS :---

RVID : 1.9cms

## **DOPPLER MEASUREMENTS:**

MITRAL VALVE : E' 1.11 m/s A' 0.86 m/s NO MR

AORTIC VALVE : 1.57 m/s NO AR

TRICUSPID VALVE : E' - m/s A' - m/s NO TR

PULMONARY VALVE : 0.94 m/s NO PR

Name	MR.BHASKAR A	ID	IND649252
Age & Gender	49Y/MALE	Visit Date	23 Sep 2023
Ref Doctor Name	MediWheel	-	

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

## **IMPRESSION:**

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF:62 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST SRIJAYADEVA INSTITUTE OF CARDIOLOGY, BANGALORE

Kss/da

## Note:

<sup>\*</sup> Report to be interpreted by qualified medical professional.

Name	MR.BHASKAR A	ID	IND649252
Age & Gender	49Y/MALE	Visit Date	23 Sep 2023
Ref Doctor Name	MediWheel	-	-

<sup>\*</sup> To be correlated with other clinical findings.

\* Parameters may be subjected to inter and intra observer variations.

\*Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	MR.BHASKAR A	ID	IND649252
Age & Gender	49Y/MALE	Visit Date	23 Sep 2023
Ref Doctor Name	MediWheel	-	-

### ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER is normal in size and shows diffuse fatty changes.** No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

· ·	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	11.3	1.5
Left Kidney	10.8	1.5

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**PROSTATE** shows normal shape, size and echopattern. It measures 2.6 x 2.6 x 3.6cms (Vol:13cc).

No evidence of ascites / pleural effusion.

### **IMPRESSION**:

- > FATTY LIVER.
- > NO OTHER SIGNIFICANT ABNORMALITY DETECTED.

DR. APARNA CONSULTANT RADIOLOGIST A/vp

Name	Mr. BHASKAR A	Customer ID	IND649252
Age & Gender	49Y/M	Visit Date	Sep 23 2023 8:17AM
Ref Doctor	MediWheel		

## X - RAY CHEST PA VIEW

## **FINDINGS:**

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

## **IMPRESSION:**

No significant abnormality detected.

Dr.Nitash Prakash MBBS.,MD Consultant Radiologist