





REMARKS

### LABORATORY REPORT

BIOLOGICAL REF. INTERVAL

Name : Mrs. DEEPIKA AGRAWAL Sex/Age : Female / 30 Years Case ID : 30908000393

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID : Female Above 40

Bill. Loc. : SPH OPD Pt. Loc

11. 200 .

Reg Date and Time : 09-Sep-2023 08:42 Sample Type : Whole Blood EDTA Mobile No. : Sample Date and Time : 09-Sep-2023 08:42 Sample Coll. By : non Ref Id1 :

Report Date and Time : 09-Sep-2023 10:32 Acc. Remarks : Ref Id2 :

UNIT

**HAEMOGRAM REPORT HB AND INDICES** Haemoglobin 10.3 G% 12.0 - 15.0 4.81 **RBC** (Electrical Impedance) millions/cumm 3.80 - 4.80 PCV(Calc) 35.98 % 36.00 - 46.00 MCV (RBC histogram) 74.8 fL 83.00 - 101.00 MCH (Calc) 21.4 27.00 - 32.00 pg gm/dL MCHC (Calc) 28.6 31.50 - 34.50 **RDW (RBC histogram)** 17.70 % 11.00 - 16.00 TOTAL AND DIFFERENTIAL WBC COUNT

**Total WBC Count** 9400 /μL 4000.00 - 10000.00

**RESULTS** 

Neutrophil	[%] H <b>74</b>	<b>EXPECTED VALUES</b> % 40.00 - 70.00	[ <b>Abs</b> ] 6956	<b>EXPECTED VALUES</b> /μL 2000.00 - 7000.00
Lymphocyte	22	% 20.00 - 40.00	2068	/µL 1000.00 - 3000.00
Eosinophil	01	% 1.00 - 6.00	94	/µL 20.00 - 500.00
Monocytes	03	% 2.00 - 10.00	282	/µL 200.00 - 1000.00
Basophil	00	% 0.00 - 2.00	0	/µL 0.00 - 100.00

**PLATELET COUNT** 

 Platelet Count
 H
 427000
 /μL
 150000.00 - 410000.00

 MPV
 9.80
 fL
 6.5 - 12

 PDW
 H
 15.6
 8 - 13

Method:

**TEST** 

TLC-SF cube technology(Flow Cytometry+ fluorescence),

DC by microscopy,

Platelet count by electrical impedance+/-SF cube technology

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

**Consultant Pathologist** 

Page 1 of 10







Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID :

Female Above 40

: Mrs. DEEPIKA AGRAWAL

Bill. Loc. : SPH OPD Pt. Loc

Reg Date and Time : 09-Sep-2023 08:42 Sample Type : Whole Blood EDTA Mobile No. : Sample Date and Time : 09-Sep-2023 08:42 Sample Coll. By : non Ref Id1 :

Report Date and Time : 09-Sep-2023 11:36 Acc. Remarks : Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

**ESR** H **46** mm after 1hr 3 - 20

Westergren Method

Name

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 2 of 10







Name : Mrs. DEEPIKA AGRAWAL Sex/Age : Female / 30 Years Case ID : 30908000393

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID Female Above 40

Bill. Loc. : SPH OPD Pt. Loc

Reg Date and Time : 09-Sep-2023 08:42 Sample Type : Whole Blood EDTA Mobile No. :

Sample Date and Time : 09-Sep-2023 08:42 Sample Coll. By : non Ref Id1 : Report Date and Time : 09-Sep-2023 14:10 Acc. Remarks : Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

### HAEMATOLOGY INVESTIGATIONS

BLOOD GROUP AND RH TYPING (Erythrocyte Magnetized Technology)
(Both Forward and Reverse Group)

ABO Type A

Rh Type POSITIVE

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 3 of 10







Name : Mrs. DEEPIKA AGRAWAL Sex/Age : Female / 30 Years Case ID : 30908000393

: Mediwheel Full Body Health Checkup Dis. At : Pt. ID Female Above 40

Bill. Loc. : SPH OPD Pt. Loc

Reg Date and Time : 09-Sep-2023 08:42 Sample Type : Spot Urine Mobile No. : Sample Date and Time : 09-Sep-2023 08:42 Sample Coll. By : non Ref Id1 :

Report Date and Time : 09-Sep-2023 12:12 Acc. Remarks : Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

### **URINE EXAMINATION (STRIP METHOD AND FLOWCYTOMETRY)**

Physical examination

Ref. By

Colour Pale yellow

Transparency Clear

Chemical Examination By Sysmex UC-3500

**Sp.Gravity** 1.025 1.003 - 1.035

рΗ 6.0 4.6 - 8 Leucocytes (ESTERASE) **Negative** Negative **Protein** Negative Negative Glucose **Negative** Negative **Ketone Bodies Urine** Negative Negative Urobilinogen **Negative** Negative **Bilirubin** Negative Negative **Blood** Negative Negative **Nitrite** Negative Negative

Flowcytometric Examination By Sysmex UF-5000

 Leucocyte
 1-2
 /HPF
 Nil

 Red Blood Cell
 1-2
 /HPF
 Nil

Epithelial Cell 3-5 /HPF Present(+)

 Bacteria
 Nil
 /ul
 Nil

 Yeast
 Nil
 /ul
 Nil

 Cast
 Nil
 /LPF
 Nil

 Crystals
 Calcium Oxalate (+) /HPF
 Nil

Crystals Calcium Oxalate (+) /HPF N

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 4 of 10







Name : Mrs. DEEPIKA AGRAWAL Sex/Age : Female / 30 Years Case ID : 30908000393

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID :

Female Above 40

Bill. Loc. : SPH OPD Pt. Loc

Reg Date and Time : 09-Sep-2023 08:42 Sample Type : Spot Urine Mobile No. :

Parameter	Unit	Expected value		Resu	It/Notation	ns	
		14	Trace	+	++	+++	++++
pН	-	4.6-8.0	THE TABLE	- 8	9	k	2 1111
SG	-	1.003-1.035	100	100	-		27
Protein	mg/dL	Negative (<10)	10	25	75	150	500
Glucose	mg/dL	Negative (<30)	30	50	100	300	1000
Bilirubin	mg/dL	Negative (0.2)	0.2	1	3	6	
Ketone	mg/dL	Negative (<5)	5	15	50	150	2
Urobilinogen	mg/dL	Negative (<1)	1	4	8	12	51
Parameter	Unit	Expected value	Result/Notifications			20 101	
		211	Trace	+	++	+++	++++
Leukocytes (Strip)	/micro L	Negative (<10)	10	25	100	500	-
Nitrite(Strip)	-	Negative		-	-	_	-
Erythrocytes(Strip)	/micro L	Negative (<5)	10	25	50	150	250
Pus cells (Microscopic)	/hpf	<5	7st	-	17.0	-	-
Red blood cells(Microscopic)	/hpf	<2	2	2	-	-	-

<2

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

/lpf

Dr. Shweta Patel

**Consultant Pathologist** 

cells(Microscopic) Cast (Microscopic)

Page 5 of 10







Name : Mrs. DEEPIKA AGRAWAL Sex/Age : Female / 30 Years Case ID : 30908000393

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID

Female Above 40

Bill. Loc. : SPH OPD Pt. Loc :

Reg Date and Time : 09-Sep-2023 08:42 Sample Type : Plasma Fluoride F,Plasma Fluoride PP,Serum | Mobile No. :

Sample Date and Time : 09-Sep-2023 08:42 Sample Coll. By : non Ref Id1 :

Report Date and Time : 09-Sep-2023 11:36 Acc. Remarks : Ref Id2

TEST		RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
Plasma Glucose - F Photometric, Hexokinase	Н	113.0	mg/dL	70.0 - 100	FUS: NIL
Plasma Glucose - PP Photometric,Hexokinase		132.52	mg/dL	70 - 140	PPUS: NIL
<b>BUN (Blood Urea Nitrogen) GLDH</b>		9.3	mg/dL	7.00 - 18.70	
Creatinine Jaffe compensated		0.81	mg/dL	0.55 - 1.02	
Uric Acid Uricase-Peroxidase method		5.19	mg/dL	2.6 - 6.2	

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 6 of 10



Report Date and Time

**TEST** 





**REMARKS** 

### LABORATORY REPORT

Sex/Age : Female / 30 Years

**BIOLOGICAL REF RANGE** 

: Mrs. DEEPIKA AGRAWAL Case ID: 30908000393 Name Ref. By

Pt. ID : Mediwheel Full Body Health Checkup Dis. At Female Above 40

Bill. Loc. : SPH OPD Pt. Loc

Reg Date and Time : 09-Sep-2023 08:42 Sample Type : Serum Mobile No. : : 09-Sep-2023 08:42 Ref Id1 Sample Date and Time Sample Coll. By : non : 09-Sep-2023 11:37 Ref Id2

Acc. Remarks

**RESULTS** 

# **BIOCHEMICAL INVESTIGATIONS**

## **Lipid Profile**

UNIT

Cholesterol Colorimetric, CHOD-POD		177.83	mg/dL	110 - 200	
HDL Cholesterol	L	38.0	mg/dL	40 - 60	
Triglyceride GPO-POD		71.69	mg/dL	40 - 200	
<b>VLDL</b> Calculated		14.34	mg/dL	10 - 40	
Chol/HDL Calculated	Н	4.68		0 - 4.1	
LDL Cholesterol	Н	125.49	mg/dL	65 - 100	

### NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP

LDL CHOLESTEROL	CHOLESTEROL	HDL CHOLESTEROL	TRIGLYCERIDES
Optimal<100	Desirable<200	Low<40	Normal<150
Near Optimal 100-129	Border Line 200-239	High >60	Border High 150-199
Borderline 130-159	High >240		High 200-499
High 160-189			-

- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment
- For LDL Cholesterol level Please consider direct LDL value
  - Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.
- Detail test interpreation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.
- · LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 7 of 10







Name : Mrs. DEEPIKA AGRAWAL Sex/Age : Female / 30 Years Case ID : 30908000393

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID Female Above 40

Bill. Loc. : SPH OPD Pt. Loc

Reg Date and Time: 09-Sep-2023 08:42Sample Type: SerumMobile No. :Sample Date and Time: 09-Sep-2023 08:42Sample Coll. By : nonRef Id1 :Report Date and Time: 09-Sep-2023 12:29Acc. Remarks :Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

### **BIOCHEMICAL INVESTIGATIONS**

#### **Liver Function Test**

	-	iver runction	1030	
S.G.P.T.	40.89	U/L	0 - 59	
S.G.O.T.	28.19	U/L		
Alkaline Phosphatase Modified IFCC method	123.87	U/L	40 - 150	
Proteins (Total) Biuret	7.61	g/dL	6.4 - 8.2	
<b>Albumin</b> Bromo Cresol Green	4.32	g/dL	3.4 - 5.0	
Globulin Calculated	3.29	gm/dL	2 - 4.1	
A/G Ratio Calculated	1.3		1.0 - 2.1	
Bilirubin Total Diazotized Sulfanilic Acid Method	0.45	mg/dL	0.2 - 1.0	
Bilirubin Conjugated Diazotized Sulfanilic Acid Method	0.14	mg/dL		
Bilirubin Unconjugated Calculated	0.31	mg/dL	0 - 0.8	

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 8 of 10







Printed On: 05-Dec-2023 11:13

### LABORATORY REPORT

Name : Mrs. DEEPIKA AGRAWAL Sex/Age : Female / 30 Years Case ID : 30908000393

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID

Female Above 40

Bill. Loc. : SPH OPD Pt. Loc

Reg Date and Time : 09-Sep-2023 08:42 Sample Type : Whole Blood EDTA Mobile No. : Sample Date and Time : 09-Sep-2023 08:42 Sample Coll. By : non Ref Id1 :

Report Date and Time : 09-Sep-2023 12:53 Acc. Remarks : Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

## **Glycated Haemoglobin Estimation**

**HbA1C** 5.7: Normal

Immunoturbidimetric 5.7-6.4: Prediabetes

>=6.5: Diabetes

Estimated Avg Glucose (3 Mths) 116.89 mg/dL Not available

Calculated

Please Note change in reference range as per ADA 2021 guidelines.

#### Interpretation:

HbA1C level reflects the mean glucose concentration over previous 8-12 weeks and provides better indication of long term glycemic control.

Levels of HbA1C may be low as result of shortened RBC life span in case of hemolytic anemia.

Increased HbA1C values may be found in patients with polycythemia or post splenectomy patients.

Patients with Homozygous forms of rare variant Hb(CC,SS,EE,SC) HbA1c can not be quantitated as there is no HbA.

In such circumstances glycemic control can be monitored using plasma glucose levels or serum Fructosamine.

The A1c target should be individualized based on numerous factors, such as age, life expectancy, comorbid conditions, duration of diabetes, risk of hypoglycemia or adverse consequences from hypoglycemia, patient motivation and adherence.

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 9 of 10

Labcore Speciality Laboratory







Name : Mrs. DEEPIKA AGRAWAL Sex/Age : Female / 30 Years Case ID : 30908000393

Ref. By Mediwheel Full Body Health Checkup Dis. At : Pt. ID :

Female Above 40

Bill. Loc. : SPH OPD Pt. Loc

Reg Date and Time : 09-Sep-2023 08:42 Sample Type : Serum Mobile No. :
Sample Date and Time : 09-Sep-2023 08:42 Sample Coll. By : non Ref Id1 :
Report Date and Time : 09-Sep-2023 11:37 Acc. Remarks : Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

### **BIOCHEMICAL INVESTIGATIONS**

### **Thyroid Function Test**

Triiodothyronine (T3)	1.19	ng/mL	0.70 - 2.04	
Thyroxine (T4) CMIA	H <b>11.25</b>	μg/dL	5.5 - 11.0	
TSH CMIA	3.85	μIU/mL	0.4 - 4.2	

#### **INTERPRETATIONS**

Useful for Monitoring patients on thyroid replacement therapy, Confirmation of thyroid-stimulating hormone (TSH) suppression in thyroid cancer patients on thyroxine therapy, for Prediction of thyrotropin-releasing hormone-stimulated TSH response, as An aid in the diagnosis of primary hyperthyroidism, for Differential diagnosis of hypothyroidism.

The ability to quantitate circulating levels of thyroid-stimulating hormone (TSH) is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low or normal. Concentrations of 5.1 mIU/ml to 7.0 mIU/ml are considered borderline hypothyroid

### CAUTIONS

Sick, hospitalized patients may have falsely low or transiently elevated thyroid stimulating hormone.

Some patients who have been exposed to animal antigens, either in the environment or as part of treatment or imaging procedure, may have circulating antianimal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

TSH ref range in Pregnacy Reference range (microIU/ml)

First trimester 0.24 - 2.00
Second trimester 0.43-2.2
Third trimester 0.8-2.5

End Of Report	
---------------	--

# For test performed on specimens received or collected from non-NSRL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. NSRL will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 10 of 10