Name : Mrs. Batta Praveena

Age: 33 Y

Sex: F

Address : Bangalore

: ARCOFEMI MEDIWHEEL FEMALE AHC CREDIT PAN Plan

INDIA OP AGREEMENT

UHID:CINR.0000161875

OP Number:CINROPV217097 Bill No: CINR-OCR-93210 **Date** : 26.01.2024 08:36

Sno	Serive Type/ServiceName	Department
1	ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAI	N INDIA - FY2324
1	URINE GLUCOSE(FASTING)	
2	GAMMA GLUTAMYL TRANFERASE (GGT)	
3	HbA1c, GLYCATED HEMOGLOBIN	
4	2 D ECHO	
5	LIVER FUNCTION TEST (LFT)	
6	X-RAY CHEST PA	
7	GLUCOSE, FASTING	
8	HEMOGRAM + PERIPHERAL SMEAR	
9	ENT CONSULTATION	
10	FITNESS BY GENERAL PHYSICIAN	
11	GYNAECOLOGY CONSULTATION	
12	DIET CONSULTATION	
13	COMPLETE URINE EXAMINATION	
14	URINE GLUCOSE(POST PRANDIAL)	
15	PERIPHERAL SMEAR	
16	ECG	
17	BLOOD GROUP ABO AND RH FACTOR	
18	LIPID PROFILE	
19	BODY MASS INDEX (BMI)	
20	LBC PAP TEST- PAPSURE	
21	OPTHAL BY GENERAL PHYSICIAN	
22	RENAL PROFILE/RENAL FUNCTION TEST (RFT/KFT)	
23	ULTRASOUND - WHOLE ABDOMEN	
24	THYROID PROFILE (TOTAL T3, TOTAL T4, TSH)	
25	DENTAL CONSULTATION	
26	GLUCOSE, POST PRANDIAL (PP), 2 HOURS (POST MEAL)	



Patient Name : Mrs. Batta Praveena Age/Gender : 33 Y/F

UHID/MR No. :
Sample Collected on :

LRN#

: CINR.0000161875

: RAD2217002

Ref Doctor : SELF **Emp/Auth/TPA ID** : 9741400188 OP Visit No

: CINROPV217097

Reported on

: 26-01-2024 15:20

Specimen :

DEPARTMENT OF RADIOLOGY

X-RAY CHEST PA

Both lung fields and hila are normal.

No obvious active pleuro-parenchymal lesion seen .

Both costophrenic and cardiophrenic angles are clear.

Both diaphragms are normal in position and contour.

Thoracic wall and soft tissues appear normal.

CONCLUSION:

No obvious abnormality seen

Dr. RAMESH G
MBBS DMRD
RADIOLOGY



Patient Name : Mrs. Batta Praveena Age/Gender : 33 Y/F

UHID/MR No. : CINR.0000161875 **OP Visit No** : CINROPV217097

Sample Collected on : Reported on : 26-01-2024 14:01

LRN# : RAD2217002 Specimen : Ref Doctor : SELF

Emp/Auth/TPA ID : 9741400188

DEPARTMENT OF RADIOLOGY

ULTRASOUND - WHOLE ABDOMEN

LIVER: Appears normal in size, shape and echopattern. No focal parenchymal lesions identified. No evidence of intra/extrahepatic biliary tree dilatation noted. Portal vein appears to be of normal size.

GALLBLADDER: Moderately distended. No definite calculi identified. No evidence of abnormal wall thickening noted.

SPLEEN: Appears normal in size, shape and echopattern. No focal parenchymal lesions identified.

PANCREAS: Obscured by bowel gas. However, the visualized portion appear normal.

KIDNEYS: Both kidneys appear normal in size, shape and echopattern. Corticomedullary differentiation appears maintained. No evidence of calculi or hydronephrosis on either side.

URINARY BLADDER: Distended and appears normal. No evidence of abnormal wall thickening noted.

UTERUS: **Retroverted** and appears normal in size. Myometrial echoes appear normal. The endometrial lining appears intact. Endometrium measures 11 mm.

OVARIES: Right ovary post of status.

Left ovary normal.

No free fluid is seen.

IMPRESSION:

RIGHT OVARY POST OF STATUS.

Dr. AKSHAY A RESHMI MBBS, MD (Radiology)

Radiology





Age/Gender : 33 Y 0 M 19 D/F
UHID/MR No : CINR.0000161875
Visit ID : CINROPV217097

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9741400188 Collected : 26/Jan/2024 08:39AM
Received : 26/Jan/2024 01:27PM
Reported : 26/Jan/2024 06:30PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
HEMOGRAM , WHOLE BLOOD EDTA				
HAEMOGLOBIN	11.1	g/dL	12-15	Spectrophotometer
PCV	35.80	%	36-46	Electronic pulse & Calculation
RBC COUNT	4.56	Million/cu.mm	3.8-4.8	Electrical Impedence
MCV	78	fL	83-101	Calculated
MCH	24.5	pg	27-32	Calculated
MCHC	31.2	g/dL	31.5-34.5	Calculated
R.D.W	15.1	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	6,100	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT (D	LC)			
NEUTROPHILS	55.6	%	40-80	Electrical Impedance
LYMPHOCYTES	37.4	%	20-40	Electrical Impedance
EOSINOPHILS	2.2	%	1-6	Electrical Impedance
MONOCYTES	4.8	%	2-10	Electrical Impedance
BASOPHILS	0	%	<1-2	Electrical Impedance
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	3391.6	Cells/cu.mm	2000-7000	Calculated
LYMPHOCYTES	2281.4	Cells/cu.mm	1000-3000	Calculated
EOSINOPHILS	134.2	Cells/cu.mm	20-500	Calculated
MONOCYTES	292.8	Cells/cu.mm	200-1000	Calculated
PLATELET COUNT	302000	cells/cu.mm	150000-410000	Electrical impedence
ERYTHROCYTE SEDIMENTATION RATE (ESR)	33	mm at the end of 1 hour	0-20	Modified Westergren
PERIPHERAL SMEAR				

RBCs: are normocytic normochromic with few microcytes seen.

WBCs: are normal in total number with normal distribution and morphology.

Dr.Nisha M.B.B.S,MD(Pathology) Consultant Pathologist Dr Priya Murthy
M.B.B.S,M.D(Pathology)
Consultant Pathologist

Page 1 of 15



SIN No:BED240018615

THIS TEST HAS BEEN PERFORMED AT APOLLO HEALTH AND LIFSTYLE LIMITED- RRL BANGALORE

Address: 323/100/123, Doddathangur Village, Neeladri Main Road, Neeladri Nagar, Electronic city, Bengaluru, Karnataka-560034







: Mrs.BATTA PRAVEENA

Age/Gender

: 33 Y 0 M 19 D/F

UHID/MR No Visit ID

: CINR.0000161875

Ref Doctor

: CINROPV217097

Emp/Auth/TPA ID

: Dr.SELF : 9741400188

Sponsor Name

Collected : 26/Jan/2024 08:39AM

: 26/Jan/2024 01:27PM

Received : 26/Jan/2024 06:30PM Reported

Status : Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

PLATELETS: appear adequate in number.

HEMOPARASITES: negative

IMPRESSION: NORMOCYTIC NORMOCHROMIC ANEMIA.

Dr.Nisha M.B.B.S, MD(Pathology) Consultant Pathologist

M.B.B.S,M.D(Pathology) Consultant Pathologist

Page 2 of 15



SIN No:BED240018615







: Mrs.BATTA PRAVEENA

Age/Gender

: 33 Y 0 M 19 D/F

UHID/MR No

: CINR.0000161875

Visit ID

: CINROPV217097

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 9741400188

Collected

: 26/Jan/2024 08:39AM

Received

: 26/Jan/2024 01:27PM

Reported

: 26/Jan/2024 05:45PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method				
BLOOD GROUP ABO AND RH FACTOR, WHOLE BLOOD EDTA								
BLOOD GROUP TYPE	AB			Microplate Hemagglutination				
Rh TYPE	Positive			Microplate Hemagglutination				

Dr.Nisha M.B.B.S,MD(Pathology) Consultant Pathologist Dr Priya Murthy M.B.B.S,M.D(Pathology) Consultant Pathologist Page 3 of 15



SIN No:BED240018615









: Mrs.BATTA PRAVEENA

Age/Gender

: 33 Y 0 M 19 D/F

UHID/MR No

: CINR.0000161875

Visit ID

: CINROPV217097

Ref Doctor Emp/Auth/TPA ID : Dr.SELF

: 9741400188

Collected

: 26/Jan/2024 08:39AM

Received

: 26/Jan/2024 01:32PM

Reported

: 26/Jan/2024 03:04PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

GLUCOSE, FASTING, NAF PLASMA 94	mg/dL	70-100	HEXOKINASE

Comment:

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation			
70-100 mg/dL	Normal			
100-125 mg/dL	Prediabetes			
≥126 mg/dL	Diabetes			
<70 mg/dL	Hypoglycemia			

Note:

- 1. The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL and/or a random / 2 hr post glucose value of > or = 200 mg/dL on at least 2
- 2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis & is considered critical.

Test Name	Result	Unit	Bio. Ref. Range	Method
GLUCOSE, POST PRANDIAL (PP), 2 HOURS, SODIUM FLUORIDE PLASMA (2 HR)	99	mg/dL	70-140	HEXOKINASE

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

Test Name	Result	Unit	Bio. Ref. Range	Method			
HBA1C (GLYCATED HEMOGLOBIN), WHOLE BLOOD EDTA							
HBA1C, GLYCATED HEMOGLOBIN 5.8 % HPLC							

Page 4 of 15



DR. SHIVARAJA SHETTY M.B.B.S, M.D(Biochemistry) CONSULTANT BIOCHEMIST

SIN No:EDT240007821









: Mrs.BATTA PRAVEENA

Age/Gender

: 33 Y 0 M 19 D/F

UHID/MR No

: CINR.0000161875

Visit ID

: CINROPV217097

Ref Doctor Emp/Auth/TPA ID

: Dr.SELF : 9741400188 Collected

: 26/Jan/2024 08:39AM

Received

: 26/Jan/2024 01:32PM

Reported

: 26/Jan/2024 03:04PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

ESTIMATED AVERAGE GLUCOSE (eAG) 120 mg/dL Calculated

Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

REFERENCE GROUP	HBA1C %
NON DIABETIC	<5.7
PREDIABETES	5.7 – 6.4
DIABETES	≥ 6.5
DIABETICS	
EXCELLENT CONTROL	6 – 7
FAIR TO GOOD CONTROL	7 – 8
UNSATISFACTORY CONTROL	8 – 10
POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

1. HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic

Control by American Diabetes Association guidelines 2023.

- 2. Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- 3. Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.
- 4. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- 5. In cases of Interference of Hemoglobin variants in HbA1C, alternative methods (Fructosamine) estimation is recommended for Glycemic Control

A: HbF >25%

- B: Homozygous Hemoglobinopathy.
- (Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)

Page 5 of 15



DR. SHIVARAJA SHETTY M.B.B.S, M.D(Biochemistry) CONSULTANT BIOCHEMIST

SIN No:EDT240007821









Age/Gender : 33 Y 0 M 19 D/F
UHID/MR No : CINR.0000161875
Visit ID : CINROPV217097

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9741400188 Collected : 26/Jan/2024 08:39AM

Received : 26/Jan/2024 01:29PM Reported : 26/Jan/2024 03:03PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
LIPID PROFILE , SERUM				
TOTAL CHOLESTEROL	153	mg/dL	<200	CHO-POD
TRIGLYCERIDES	82	mg/dL	<150	GPO-POD
HDL CHOLESTEROL	46	mg/dL	40-60	Enzymatic Immunoinhibition
NON-HDL CHOLESTEROL	107	mg/dL	<130	Calculated
LDL CHOLESTEROL	90.2	mg/dL	<100	Calculated
VLDL CHOLESTEROL	16.4	mg/dL	<30	Calculated
CHOL / HDL RATIO	3.32		0-4.97	Calculated

Comment:

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High	
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240		
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500	
LDL	Optimal < 100 Near Optimal 100-129	130 - 159	160 - 189	≥ 190	
HDL	≥ 60				
NON-HDL CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220	

- 1. Measurements in the same patient on different days can show physiological and analytical variations.
- 2. NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.
- 3. Primary prevention algorithm now includes absolute risk estimation and lower LDL Cholesterol target levels to determine eligibility of drug therapy.
- **4.** Low HDL levels are associated with Coronary Heart Disease due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
- **5.** As per NCEP guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.
- $\textbf{6.}\ VLDL, LDL\ Cholesterol\ Non\ HDL\ Cholesterol,\ CHOL/HDL\ RATIO,\ LDL/HDL\ RATIO\ are\ calculated\ parameters\ when\ Triglycerides\ are\ below\ 350mg/dl.$ When Triglycerides are more than 350 mg/dl\ LDL\ cholesterol\ is\ a\ direct\ measurement.

Page 6 of 15



DR.SHIVARAJA SHETTY
M.B.B.S,M.D(Biochemistry)
CONSULTANT BIOCHEMIST

SIN No:SE04609637









Age/Gender : 33 Y 0 M 19 D/F
UHID/MR No : CINR.0000161875
Visit ID : CINROPV217097

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9741400188 Collected : 26/Jan/2024 08:39AM Received : 26/Jan/2024 01:29PM

Received : 26/Jan/2024 01:29PM Reported : 26/Jan/2024 03:03PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method			
LIVER FUNCTION TEST (LFT) , SERUM							
BILIRUBIN, TOTAL	0.48	mg/dL	0.3–1.2	DPD			
BILIRUBIN CONJUGATED (DIRECT)	0.11	mg/dL	<0.2	DPD			
BILIRUBIN (INDIRECT)	0.37	mg/dL	0.0-1.1	Dual Wavelength			
ALANINE AMINOTRANSFERASE (ALT/SGPT)	9	U/L	<35	IFCC			
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	17.0	U/L	<35	IFCC			
ALKALINE PHOSPHATASE	48.00	U/L	30-120	IFCC			
PROTEIN, TOTAL	6.97	g/dL	6.6-8.3	Biuret			
ALBUMIN	3.79	g/dL	3.5-5.2	BROMO CRESOL GREEN			
GLOBULIN	3.18	g/dL	2.0-3.5	Calculated			
A/G RATIO	1.19		0.9-2.0	Calculated			

Comment:

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin)

Common patterns seen:

1. Hepatocellular Injury:

- AST Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.
- ALT Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI.
- Disproportionate increase in AST, ALT compared with ALP. Bilirubin may be elevated.
- AST: ALT (ratio) In case of hepatocellular injury AST: ALT > 1In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen to be increased in NAFLD, Wilsons's diseases, Cirrhosis, but the increase is usually not >2.

2. Cholestatic Pattern:

- ALP Disproportionate increase in ALP compared with AST, ALT.
- Bilirubin may be elevated. ALP elevation also seen in pregnancy, impacted by age and sex.
- To establish the hepatic origin correlation with GGT helps. If GGT elevated indicates hepatic cause of increased ALP.
- ${\bf 3. \ Synthetic \ function \ impairment:}$
- Albumin- Liver disease reduces albumin levels. Correlation with PT (Prothrombin Time) helps.

Page 7 of 15



DR.SHIVARAJA SHETTY
M.B.B.S,M.D(Biochemistry)
CONSULTANT BIOCHEMIST

SIN No:SE04609637









: Mrs.BATTA PRAVEENA

Age/Gender

: 33 Y 0 M 19 D/F

UHID/MR No

: CINR.0000161875

Visit ID

: CINROPV217097

Ref Doctor Emp/Auth/TPA ID : Dr.SELF

: 9741400188

Collected

: 26/Jan/2024 08:39AM

Received

: 26/Jan/2024 01:29PM

Reported

: 26/Jan/2024 03:03PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Page 8 of 15



DR.SHIVARAJA SHETTY
M.B.B.S,M.D(Biochemistry)
CONSULTANT BIOCHEMIST

SIN No:SE04609637









: Mrs.BATTA PRAVEENA

Age/Gender

: 33 Y 0 M 19 D/F

UHID/MR No

: CINR.0000161875

Visit ID

: CINROPV217097

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 9741400188

Collected

: 26/Jan/2024 08:39AM

Received

: 26/Jan/2024 01:29PM

Reported

: 26/Jan/2024 03:03PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method				
RENAL PROFILE/KIDNEY FUNCTION TEST (RFT/KFT), SERUM								
CREATININE	0.68	mg/dL	0.51-0.95	Jaffe's, Method				
UREA	15.10	mg/dL	17-43	GLDH, Kinetic Assay				
BLOOD UREA NITROGEN	7.1	mg/dL	8.0 - 23.0	Calculated				
URIC ACID	3.71	mg/dL	2.6-6.0	Uricase PAP				
CALCIUM	9.10	mg/dL	8.8-10.6	Arsenazo III				
PHOSPHORUS, INORGANIC	3.79	mg/dL	2.5-4.5	Phosphomolybdate Complex				
SODIUM	136	mmol/L	136–146	ISE (Indirect)				
POTASSIUM	4.4	mmol/L	3.5–5.1	ISE (Indirect)				
CHLORIDE	106	mmol/L	101–109	ISE (Indirect)				

Page 9 of 15



DR.SHIVARAJA SHETTY
M.B.B.S,M.D(Biochemistry)
CONSULTANT BIOCHEMIST

SIN No:SE04609637









: Mrs.BATTA PRAVEENA

Age/Gender

: 33 Y 0 M 19 D/F

UHID/MR No

: CINR.0000161875

Visit ID

: CINROPV217097

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 9741400188

Collected

: 26/Jan/2024 08:39AM

Received

: 26/Jan/2024 01:29PM

Reported

: 26/Jan/2024 02:08PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	9	Method
GAMMA GLUTAMYL TRANSPEPTIDASE	10.00	U/L	<38	IFCC
(GGT), SERUM				

Page 10 of 15



DR.SHIVARAJA SHETTY
M.B.B.S,M.D(Biochemistry)
CONSULTANT BIOCHEMIST

SIN No:SE04609637









Age/Gender : 33 Y 0 M 19 D/F

UHID/MR No : CINR.0000161875

Visit ID : CINROPV217097

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9741400188 Collected : 26/Jan/2024 08:39AM

Received : 26/Jan/2024 01:30PM Reported : 26/Jan/2024 02:19PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
THYROID PROFILE TOTAL (T3, T4, TSH) ,	SERUM			
TRI-IODOTHYRONINE (T3, TOTAL)	0.7	ng/mL	0.7-2.04	CLIA
THYROXINE (T4, TOTAL)	9.00	μg/dL	5.48-14.28	CLIA
THYROID STIMULATING HORMONE (TSH)	1.725	μIU/mL	0.34-5.60	CLIA

Comment:

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)		
First trimester	0.1 - 2.5		
Second trimester	0.2 - 3.0		
Third trimester	0.3 – 3.0		

- **1.** TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- **2.** TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- 3. Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.

4. Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

TSH	Т3	T4	FT4	Conditions	
High	Low	Low	Low	Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis	
High	N	N	N	bclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Replacement nerapy.	
N/Low	Low	Low	Low	Secondary and Tertiary Hypothyroidism	
Low	High	High	High	Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy	
Low	N	N	N	Subclinical Hyperthyroidism	
Low	Low	Low	Low	Central Hypothyroidism, Treatment with Hyperthyroidism	
Low	N	High	High	Thyroiditis, Interfering Antibodies	
N/Low	High	N	N	T3 Thyrotoxicosis, Non thyroidal causes	
High	High	High	High	Pituitary Adenoma; TSHoma/Thyrotropinoma	

Page 11 of 15

DR.SHIVARAJA SHETTY
M.B.B.S,M.D(Biochemistry)
CONSULTANT BIOCHEMIST

SIN No:SPL24012159









: Mrs.BATTA PRAVEENA

Age/Gender

: 33 Y 0 M 19 D/F

UHID/MR No Visit ID : CINR.0000161875 : CINROPV217097

Ref Doctor

: Dr.SELF : 9741400188

Emp/Auth/TPA ID

Collected

: 26/Jan/2024 08:39AM

Received

: 26/Jan/2024 01:30PM

Reported

: 26/Jan/2024 02:19PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Page 12 of 15



DR.SHIVARAJA SHETTY
M.B.B.S,M.D(Biochemistry)
CONSULTANT BIOCHEMIST

SIN No:SPL24012159

THIS TEST HAS BEEN PERFORMED AT APOLLO HEALTH AND LIFSTYLE LIMITED- RRL BANGALORE

Address: 323/100/123, Doddathangur Village, Neeladri Main Road, Neeladri Nagar, Electronic city, Bengaluru, Karnataka- 560034









Age/Gender : 33 Y 0 M 19 D/F UHID/MR No : CINR.0000161875 Visit ID : CINROPV217097

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9741400188 Collected : 26/Jan/2024 08:39AM Received : 26/Jan/2024 02:08PM

: 26/Jan/2024 02:30PM Reported

: Final Report : ARCOFEMI HEALTHCARE LIMITED Sponsor Name

DEPARTMENT OF CLINICAL PATHOLOGY

Status

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
COMPLETE URINE EXAMINATION (CUE)	, URINE			
PHYSICAL EXAMINATION				
COLOUR	PALE YELLOW		PALE YELLOW	Visual
TRANSPARENCY	CLEAR		CLEAR	Visual
pH	5.5		5-7.5	Bromothymol Blue
SP. GRAVITY	1.025		1.002-1.030	Dipstick
BIOCHEMICAL EXAMINATION			·	
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF INDICATOR
GLUCOSE	NEGATIVE		NEGATIVE	GOD-POD
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	NITROPRUSSIDE
UROBILINOGEN	NORMAL		NORMAL	EHRLICH
BLOOD	NEGATIVE		NEGATIVE	Dipstick
NITRITE	NEGATIVE		NEGATIVE	Dipstick
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	PYRROLE HYDROLYSIS
CENTRIFUGED SEDIMENT WET MOUN	T AND MICROSCOPY			
PUS CELLS	1-2	/hpf	0-5	Microscopy
EPITHELIAL CELLS	2-3	/hpf	<10	MICROSCOPY
RBC	NIL	/hpf	0-2	MICROSCOPY
CASTS	NIL		0-2 Hyaline Cast	MICROSCOPY
CRYSTALS	ABSENT		ABSENT	MICROSCOPY

Dr.Nisha M.B.B.S, MD(Pathology) Consultant Pathologist

M.B.B.S,M.D(Pathology) Consultant Pathologist

Page 13 of 15



SIN No:UR2268411









: Mrs.BATTA PRAVEENA

Age/Gender

: 33 Y 0 M 19 D/F

UHID/MR No

: CINR.0000161875

Visit ID

: CINROPV217097

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 9741400188

Collected

: 26/Jan/2024 08:39AM

Received

: 26/Jan/2024 02:08PM

Reported

: 26/Jan/2024 02:25PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
URINE GLUCOSE(POST PRANDIAL)	NEGATIVE		NEGATIVE	Dipstick
Tool Name	D II	1114	D's Dof Dones	Madead

Test Name	Result	Unit	Bio. Ref. Range	Method	
URINE GLUCOSE(FASTING)	NEGATIVE		NEGATIVE	Dipstick	

Dr.Nisha M.B.B.S, MD(Pathology) Consultant Pathologist

M.B.B.S,M.D(Pathology) Consultant Pathologist

Page 14 of 15



SIN No:UF010292









: Mrs.BATTA PRAVEENA

Age/Gender

: 33 Y 0 M 19 D/F

UHID/MR No

: CINR.0000161875

Visit ID

: CINROPV217097

Ref Doctor Emp/Auth/TPA ID

: Dr.SELF : 9741400188 Collected

: 26/Jan/2024 01:39PM

Received

: 27/Jan/2024 11:46AM

Reported

: 29/Jan/2024 11:53AM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED


DEPARTMENT OF CYTOLOGY

BC PA	P TEST (PAPSURE) , CERVICAL BRUSH SAMI	PLE
	CYTOLOGY NO.	1556/24
I	SPECIMEN	
a	SPECIMEN ADEQUACY	ADEQUATE
b	SPECIMEN TYPE	LIQUID-BASED PREPARATION (LBC)
	SPECIMEN NATURE/SOURCE	CERVICAL SMEAR
c	ENDOCERVICAL-TRANSFORMATION ZONE	ABSENT
d	COMMENTS	SATISFACTORY FOR EVALUATION
II	MICROSCOPY	Superficial and intermediate squamous epithelial cells with benign morphology. Negative for intraepithelial lesion/malignancy.
Ш	RESULT	
a	EPITHEIAL CELL	
	SQUAMOUS CELL ABNORMALITIES	NOT SEEN
	GLANDULAR CELL ABNORMALITIES	NOT SEEN
b	ORGANISM	NIL
IV	INTERPRETATION	NEGATIVE FOR INTRAEPITHELIAL LESION OR MALIGNANCY

Pap Test is a screening test for cervical cancer with inherent false negative results. Regular screening and follow-up is recommended (Bethesda-TBS-2014) revised

*** End Of Report ***

Result/s to Follow: PERIPHERAL SMEAR



ACCREDITED

COLLEGE of AMERICAN PATHOLOGISTS



SIN No:CS073463

This test has been performed at Apollo Health & Lifestyle Ltd, Global Reference Laboratory, Hyderabad

THIS TEST HAS BEEN PERFORMED AT APOLLO HEALTH AND LIFSTYLE LIMITED- RRL BANGALORE

Apollo Health and Lifestyle Limited (CIN-U85110TG2000PLC115819)

Regd. Office: 1-10-60/62, Ashoka Raghupathi Chambers, 5th Floor, Begumpet, Hyderabad, Telangana - 500 016 www.apollohl.com | Email ID: enquiry@apollohl.com, Ph No: 040-4904 7777, Fax No: 4904 7744 APOLLO CLINICS NETWORK

Address: 323/100/123, Doddathangur Village, Neeladri Main Road, Neeladri Nagar, Electronic city, Bengaluru, Karnataka- 560034

