

: 2308109348

Name

: MR. ASHUTOSH BHALCHANDRA

Age / Gender

: 49 Years / Male

Consulting Dr. Reg. Location

: Andheri West (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 22-Mar-2023 / 09:37 :22-Mar-2023 / 12:37 E

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

	CBC (Complet		
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	14.4	13.0-17.0 g/dL	Spectrophotometric
RBC	4.92	4.5-5.5 mil/cmm	Elect. Impedance
PCV	43.5	40-50 %	Calculated
MCV	88.3	80-100 fl	Measured
MCH	29.3	27-32 pg	Calculated
MCHC	33.1	31.5-34.5 g/dL	Calculated
RDW	14.1	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6920	4000-10000 /cmm	Elect. Impedance
WPC DIEEEDENTIAL AND	ADOOLUTE COUNTO		

WBC DIFFERENTIAL AND	ABSOLUTE COUNTS

Lymphocytes	26.6	20-40 %	
Absolute Lymphocytes 1830		1000-3000 /cmm	Calculated
Monocytes	6.6	2-10 %	
Absolute Monocytes	450	200-1000 /cmm	Calculated
Neutrophils	62.9	40-80 %	
Absolute Neutrophils	4340	2000-7000 /cmm	Calculated
Eosinophils	3.7	1-6 %	
Absolute Eosinophils	250	20-500 /cmm	Calculated

Absolute Basophils Immature Leukocytes

Basophils

WBC Differential Count by Absorbance & Impedance method/Microscopy.

0.2

20

PLATELET PARAMETERS

Platelet Count	344000	150000-400000 /cmm	Elect. Impedance
MPV	8.3	6-11 fl	Measured
PDW	13.4	11-18 %	Calculated

0.1-2 %

20-100 /cmm

RBC MORPHOLOGY

Page 1 of 14

Calculated



R

E



Use a QR Code Scanner Application To Scan the Code

CID : 2308109348

Name : MR. ASHUTOSH BHALCHANDRA

Age / Gender : 49 Years / Male

Consulting Dr. : -

Reg. Location : Andheri West (Main Centre)

Collected Reported : 22-Mar-2023 / 09:37 : 22-Mar-2023 / 13:02

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

11

2-15 mm at 1 hr.

Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.MILLU JAIN M.D.(PATH) Pathologist

Page 2 of 14





Use a QR Code Scanner Application To Scan the Code

CID : 2308109348

Name : MR. ASHUTOSH BHALCHANDRA

Age / Gender : 49 Years / Male

Consulting Dr. : -

Reg. Location : Andheri West (Main Centre)

Collected Reported : 22-Mar-2023 / 12:49 : 22-Mar-2023 / 17:59

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING,

Fluoride Plasma

158.3

Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

dl Hexokinase

100-125 mg/dl

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 292.4

Plasma PP/R

Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance:

Hexokinase

E

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting)

Absent

Absent

Urine Ketones (Fasting)

Absent

Absent

Urine Sugar (PP)
Urine Ketones (PP)

Absent

Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***





Anoto

Dr.ANUPA DIXIT M.D.(PATH)

Consultant Pathologist & Lab Director

Page 3 of 14



: 2308109348 Name : MR. ASHUTOSH BHALCHANDRA

Age / Gender : 49 Years / Male

Consulting Dr.

Reg. Location : Andheri West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 22-Mar-2023 / 09:37

Reported :22-Mar-2023 / 17:08

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **KIDNEY FUNCTION TESTS**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	16.5	12.8-42.8 mg/dl	Kinetic
BUN, Serum	7.7	6-20 mg/dl	Calculated
CREATININE, Serum	0.88	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	98	>60 ml/min/1.73sqm	Calculated
Note: eGFR estimation is calculated	using MDRD (Modification of diet	: in renal disease study group) equa	ation
TOTAL PROTEINS, Serum	6.5	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1 - 2	Calculated
URIC ACID, Serum	5.3	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.6	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.1	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	135	135-148 mmol/l	ISE
POTASSIUM, Serum	4.8	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	96	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.MILLU JAIN M.D.(PATH) **Pathologist**

Page 4 of 14



Name

Authenticity Check

F



: 22-Mar-2023 / 09:37

:22-Mar-2023 / 14:12

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

Age / Gender : 49 Years / Male

Consulting Dr.

Reg. Location : Andheri West (Main Centre)

: 2308109348

: MR. ASHUTOSH BHALCHANDRA

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD Glycosylated Hemoglobin 8.1 Non-Diabetic Level: < 5.7 % **HPLC** (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 % Estimated Average Glucose 185.8 mg/dl Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

(eAG), EDTA WB - CC

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 5 of 14



: 2308109348

Name

: MR. ASHUTOSH BHALCHANDRA

Age / Gender

: 49 Years / Male

Consulting Dr. Reg. Location

٠ -

: Andheri West (Main Centre)

Authenticity Check

Use a QR Code Scanner
Application To Scan the Code

Collected

Reported

: 22-Mar-2023 / 09:37 : 22-Mar-2023 / 12:56

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

TOTAL PSA, Serum

0.599

0.03-2.5 ng/ml

ECLIA

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH
 than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the
 differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be
 the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then
 the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods.
 Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization,
 ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- · Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

Dr.ANUPA DIXIT M.D.(PATH)

Consultant Pathologist & Lab Director

Page 6 of 14



: 2308109348

Name

: MR. ASHUTOSH BHALCHANDRA

Age / Gender

: 49 Years / Male

Consulting Dr.

Reg. Location : Andheri West (Main Centre) Collected

Reported

:22-Mar-2023 / 12:56

Authenticity Check

E

Use a QR Code Scanner Application To Scan the Code :22-Mar-2023 / 09:37

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



E

Use a QR Code Scanner Application To Scan the Code

:22-Mar-2023 / 13:40

Collected : 22-Mar-2023 / 09:37

Reported

Consulting Dr.

Age / Gender

Reg. Location

CID

Name

: Andheri West (Main Centre)

: MR. ASHUTOSH BHALCHANDRA

: 2308109348

: 49 Years / Male

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color .	Pale yellow	Pale Yellow	-
Reaction (pH)	6.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	~
Volume (ml)	40		
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	N		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	
Others			

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose: (1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl, 4+ -1000 mg/dl)
- Ketone:(1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West







Dr.MILLU JAIN M.D.(PATH) **Pathologist**

Page 8 of 14



: 2308109348

Name

: MR. ASHUTOSH BHALCHANDRA

Age / Gender

; 49 Years / Male

Consulting Dr.

٠.

Reg. Location : Andheri West (Main Centre)

Authenticity Check

E

Use a QR Code Scanner Application To Scan the Code

Collected

Reported:

*** End Of Report ***



: 2308109348

Name : MR. ASHUTOSH BHALCHANDRA

Age / Gender

: 49 Years / Male

Consulting Dr. Reg. Location

CID

: Andheri West (Main Centre)



E

Use a QR Code Scanne Application To Scan the Code

Collected Reported

: 22-Mar-2023 / 09:37 :22-Mar-2023 / 13:48

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

PARAMETER

RESULTS

ABO GROUP

0

Rh TYPING

POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report *







Dr.MILLU JAIN M.D.(PATH) **Pathologist**

Page 10 of 14



: 2308109348

Name

: MR. ASHUTOSH BHALCHANDRA

Age / Gender

: 49 Years / Male

Consulting Dr.

Reg. Location : Andheri West (Main Centre)

E

Use a QR Code Scanner Application To Scan the Code

Collected

: 22-Mar-2023 / 09:37 Reported :22-Mar-2023 / 13:35

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	216.2	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	159.3	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	43.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	172.3	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	140.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	32.3	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.9	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.2	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.MILLU JAIN M.D.(PATH) **Pathologist**

Page 11 of 14



: 2308109348

Name

: MR. ASHUTOSH BHALCHANDRA

Age / Gender

: 49 Years / Male

Consulting Dr.

Reg. Location

: Andheri West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

: 22-Mar-2023 / 09:37 :22-Mar-2023 / 12:54

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

Reported

	THIROID I DICTION 1E313			
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD	
Free T3, Serum	4.8	3.5-6.5 pmol/L	ECLIA	
Free T4, Serum	15.3	11.5-22.7 pmol/L	ECLIA	
sensitiveTSH, Serum	2.31	0.35-5.5 microIU/ml	ECLIA	



: 2308109348

Name

: MR. ASHUTOSH BHALCHANDRA

Age / Gender

: 49 Years / Male

Consulting Dr.

Reg. Location

: Andheri West (Main Centre)



R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:22-Mar-2023 / 09:37 :22-Mar-2023 / 12:54

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns,

TSH	FT4 / T4	FT3 / T3	
High	Normal	Nieman	interpretation
	Nomial	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	
			Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	1. Jeonaly total III. Glaves disease tovic multipodules and
			Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent By for Hyperthyroid
			Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
_ow	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
ligh	High	High	Interfer in Thyroidal lillless, Recent Rx for Hyperthyroidism.
		riigii	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti-

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

 Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET. Vol 357

3. Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.ANUPA DIXIT M.D.(PATH)

Consultant Pathologist & Lab Director

Page 13 of 14





Use a QR Code Scanner Application To Scan the Code

: 2308109348 : MR. ASHUTOSH BHALCHANDRA

Age / Gender : 49 Years / Male

Consulting Dr.

Reg. Location

CID

Name

: Andheri West (Main Centre)

Collected Reported

: 22-Mar-2023 / 09:37 :22-Mar-2023 / 12:54

E

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.51	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.17	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.34	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.5	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1 - 2	Calculated
SGOT (AST), Serum	15.3	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	19.7	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	26.9	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	84.3	40-130 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***





Dr.ANUPA DIXIT

M.D.(PATH) Consultant Pathologist & Lab Director

Page 14 of 14



: 2308109348

Name

: Mr ASHUTOSH BHALCHANDRA

Age / Sex

: 49 Years/Male

Ref. Dr

Reg. Location

: Andheri West (Main Center)

Reg. Date

Reported

Use a OR Code Scanner Application To Scan the Code

: 22-Mar-2023

Authenticity Check

: 22-Mar-2023 / 13:59

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size (13.5cm) and shows bright echotexture. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or lesions seen

PANCREAS:

he pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

Right kidney measures 12.0 x 4.3cm. Left kidney measures 11.2 x 4.4cm.

SPLEEN:

The spleen is normal in size (8.6cm) and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

Prevoid volume = 646cc.

Postvoid volume = 263cc.

PROSTATE:

The prostate is moderately enlarged in size measuring 5.3 x 4.4 x 4.1cm and volume is 51.6cc.

Moderate prostatomegaly with significant post void residue.

Grade I fatty liver.

-----End of Report-----

Nebeld

DR. NIKHIL DEV M.B.B.S, MD (Radiology) Reg No - 2014/11/4764 Consultant Radiologist

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032209280678

Page no 1 of 1



Patient's Name : ASHUTOSH BHALCHANDRA

Age: 49 YRS / MALE

R E

Date: 22.03.2023

Requesting Doctor: ---

CID. No

: 2308109348

2D-ECHO & COLOUR DOPPLER REPORT

Structurally Normal: MV / AV / TV / PV. No significant valvular stenosis.

Trivial Mitral Regurgitation, Trivial Aortic Regurgitation Trivial Pulmonary Regurgitation ,

Trivial Tricuspid regurgitation. No Pulmonary arterial hypertension. PASP by TRjet vel.method = 18 mm Hg.

LV / LA / RA / RV - Normal in dimension. IAS / IVS is Intact.

Left Ventricular Diastolic Dysfunction [LVDD] is Grade I / IV. No doppler evidence of raised LVEDP

No regional wall motion abnormality. No thinning / scarring / dyskinesia of LV wall noted. Normal LV systolic function. LVEF = 60 % by visual estimation.

No e/o thrombus in LA /LV. No e/o Pericardial effusion.

IVC normal in dimension with good inspiratory collapse. Normal RV systolic function (by TAPSE)

Impression:

NORMAL LV SYSTOLIC FUNCTION, LVEF = 60 % , NO RWMA, NO PAH, GRADE I LVDD, NO LV HYPERTROPHY.



: 2308109348

Name

: Mr ASHUTOSH BHALCHANDRA

Age / Sex

: 49 Years/Male

Ref. Dr

Reg. Location

Tears/Male

: Andheri West (Main Center)

Reg. Date

Reported

Use a QR Code Scanner

R

Application To Scan the Code: 22-Mar-2023

Authenticity Check

: 22-Mar-2023 / 12:25 T

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

Dr R K Bhandari

M D, DMRE

MMC REG NO. 34078

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?

sionNo=2023032209280660

Page no 1 of 1

PRECISE TESTING . HEALTHIER LIVING GNOSTICS

Patient ID: Patient Name:

2308109348

SUBURBAN DIAGNOSTICS - ANDHERI WEST


ASHUTOSH BHALCHANDRA

Date and Time: 22nd Mar 23 11:14 AM

49 11 8 years months days

NA NA

NA NA



Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to climphysician. 2) Patient vitals are us entered by the clinician and not derived from the ECG.

REPORTED BY

82ms

67° 70° 55° 158ms 433ms 354ms

DR RAVI CHAVAN MD, D.CARD, D. DIABETES Cardiologist & Diabetologist 2004/06/2468

R



Date: 22/mcerch/2023.

CID: 2308/09348

Name: Ashletosh Bhallchandre Sex/Age: 491 male

EYE CHECK UP

Chief complaints:

Past history:

Diabetes Mellitus

on medication for DM.

Unaided Vision:

Aided Vision:

Ves, using conective glasses.

Refraction:

corrected '

(Right Eye)

(Left Eve)

			(-5/1 2/5)					
	Sph	Cyl	Axis	Vn	Sph	СуІ	Axis	Vn
Disance				616				1
Near				(0				6/6
				NS				N5

Colour Vision: Normal / Abnormal

Remark: Continue same glasses.