A/G Ratio

Szasz method

(Serum) **Gamma GT** 


PID No. :- 202415117126785

Name :- Mr. NEKRAM DHRUW

Age/Sex :- 57 Y / M Sample Received on/at: Reported on/at

Dr. Ruprela's

Diagnostics & Imagin



----- End Of Report -----

g/dl

U/L

1.1 - 2.2

11 - 34

1.50

19.6

**PID No.** :- 202415117126785

Name :- Mr. NEKRAM DHRUW

Age/Sex :- 57 Y / M

Sample Received on/at : Reported on/at 15/01/2024 10:55

**Ref. By.** :- ARCOFEMI HEALTHCARE LIMITED 15/01/2024 8:38AM 15/01/2024 10:52AM

Dr. Ruprela's

Diagnostics & Imagin

Lipid Profile (Fasting Sample Required)			
Cholesterol - Total	167	mg/dL	Desirable <200 Borderline High : 200-239 High :>=240
Triglycerides Level	100	mg/dL	Normal : <150 Borderline High :150-199 High : 200-499 Very High : >=500
HDL Cholesterol	37	mg/dl	Major risk factor for heart Disease :<40 Negative risk factor for heart Disease:>=60
LDL Cholesterol	110	mg/dL	Optimal : <100 Near Optimal : 100-129 Borderline High : 130 - 159 High :160 - 189 Very High : >190
VLDL Cholesterol	20	mg/dL	6-38
LDL/HDL RATIO	2.97		2.5-3.5
CHOL/HDL RATIO	4.51		3.5 - 5

Note: Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

## RFT (RENAL FUNCTION TEST)

#### **Renal (Kidney) Function Test**

iterial (itidiley) i diletion lest			
Urea	33.5	mg/dL	15 - 43
(Serum)			
Creatinine	0.99	mg/dL	0.57 - 1.4
(Serum,Jaffe)			
Sodium	142	mmol/L	135 - 145
Potassium	4.1	mmol/L	3.5 - 5.1
Uric Acid	4.5	mg/dL	2.6 - 6
(Serum,Uricase)			
Chlorides	102	mmol/L	98 - 107

The performance of the Roche cobas c 111 was evaluated using sigma metrics. The calculations were performed using James O. Westgard methodology.[2] This approach uses an assays total allowable error (TEa), accuracy (bias), and precision (SD) to calculate a Sigma metric to characterize the performance of that assay.

----- End Of Report -----

:- 202415117126785 PID No.

Name :- Mr. NEKRAM DHRUW

Age/Sex :- 57 Y / M Sample Received on/at: Reported on/at 15/01/2024 10:52AM

15/01/2024 8:38AM Ref. By. :- ARCOFEMI HEALTHCARE LIMITED

HBA1C

HbA1c Value 6.97 % 4-6=Normal 6-7=Good Control 7-8=Fair Control

8-10=Unsatisfactory Control >10%=Poor Control

Diagnostics & Imagin

Dr. Ruprela's

Glycosylated Hemoglobin/Glycated Hemoglobin/GlycoHemoglobin/HbA1c. [1]

Its primary use is to monitor diabetic patient's compliance and long term blood glucose level control. It is an index of diabetic control (direct relationship between poor control and development of complications). It predicts development and progression of diabetic microvascular complications.

----- End Of Report -----

**PID No.** :- 202415117126785 **Name** :- Mr. NEKRAM DHRUW

:- Mr. NEKRAM DHRUW

 Age/Sex
 :- 57 Y / M
 Sample Received on/at :
 Reported on/at

 Ref. By.
 :- ARCOFEMI HEALTHCARE LIMITED
 15/01/2024 8:38AM
 15/01/2024 10:52AM

### **CLINICAL PATHOLOGY**

Investigation	Observed Value	Unit	Biological Reference Range
URINE R/M			
Physical Examination			
Specific Gravity	1.020		1.003-1.030
Appearance	Clear		Clear
Colour	Pale Yellow		Pale Yellow
pH (Reaction)	Acidic		Acidic
Chemical Examination			
Protein	NIL		NIL
Glucose	NIL		NIL
Microscopic Examination			
PUS CELLS	2-4	/hpf	0-5
Epithelial Cells	0-1	/hpf	0-5
RBC	Absent	/hpf	Absent
Bacteria	Absent		Absent
Crystals	Absent		Absent
Casts	Absent		Absent

Test Done by Urisys 1100 (ROCHE) Fully Automatic.

----- End Of Report -----

Dr. Avishesh Kumar Singh
M.D. (Pathologist)

Diagnostics & Imagin

PID No. :- 202415117126785

Name :- Mr. NEKRAM DHRUW

**Age/Sex** :- 57 Y / M Sample Received on/at: Reported on/at 15/01/2024 8:38AM 15/01/2024 10:52AM Ref. By. :- ARCOFEMI HEALTHCARE LIMITED

## **Complete Blood Count (Haemogram)**

Investigation	Observed Value	Unit	Biological Reference Range
CBC			
<b>Erythrocytes</b>			
Haemoglobin (Hb)	16.2	gm/dL	12.5 - 16.5
Erythrocyte (RBC) Count	6.71	mill/cu.mm	4.2 - 5.6
PCV (Packed Cell Volume)	50.4	%	36 - 47
MCV (Mean Corpusculer Volume)	75	fl	78 - 95
MCH (Mean Corpusculer Hb)	24.1	pg	26 - 32
MCHC (Mean Corpuscular Hb Concn.)	32.0	g/dL	32 - 36
RDW (Red Cell Distribution Width)	14.2	%	11.5 - 14
<u>Leucocytes</u>			
Total Leucocytes (WBC) Count	6700	cells/cu.mm	4000 - 11000
Neutrophils	55	%	40 - 75
Lymphocytes.	38	%	20 - 40
Monocytes	05	%	2-10
Eosinophils	02	%	1-6
Basophils	00	%	0 - 1
Platelets-			
Platelet count	168	x10^9/L	150 - 450
MPV (Mean Platelet Volume)	8.7	fL.	6 - 9.5
PCT ( Platelet Haematocrit)	0.146	%	0.15 - 0500
PDW (Platelet Distribution Width)	14.5	%	11 - 18

EDTA Whole Blood - Tests done on Automated ABX Micros ES60(HORIBA) Cell Counter. WBC, RBC & Platelet count by impedance method, WBC differential by VCS technology & other parameters calculated) All abnormal Haemograms are reviewed & confirmed microscopically. Differential count is based on approximately 10,000 cells.

----- End Of Report -----

Dr. Avishesh Kumar Singh M.D. (Pathologist)

Diagnostics & Imagin

**PID No.** :- 202415117126785

Name :- Mr. NEKRAM DHRUW

 Age/Sex
 :- 57 Y / M
 Sample Received on/at :
 Reported on/at

 Ref. By.
 :- ARCOFEMI HEALTHCARE LIMITED
 15/01/2024 8:38AM
 15/01/2024 10:52AM

**Hematology** 

Dr. Ruprela's

Diagnostics & Imagin

Investigation Observed Value Unit Biological Reference Range

**Blood Group & RH Type Screening** 

ABO Group "O'

Rh Type "POSITIVE"

Method: Column agglutination technology (CAT) is an automated. System for blood grouping which is superior in sensitivity to conventional tube method.

**ESR** 

ESR - Erythrocyte Sedimentation Rate 10 mm at 1hr 0 - 15

(Citrate Blood) Method: Westergren

#### Interpretation:

- 1. It indicates presence and intensity of an inflammatory process, never diagnostic of a specific disease. Changes are more significant than a single abnormal test.
- 2. It is a prognostic test and used to monitor the course or response to treatment of diseases like tuberculosis, bacterial endocarditis, acute rheumatic fever, rheumatoid arthritis, SLE, Hodgkins disease, temporal arteritis, polymyalgia rheumatica.
- 3. It is also increased in pregnancy, multiple myeloma.

----- End Of Report -----

PID No. :- 202415117126785

:- Mr. NEKRAM DHRUW Name

**Age/Sex** :- 57 Y / M Sample Received on/at: Reported on/at

15/01/2024 8:38AM 15/01/2024 10:52AM Ref. By. :- ARCOFEMI HEALTHCARE LIMITED

#### **PATHOLOGY**

Investigation **Observed Value** Unit **Biological Reference Range Urine Sugar Fasting** Absent Absent Urine Sugar (Fasting)

**Prostate Specific Antigen** 

PSA 2.66 Conventional for all ages: 0 - 4 ng/mL

50 - 59 yrs: 0 - 3.5

Diagnostics & Imagin

Dr. Ruprela's

#### **INTERPRETATION:**

Prostate-specific antigen (PSA) is a glycoprotein that is produced by the prostate gland, the lining of the urethra, and the bulbourethral gland. PSA exists in serum mainly in two forms, complexed to alpha-1-anti-chymotrypsin (PSA-ACT complex)

unbound (free PSA). Increases in prostatic glandular size and tissue damage caused by benign prostatic hypertrophy, prostatitis, or

prostate cancer may increase circulating PSA levels. Transient increase in PSA can also be seen fol

#### Thyroid Panel 1 (T3, T4, TSH)

Т3 0.99 0.6 - 1.8ng/dl

Remarks :1. Decreased values of T3 (T4 and TSH normal) have minimal clinical significance and not recommended for diagnosis of hypothyroidism 2. Total T3 and T4 values may also be altered in other conditions due to changes in serum proteins or binding sites Pregnancy, Drugs (Androgens, Estrogens, O C pills, Phenytoin), Nephrosis etc. In such cases Free T3 and Free T4 give corrected values.

T4 7.14 ug/dl 4.5-12.6

Remark: 1. Total T3 and T4 values may also be altered in other conditions due to changes in serum proteins or binding sites Pregnancy, Drugs (Androgens, Estrogens, O C pills, Phenytoin) Nephrosis etc. In such cases Free T3 and Free T4 give corrected values.

**TSH** 2.59 uIU/ml 0.25-5.5

Remarks: 1.4.51 to 15 µIU/mL - Suggested clinical co-relation or repeat the test with new sample as physiological factors can give falsely high TSH.

2.TSH values may be transiently altered because of non thyroidal illness like severe infections, liver disease, renal and heart failure, severe burns, trauma and surgery etc

3. Drugs that decrease TSH values e.g:L-dopa, Glucocorticoids Drugs that increase TSH values e.g. Iodine, Lithium, Amiodarone

Remark

Method Used: ELFA (Enzyme Linked Fluorescence Assay) on Mini Vidas most Efficient Analyzer Internationally accepted most advanced technology with high quality result.

----- End Of Report -----



### भारत सरकार Government of India



नेकराम धुव Nekram Dhruw जन्म तिथि / DOB : 15/04/1966 पुरुष / Male



2539 4523 4459

आधार - आम आदमी का अधिकार



## आरतीय विशिष्ट पहचान प्राधिकरण Unique Identification Authority of India

पताः आल्मजः घासी राम् धुवः मकान नंबर, वार्ड नंबर 17, देवभोग, Number, Ward Number 17, deobhog, देवभोग, गरियाबंद, देवभोग, छत्तीसगढ़, 493890

Address: S/O: Ghasi Ram Dhruw, House Deobhog, Gariyaband, Deobhog, Chhattisgarh, 493890

2539 4523 4459

ħ




 $\bowtie$ help@uidai.gov.in

www

Dr. Shailen dra Ruprela MD, Medicine Reg. No.: CG MC-511/2006







NAME

: MR. NEKRAM DHRUW

AGE/SEX

: 57 Y/M

REFERRED BY: ARCOFEMI HEALTHCARE LTD.

DATE

: 15.01.2024

## PERIPHERAL SMEAR EXAMINATION

RBC: Macrocytic normochromic.

WBC: Total counts within normal range. No toxic granulation seen.

Band cells-9%, Neutrophils-46%, Lymphocytes-43%, Monocytes-2%.

Platelets: Appears adequate on smear.

Haemoparasite: No haemoparasite seen.

Dr. Avishesh Kumar Singh MD (Pathologist)



FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG (SINCE 1937), RAIPUR (C.G.) Ph.: 0771-4048886, 2888800, Mob.: 9406396296, Email: nmsdiagnostic.service@gmail.com, Website: www.nmsdiagnostics.co.in









NAME: MR. NEKRAM DHRUW

AGE: 57 Y/SEX/M

Ref. By: ARCOFEMI HEALTHCARE LTD.

DATE: 15.01.2024

Complain Of: No Complaints

Ocular H/O: Nil

Family Ocular H/O: Nil

Drug Allergy (If Any): Not Aware

**DISTANCE VISION:** 

(With / without PGP

(With / without PGP)

RE

6/9 LE

RE

N/9 LE

N/9

6/9


**REFRACTION:** 

**NEAR VISION:** 

EYE	SPH	CYL	AXIS	ADD	VISION
RE	+2.25			6/6	N/6
LE	+2.25			6/6	N/6

**EXTERNAL EYE EXAMINATION:** 

LE



EOM:

NAD

**SQUINT EVALUATION:** 

**ABSENT** 

**NYSTAGMUS:** 

**ABSENT** 

**COLOR VISION TEST:** NORMAL

NYCTALOPIA (Night Blindness): ABSENT

Dr. Vaibhay Sharma Ophthalmologist Reg. No. MCI/10-37,782

FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG (SINCE 1937), RAIPUR (C.G.)

Ph.: 0771-4048886, 2888800, Mob.: 9406396296, Email: nmsdiagnostic.service@gmail.com, Website: www.nmsdiagnostics.co.in







# **TO WHOM SO EVER IT MAY CONCERN**

THIS IS TO DECLARE THAT MR. NEKRAM DHRUW AGE 57 YEAR/MALE HAS UNDERGONE MEDICAL EXAMINATION ON 15.01.2024 DURING HIS GENERAL EXAMINATION NO ABNORMALITIES WERE DETECTED.

HE WAS FULLY ORIENTED, NO DISABILITY WITH NORMAL GAIT.

NO SIGNS OF PALPABLE OR ENLARGED LYMPH NODES.

NO GROWTH / SWELLING OBSERVED.

HIS VITALS PARAMETERS ARE HEIGHT: 165cms, WEIGHT:72kg, BP:130/77mmhg, HR: 76 bpm, BMI: 26.4

HIS BOWEL HABITS ARE REGULAR. NO BURNING DURING MICTURITION.

ALL REFLEXES WERE NORMAL.


NO ABNORMALITIES WERE DETECTED DURING PALPATION, PERCUSSION AND AUSCULTATION OF VISCERA.


HE DOES NOT CARRY ANY COMMUNICABLE/TRANSFERRABLE DISEASE.


HE APPEARS TO BE PHYSICALLY FIT AND WE WISH HIS ALL THE BEST.

Dr. Shailendra Ruprela MD, Medicine

Reg. No.: CG MC-511/2006









NAME: MR. NEKRAM DHRUW

REF.BY: ARCOFEMI HEALTHCARE LTD.

AGE/SEX: 57 Y/M DATE: 15.01.2024

# **ECHO - CARDIOGRAPHY**

M-MODE	MEASL	<b>JREMENTS</b>	
--------	-------	-----------------	--

	Patient value (cm	normal v	value (cm)
Aortic Root	2	.9	2.0-3.7
<b>Left Atrial Dimension</b>	3	.2	1.9-4.0
Left Ventricular ED	3	.6	3.7-5.6
Left Ventricular ES	2	.7	2.2-4.0
Intervenrticular Septal	ED: 0.8	ES: 0.9	0.6-1.2
LEFT VENT PW	ED: 0.8	ES: 0.9	0.6-1.2

2 D ECHO

**CHAMBERS** All cardiac chambers normal.

VALVE NORMAL

**SEPTAE IVS/IAS INTACT** 

**RWMA** NO EF (OVARALL)(LV) 60 % **CLOT/ VEGETATION** NIL PER. EFFUSION NIL

CONTINUOUS WAVE & PULSE WAVE DOPPLER

Valve Regurgitation Gradient(mm Hg)

Mitral Valve NIL **Not Significant Aortic Valve** NIL **Not Significant** Tricuspid Valve NIL PASP= **Pulmonary Valve** Nil **Not Significant** 

PULSE WAVE DOPPLER

MITRAL VALVE INFLOW **Waves DT** m sec

## **IMPRESSION** -

- NO RWMA AT REST, LVEF=60%
- NORMAL BIVENTRICULAR FUNCTION
- NORMAL CHAMBERS DIMENSION.
- NO CLOT/VEGETATION/PERICARDIAL EFFUSION.
- **NORMAL VALVES**

DR AJAY HALWAI MBBS, MD, PGDCC

FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG (SINCE 1937), RAIPUR (C.G.)

Ph.: 0771-4048886, 2888800, Mob.: 9406396296, Email : nmsdiagnostic.service@gmail.com, Website : www.nmsdiagnostics.co.in







\*RAIPUS



# TO WHOM SO EVER IT MAY CONCERN

THIS IS TO DECLARE THAT MR. NEKRAM DHRUW AGE-57/M HE UNDERGONE ENT EXAMINATION ON 15/01/2023. DURING HIS EXAMINATION NO SOFT AND HARD TISSUE ABNORMALITIES WERE DETECTED IN THE EAR, NOSE AND THROAT. NO DISCHARGE FOUND. NO SIGNIFICANT HISTORY.

NO LYMPH NODES WERE TENDER AND PALPABLE.

AIR AND BONE CONDUCTION TEST WERE NEGATIVE.

ADVISE: MAINTAIN GOOD HYGIENE AND FOLLOW UP

Dr. Anoop Rekha Mudgal
MS, ENT
Reg. No.: CGMC- 5083/2014

FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG (SINCE 1937), RAIPUR (C.G.)
Ph.: 0771-4048886, 2888800, Mob.: 9406396296, Email : nmsdiagnostic.service@gmail.com, Website : www.nmsdiagnostics.co.in





# TO WHOM SO EVER IT MAY CONCERN

THIS IS TO DECLARE THAT MR. NEKRAM DHRUW AGE 57 Y/M HAS UNDERGONE DENTAL EXAMINATION ON 15.01.2024.

DURING HIS INTRAORAL EXAMINATION NO HARD AND SOFT TISSUE ABNORMALITIES WERE DETECTED.

NO CAVITIES DETECTED.

CALCULUS +

**TOBACCO STAINS +** 

HIS EXTRAORAL EXAMINATION REVEALS NO ABNORMALITY.

ADVISE: ORAL PROPHYLAXIS,

MAINTAIN GOOD ORAL HYGIENE,

FOLLOW UP,

BRUSH TWICE DAILY.



FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG (SINCE 1937), RAIPUR (C.G.)
Ph.: 0771-4048886, 2888800, Mob.: 9406396296, Email: nmsdiagnostic.service@gmail.com, Website: www.nmsdiagnostics.co.in





NAME: MR. NEKRAM DHRUW REF. BY: ARCOFEMI HEALTHCARE LTD.

AGE: 57 Y/M DATE: 15.01.2024

#### SONOGRAPHY OF WHOLE ABDOMEN

The Real time, B mode, gray scale sonography was performed.

**LIVER**: The liver is normal in size, shape and has smooth margins.

It has uniform echotexture, has normally distributed and normal size biliary and portal radicles and is without solid or cystic mass lesion or calcification.

**GALL BLADDER**: The gall bladder is seen as a well distended, pear shaped bag with uniformly thin and regular walls, without, gall stones or mass lesions.

**COMMON BILE DUCT**: The common bile duct is normal in caliber.

No evidence of calculus is noted in common bile duct.

**PANCREAS**: The pancreas is normal in size, shape, contours and echotexture.

No evidence of solid or cystic mass lesion is noted.

**KIDNEYS**: The kidneys are normal in size and have smooth renal margins.

Cortical echotexture is normal

The central echocomplex does not show evidence of calculus.

**SPLEEN**: The spleen is normal in size and shape. Its echotexture is homogeneous.

No evidence of focal lesion is noted.

**URINARY BLADDER**: The urinary bladder is well distended.

No evidence of calculus is seen.

No evidence of mass or diverticulum is noted.

**PROSTATE**: The prostate shows well defined and sharp margins.

The prostatic echotexture is normal and homogenous.

#### **IMPRESSION:**

# The Sonography Of Whole Abdomen Is Within Normal Limits

As with any other investigations the results obtained serve as an aid to diagnosis and should be interpreted in relation to any other clinical and diagnostic findings.

Thanks for referal with regards

Dr. Chhavi Jangde MD Reg.No.:CGMC-5516/2014

FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG (SINCE 1937), RAIPUR (C.G.)

Ph.: 0771-404886, 2888800, Mob.: 9406396296, Email: nmsdiagnostic.service@gmail.com, Website: www.nmsdiagnostics.co.in



NAME: MR. NEKRAM DHRUW REF. BY: ARCOFEMI HEALTHCARE LTD.

AGE: 57 Y/M DATE: 15.01.2024

#### X-RAY CHEST PA VIEW

- The lungs on the either side show equal translucency.
- The peripheral pulmonary vasculature is normal.
- No focal lung lesion is seen.
- The pleural spaces are normal.
- The cardiac size is normal.
- The domes of the diaphragms are normal in position, and show smooth outline.
- Both hila are normal in size, have equal density and bear normal relationship.
- The heart and trachea are central in position and no mediastinal abnormality is visible.
- IMPRESSION: No evidence of pulmonary, pleural or cardiac pathology is noted.

  Radiograph of chest is within normal limits.



FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG (SINCE 1937), RAIPUR (C.G.)

Ph.: 0771-4048886, 2888800, Mob.: 9406396296, Email: nmsdiagnostic.service@gmail.com, Website: www.nmsdiagnostics.co.in





## MR. NEKRAM DHRUW

DATE: 15.01.2024

AGE: 57

SEX: MALE

HEIGHT: 165 cms

WEIGHT: 72 kgs

BMI: 26.4

BLOOD PRESSURE: 130/77 mmhg

**MEDICAL HISTORY: NOT SIGNIFICANT** 

## ADVICE:

- 1. DRINK MINIMUM 10 GLASSES OF WATER.
- 2. EXERCISE/BRISK WALK FOR MINIMUM 50 MINS DAILY.
- 3. INCREASE INTAKE OF FIBRE LIKE SALAD, FRUIT, SPROUTS.
- 4. TAKE GOOD SLEEP FOR 7-8 HOURS DAILY.
- 5. AVOID SPICY AND DEEP FRIED FOOD.
- 6. AVOID ALCOHOL, SMOKING, NICOTINE.
- 7. AVOID STRESS.
- 8. RELAX AND BE HAPPY.

DR. RASHI SALUJA **CONSULTANT DIETICIAN** 

FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG (SINCE 1937), RAIPUR (C.G.) Ph.: 0771-4048886, 2888800, Mob.: 9406396296, Email: nmsdiagnostic.service@gmail.com, Website: www.nmsdiagnostics.co.in







