

CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022WE000171

PATIENT ID : FH.12444451
CLIENT PATIENT ID: UID:12444451

ABHA NO :

AGE/SEX :32 Years Female DRAWN :02/05/2023 09:11:00

RECEIVED :02/05/2023 09:11:59 REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020 CORP-OPD BILLNO-1501230PCR024976

BILLNO-1501230PCR024976

Test Report Status <u>Final</u> Results Biological Reference Interval Units

HAEMATOLOGY - CBC			
CBC-5, EDTA WHOLE BLOOD			
BLOOD COUNTS, EDTA WHOLE BLOOD			
HEMOGLOBIN (HB)	11.8 Low	12.0 - 15.0	g/dL
METHOD : SPECTROPHOTOMETRY			
RED BLOOD CELL (RBC) COUNT METHOD: ELECTRICAL IMPEDANCE	4.06	3.8 - 4.8	mi l /μL
WHITE BLOOD CELL (WBC) COUNT	5.24	4.0 - 10.0	thou/µL
METHOD: DOUBLE HYDRODYNAMIC SEQUENTIAL SYSTEM(DHSS)C	YTOMETRY		
PLATELET COUNT	309	150 - 410	thou/µL
METHOD : ELECTRICAL IMPEDANCE			
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV)	33.9 Low	36 - 46	%
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR VOLUME (MCV) METHOD: CALCULATED PARAMETER	83.5	83 - 101	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD: CALCULATED PARAMETER	29.0	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION(MCHC) METHOD: CALCULATED PARAMETER	34.7 High	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD: CALCULATED PARAMETER	13.3	11.6 - 14.0	%
MENTZER INDEX	20.6		
MEAN PLATELET VOLUME (MPV)	9.9	6.8 - 10.9	fL
METHOD: CALCULATED PARAMETER			
WBC DIFFERENTIAL COUNT			
NEUTROPHILS	52	40 - 80	%
METHOD : FLOWCYTOMETRY			
LYMPHOCYTES	33	20 - 40	%
METHOD : FLOWCYTOMETRY			

Dily.

Dr.Akta Dubey Counsultant Pathologist



Page 1 Of 14

View Details





SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA Tel: 022-39199222,022-49723322,





REF. DOCTOR: SELF PATIENT NAME: MRS.KANCHAN SAMBHWANI

CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022WE000171

PATIENT ID : FH.12444451 CLIENT PATIENT ID: UID:12444451

ABHA NO

AGE/SEX :32 Years Female :02/05/2023 09:11:00 DRAWN

RECEIVED : 02/05/2023 09:11:59 REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020

CORP-OPD

BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

Test Report Status <u>Final</u>	Results	Biological Reference	e Interval Units
Managara	_	2 40	0/
MONOCYTES METHOD: FLOWCYTOMETRY	7	2 - 10	%
EOSINOPHILS METHOD: FLOWCYTOMETRY	8 High	1 - 6	%
BASOPHILS METHOD: FLOWCYTOMETRY	0	0 - 2	%
ABSOLUTE NEUTROPHIL COUNT METHOD: CALCULATED PARAMETER	2.72	2.0 - 7.0	thou/μL
ABSOLUTE LYMPHOCYTE COUNT METHOD: CALCULATED PARAMETER	1.73	1.0 - 3.0	thou/μL
ABSOLUTE MONOCYTE COUNT METHOD: CALCULATED PARAMETER	0.37	0.2 - 1.0	thou/μL
ABSOLUTE EOSINOPHIL COUNT METHOD: CALCULATED PARAMETER	0.42	0.02 - 0.50	thou/μL
ABSOLUTE BASOPHIL COUNT METHOD: CALCULATED PARAMETER	0 Low	0.02 - 0.10	thou/μL
NEUTROPHIL LYMPHOCYTE RATIO (NLR) METHOD: CALCULATED PARAMETER	1.5		
MORPHOLOGY			
RBC METHOD: MICROSCOPIC EXAMINATION	PREDOMINANTLY I	NORMOCYTIC NORMOCHROMIC	
WBC METHOD: MICROSCOPIC EXAMINATION	NORMAL MORPHO	LOGY	
PLATELETS	ADEQUATE		

METHOD: MICROSCOPIC EXAMINATION

Interpretation(s)
RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

Dr.Akta Dubey **Counsultant Pathologist** Page 2 Of 14









SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA Tel: 022-39199222,022-49723322,





CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022WE000171

PATIENT ID : FH.12444451 CLIENT PATIENT ID: UID:12444451

ABHA NO :

AGE/SEX : 32 Years Female

DRAWN :02/05/2023 09:11:00
RECEIVED :02/05/2023 09:11:59
REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020 CORP-OPD BILLNO-1501230PCR024976

BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

Test Report Status <u>Final</u> Results Biological Reference Interval Units

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

District.

Dr.Akta Dubey Counsultant Pathologist



Page 3 Of 14

View Details





SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA Tel: 022-39199222,022-49723322,





REF. DOCTOR: SELF

PATIENT NAME: MRS.KANCHAN SAMBHWANI

CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022WE000171

PATTENT ID : FH.12444451 CLIENT PATIENT ID: UID:12444451

ABHA NO

AGE/SEX :32 Years Female

:02/05/2023 09:11:00 DRAWN RECEIVED: 02/05/2023 09:11:59

REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020 CORP-OPD

BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

Test Report Status Results **Final**

Biological Reference Interval

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (ESR).WHOLE BLOOD

E.S.R 11 0 - 20mm at 1 hr

METHOD: WESTERGREN METHOD

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION**

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc.), Hypercholesterolemia
False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition.

Dr.Akta Dubey Counsultant Pathologist





Page 4 Of 14

View Report



SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956





CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR: SELF

ACCESSION NO: 0022WE000171 PATIENT ID : FH.12444451

CLIENT PATIENT ID: UID:12444451

ABHA NO

AGE/SEX :32 Years Female

DRAWN :02/05/2023 09:11:00 RECEIVED : 02/05/2023 09:11:59 REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020 CORP-OPD

BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

Test Report Status Results Biological Reference Interval **Final**

IMMUNOHAEMATOLOGY

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP TYPE B

METHOD: TUBE AGGLUTINATION

RH TYPE **POSITIVE**

METHOD: TUBE AGGLUTINATION

Interpretation(s)
ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Page 5 Of 14

Dr.Akta Dubey **Counsultant Pathologist**











SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA Tel: 022-39199222,022-49723322,

CIN - U74899PB1995PLC045956





CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR: SELF

ACCESSION NO: **0022WE000171**PATIENT ID: FH.12444451

CLIENT PATIENT ID: UID:12444451 ABHA NO : AGE/SEX :32 Years Female
DRAWN :02/05/2023 09:11:00

RECEIVED : 02/05/2023 09:11:59 REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020 CORP-OPD

BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

Test Report Status <u>Final</u> Results Biological Reference Interval Units

	BIOCHEMISTRY		
LIVER FUNCTION PROFILE, SERUM			
BILIRUBIN, TOTAL	0.46	0.2 - 1.0	mg/dL
METHOD : JENDRASSIK AND GROFF			
BILIRUBIN, DIRECT	0.09	0.0 - 0.2	mg/dL
METHOD : JENDRASSIK AND GROFF			
BILIRUBIN, INDIRECT	0.37	0.1 - 1.0	mg/dL
METHOD : CALCULATED PARAMETER			
TOTAL PROTEIN	7.1	6.4 - 8.2	g/dL
METHOD: BIURET	4.4	3,4 - 5,0	n /dl
ALBUMIN METHOD: BCP DYE BINDING	4.1	3.4 - 5.0	g/dL
GLOBULIN	3.0	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER	5.0	210 411	9/42
ALBUMIN/GLOBULIN RATIO	1.4	1.0 - 2.1	RATIO
METHOD : CALCULATED PARAMETER			
ASPARTATE AMINOTRANSFERASE(AST/SGOT)	10 Low	15 - 37	U/L
METHOD : UV WITH P5P			
ALANINE AMINOTRANSFERASE (ALT/SGPT)	20	< 34.0	U/L
METHOD : UV WITH P5P			
ALKALINE PHOSPHATASE	44	30 - 120	U/L
METHOD: PNPP-ANP			
GAMMA GLUTAMYL TRANSFERASE (GGT)	18	5 - 55	U/L
METHOD : GAMMA GLUTAMYLCARBOXY 4NITROANILIDE			
LACTATE DEHYDROGENASE	131	100 - 190	U/L
METHOD: LACTATE -PYRUVATE			
GLUCOSE FASTING, FLUORIDE PLASMA			
FBS (FASTING BLOOD SUGAR)	102 High	74 - 99	mg/dL
METHOD: HEXOKINASE			

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

Que 1

Dr.Akta Dubey Counsultant Pathologist





Page 6 Of 14

View Details





SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA Tel: 022-39199222,022-49723322,





CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: **0022WE000171**PATIENT ID: FH.12444451

CLIENT PATIENT ID: UID:12444451

ABHA NO :

AGE/SEX :32 Years Female
DRAWN :02/05/2023 09:11:00
RECEIVED :02/05/2023 09:11:59

REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020 CORP-OPD

BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

Test Report Status <u>Final</u>	Results	Biological Reference Inter	Biological Reference Interval Units	
HBA1C	5.5	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested: > 8.0 (ADA Guideline 2021)	%	
METHOD: HB VARIANT (HPLC) ESTIMATED AVERAGE GLUCOSE(EAG) METHOD: CALCULATED PARAMETER KIDNEY PANEL = 1.	111.2	< 116.0	mg/dL	
BLOOD UREA NITROGEN (BUN), SERUM				
BLOOD UREA NITROGEN METHOD: UREASE - UV	7	6 - 20	mg/dL	
CREATININE EGFR- EPI				
CREATININE METHOD: ALKALINE PICRATE KINETIC JAFFES	0.38 Low	0.60 - 1.10	mg/dL	
AGE	32		years	
GLOMERULAR FILTRATION RATE (FEMALE) METHOD: CALCULATED PARAMETER	136.45	Refer Interpretation Below	mL/min/1.73m2	
BUN/CREAT RATIO				
BUN/CREAT RATIO METHOD: CALCULATED PARAMETER	18.42 High	5.00 - 15.00		
URIC ACID, SERUM				
URIC ACID METHOD: URICASE UV	2.6	2.6 - 6.0	mg/dL	
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN METHOD: BIURET	7.1	6.4 - 8.2	g/dL	
ALBUMIN, SERUM				
ALBUMIN METHOD: BCP DYE BINDING	4.1	3.4 - 5.0	g/dL	
GLOBULIN				

Dily.

Dr.Akta Dubey Counsultant Pathologist Page 7 Of 14





View Details





SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA Tel: 022-39199222,022-49723322,





CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR: SELF

ACCESSION NO : **0022WE000171**PATIENT ID : FH.12444451

CLIENT PATIENT ID: UID:12444451

ABHA NO :

AGE/SEX : 32 Years Femal

DRAWN :02/05/2023 09:11:00 RECEIVED :02/05/2023 09:11:59 REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020

CORP-OPD

BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

BILLING 13012301 CR021370				
Test Report Status <u>Final</u>	Results	Biological Referen	Biological Reference Interval Units	
			7.10	
GLOBULIN	3.0	2.0 - 4.1	g/dL	
METHOD : CALCULATED PARAMETER				
ELECTROLYTES (NA/K/CL), SERUM				
SODIUM, SERUM	138	136 - 145	mmo l /L	
METHOD : ISE INDIRECT				
POTASSIUM, SERUM	4.16	3.50 - 5.10	mmo l /L	
METHOD : ISE INDIRECT				
CHLORIDE, SERUM	102	98 - 107	mmo l /L	
METHOD : ISE INDIRECT				
Interpretation(s)				

Interpretation(s)

LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eq, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver,liver cancer,kidney failure,hemolytic anemia,pancreatitis,hemochromatosis. AST levels may also increase after a heart attack or strenuous activity.ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys,heart,muscles, and pancreas,It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis,sometimes due to a viral infection,ischemia to the liver,chronic hepatitis,obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction,

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver, Albumin constitutes about half of the blood serum protein, Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

Dr.Akta Dubey Counsultant Pathologist



Page 8 Of 14

View Details

View Report



SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA Tel: 022-39199222,022-49723322,





CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR: SELF

ACCESSION NO: 0022WE000171 PATTENT ID : FH.12444451 CLIENT PATIENT ID: UID:12444451

ABHA NO

AGE/SEX :32 Years Female DRAWN :02/05/2023 09:11:00

RECEIVED: 02/05/2023 09:11:59 REPORTED: 02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020 CORP-OPD BILLNO-1501230PCR024976

BILLNO-1501230PCR024976

Test Report Status Results Biological Reference Interval Units Final

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Increased in:Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides.

Decreased in : Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease,

malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol;sulfonylureas,tolbutamide,and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic

index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2. Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes). The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

- eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
 eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

HbA1c Estimation can get affected due to :

- 1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- 2. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.
 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.
- 4. Interference of hemoglobinopathies in HbA1c estimation is seen in
- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c. b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
- c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) Causes of decreased level include Liver disease, SIADH.

CREATININE EGFR- EPI-GFR— Glomerular filtration rate (GFR) is a measure of the function of the kidneys. The GFR is a calculation based on a serum creatinine test. Creatinine is a muscle waste product that is filtered from the blood by the kidneys and excreted into urine at a relatively steady rate. When kidney function decreases, less creatinine is excreted and concentrations increase in the blood. With the creatinine test, a reasonable estimate of the actual GFR can be determined.

A GFR of 60 or higher is in the normal range. A GFR below 60 may mean kidney disease.

A GFR of 15 or lower may mean kidney failure.
Estimated GFR (eGFR) is the preferred method for identifying people with chronic kidney disease (CKD). In adults, eGFR calculated using the Modification of Diet in Renal

Disease (MDRD) Study equation provides a more clinically useful measure of kidney function than serum creatinine alone.

The CKD-EPI creatinine equation is based on the same four variables as the MDRD Study equation, but uses a 2-slope spline to model the relationship between estimated GFR and serum creatinine, and a different relationship for age, sex and race. The equation was reported to perform better and with less bias than the MDRD Study equation,

especially in patients with higher GFR. This results in reduced misclassification of CKD.

The CKD-EPI creatinine equation has not been validated in children & will only be reported for patients = 18 years of age. For pediatric and childrens, Schwartz Pediatric Bedside eGFR (2009) formulae is used. This revised "bedside" pediatric eGFR requires only serum creatinine and height.

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome Causes of decreased levels-Low Zinc intake,OCP,Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

Dr.Akta Dubey Counsultant Pathologist Page 9 Of 14





View Report



HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956





REF. DOCTOR: SELF PATIENT NAME: MRS.KANCHAN SAMBHWANI

CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022WE000171

PATIENT ID : FH.12444451 CLIENT PATIENT ID: UID:12444451

ABHA NO

AGE/SEX :32 Years

DRAWN :02/05/2023 09:11:00 RECEIVED : 02/05/2023 09:11:59 REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020 CORP-OPD

BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

Test Report Status Results **Biological Reference Interval** Units **Final**

ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr.Akta Dubey **Counsultant Pathologist**





Page 10 Of 14





SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA Tel: 022-39199222,022-49723322,

CIN - U74899PB1995PLC045956





REF. DOCTOR: SELF PATIENT NAME: MRS.KANCHAN SAMBHWANI

CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022WE000171

PATIENT ID : FH.12444451 CLIENT PATIENT ID: UID:12444451

ABHA NO

AGE/SEX :32 Years :02/05/2023 09:11:00 DRAWN

RECEIVED: 02/05/2023 09:11:59 REPORTED: 02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020

CORP-OPD

BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

Test Report Status Results Biological Reference Interval Units **Final**

BIOCHEMISTRY - LIPID

IPID	PROF	ILE,	SERUM	

CHOLESTEROL, TOTAL 133 < 200 Desirable mg/dL

200 - 239 Borderline High

>/= 240 High

METHOD: ENZYMATIC/COLORIMETRIC, CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE

TRIGLYCERIDES < 150 Normal mg/dL

150 - 199 Borderline High

200 - 499 High >/=500 Very High

METHOD: ENZYMATIC ASSAY

METHOD: DIRECT MEASURE - PEG

75 High < 40 Low HDL CHOLESTEROL mg/dL

>/=60 High

LDL CHOLESTEROL, DIRECT 52 < 100 Optimal mg/dL

100 - 129 Near or above optimal

130 - 159 Borderline High 160 - 189 High >/= 190 Very High

METHOD: DIRECT MEASURE WITHOUT SAMPLE PRETREATMENT

NON HDL CHOLESTEROL 58 Desirable: Less than 130 mg/dL

Above Desirable: 130 - 159 Borderline High: 160 - 189

High: 190 - 219 Very high: > or = 220

METHOD: CALCULATED PARAMETER

VERY LOW DENSITY LIPOPROTEIN 10.6 </= 30.0 mg/dL

METHOD: CALCULATED PARAMETER

1.8 Low 3.3 - 4.4 Low Risk CHOL/HDL RATIO

4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk

> 11.0 High Risk

METHOD: CALCULATED PARAMETER

0.5 - 3.0 Desirable/Low Risk LDL/HDL RATIO 0.7

3.1 - 6.0 Borderline/Moderate Risk

>6.0 High Risk

METHOD: CALCULATED PARAMETER

Dr.Akta Dubey **Counsultant Pathologist**





Page 11 Of 14





SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA Tel: 022-39199222,022-49723322,





CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022WE000171

PATIENT ID : FH.12444451
CLIENT PATIENT ID: UID:12444451

ABHA NO :

AGE/SEX :32 Years Female DRAWN :02/05/2023 09:11:00

DRAWN :02/05/2023 09:11:00 RECEIVED :02/05/2023 09:11:59 REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020 CORP-OPD BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

Test Report Status Final Results Biological Reference Interval Units

Interpretation(s)

Didny.

Dr.Akta Dubey Counsultant Pathologist





Page 12 Of 14

View Details





SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA Tel: 022-39199222,022-49723322,

CIN - U74899PB1995PLC045956 Email : - Patient Ref. No. 22000000843745



CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022WE000171

PATIENT ID : FH.12444451 CLIENT PATIENT ID: UID:12444451

ABHA NO

AGE/SEX : 32 Years Female

DRAWN :02/05/2023 09:11:00 RECEIVED :02/05/2023 09:11:59 REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020

CORP-OPD

BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

Test Report Status <u>Final</u> Results Biological Reference Interval Units

CLINICAL PATH - URINALYSIS

KIDNEY PANEL - 1

PHYSICAL EXAMINATION, URINE

COLOR PALE YELLOW

METHOD : PHYSICAL

APPEARANCE SLIGHTLY HAZY

METHOD : VISUAL

CHEMICAL EXAMINATION, URINE

PH 7.0 4.7 - 7.5

METHOD: REFLECTANCE SPECTROPHOTOMETRY- DOUBLE INDICATOR METHOD

SPECIFIC GRAVITY <=1.005 1.003 - 1.035

METHOD: REFLECTANCE SPECTROPHOTOMETRY (APPARENT PKA CHANGE OF PRETREATED POLYELECTROLYTES IN RELATION TO IONIC CONCENTRATION)

PROTEIN NOT DETECTED NOT DETECTED

 ${\tt METHOD: REFLECTANCE\ SPECTROPHOTOMETRY-PROTEIN-ERROR-OF-INDICATOR\ PRINCIPLE}$

GLUCOSE NOT DETECTED NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, DOUBLE SEQUENTIAL ENZYME REACTION-GOD/POD

KETONES NOT DETECTED NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, ROTHERA'S PRINCIPLE

BLOOD NOT DETECTED NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, PEROXIDASE LIKE ACTIVITY OF HAEMOGLOBIN

BILIRUBIN NOT DETECTED NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, DIAZOTIZATION- COUPLING OF BILIRUBIN WITH DIAZOTIZED SALT UROBILINGEN NORMAL NORMAL

METHOD: REFLECTANCE SPECTROPHOTOMETRY (MODIFIED EHRLICH REACTION)

NITRITE NOT DETECTED NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, CONVERSION OF NITRATE TO NITRITE

LEUKOCYTE ESTERASE NOT DETECTED NOT DETECTED

 ${\tt METHOD: REFLECTANCE\ SPECTROPHOTOMETRY,\ ESTERASE\ HYDROLYSIS\ ACTIVITY}$

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS NOT DETECTED NOT DETECTED /HPF

METHOD: MICROSCOPIC EXAMINATION

Dr.Akta Dubey

Counsultant Pathologist

2

Dr. Rekha Nair, MD Microbiologist ___





Page 13 Of 14

/iew Details

View Report



SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956

CIN - U/4899 Email : -





CODE/NAME & ADDRESS : C000045507 - FORTIS

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022WE000171

PATIENT ID : FH.12444451
CLIENT PATIENT ID: UID:12444451

ABHA NO

AGE/SEX :32 Years Female DRAWN :02/05/2023 09:11:00

RECEIVED :02/05/2023 09:11:59 REPORTED :02/05/2023 15:59:01

CLINICAL INFORMATION:

UID:12444451 REQNO-1507020

CORP-OPD

BILLNO-1501230PCR024976 BILLNO-1501230PCR024976

DIELNO 13012301 CR02+370				
Test Report Status <u>Final</u>	Results	Biological Refere	Biological Reference Interval Units	
PUS CELL (WBC'S)	3-5	0-5	/HPF	
METHOD: MICROSCOPIC EXAMINATION				
EPITHELIAL CELLS	20-30	0-5	/HPF	
METHOD: MICROSCOPIC EXAMINATION				
CASTS	NOT DETECTED			
METHOD: MICROSCOPIC EXAMINATION				
CRYSTALS	NOT DETECTED			
METHOD: MICROSCOPIC EXAMINATION				
BACTERIA	DETECTED	NOT DETECTED		
METHOD: MICROSCOPIC EXAMINATION				
YEAST	NOT DETECTED	NOT DETECTED		
METHOD: MICROSCOPIC EXAMINATION				
REMARKS		URINARY MICROSCOPIC EXAMINATION DONE ON URINARY CENTRIFUGED SEDIMENT		
Interpretation(s)				

End Of Report
Please visit www.srlworld.com for related Test Information for this accession

Didnit

Dr.Akta Dubey Counsultant Pathologist



Dr. Rekha Nair, MD Microbiologist





Page 14 Of 14







SRL Ltd HIRANANDANI HOSPITAL-VASHI, MINI SEASHORE ROAD, SECTOR 10, NAVI MUMBAI, 400703 MAHARASHTRA, INDIA Tel: 022-39199222,022-49723322,

