455/6 (H G COMPLEX), KANCHANPUR, CHITAIPUR, VARANASI EMail:

18662425 / MR ADITYA KUMAR / 36 Yrs / M / 167 Cms / 87 Kg Date: 28 - 09 - 2024 11:40:29 AM Refd By : MEDIWHEEL Examined By: NonCardiacPain Angina /Non-Hypercholestromia/Non-Diabetic/Negative Estrogen/Non-Athlete

Stage	Time	Duration	Speed(mph)	Elevation	METs	Rate	% THR	BP	RPP	PVC	Comments
Supine	00:06	0:06	00.0	00.0	01.0	075	41 %	116/74	087	00	
Standing	00:10	0:04	00.0	00.0	01.0	075	41 %	116/74	087	00	
-IV	00:13	0:03	00.0	00.0	01.0	079	43 %	116/74	091	00	
Narm Up	00:17	0:04	01.0	00.0	01.0	080	43 %	116/74	092	00	
ExStart	00:34	0:17	01.0	00.0	01.0	085	46 %	116/74	098	00	
RUCE Stage 1	03:34	3:00	01.7	10.0	04.7	143	78 %	126/78	180	00	
BRUCE Stage 2	06:34	3:00	02.5	12.0	07.1	166	90 %	136/80	225	00	
PeakEx	06:52	0:18	03.4	14.0	07.4	174	95 %	140/82	243	00	
Recovery	07:22	0:30	00.0	00.0	04.2	163	89 %	140/82	228	00	
Recovery	07:52	1:00	00.0	00.0	01.2	156	85 %	138/82	215	00	
Recovery	08:52	2:00	00.0	00.0	01.0	121	66 %	134/80	162	00	
Recovery	09:51	3:00	00.0	00.0	01.0	119	65 %	128/78	152	00	

FINDINGS :

Exercise Time : 06:18 Initial HR (ExStrt) : 85 bpm 46% of Target 184 Max HR Attained 174 bpm 95% of Target 184 Initial BP (ExStrt) : 116/74 (mm/Hg) Max BP Attained 140/82 (mm/Hg) : 7.4 Fair response to induced stress Max WorkLoad Attained Max ST Dep Lead & Avg ST Value : avL & -13.1 mm in Stage 2 **Duke Treadmill Score** 00.0 **Test End Reasons** TMT is repaire for rearrible myocardas ischaeme **REPORT:** Dr. Balaji Lohiya For Anderal apach MBBS, MD (MED) DM-(CARDIO) Heart Rate 79.0 bpm MC1-114859 No amalfinia Systolic BP 140.0 mmHq pelar oritar Diastolic BP 82.0 mmHg champhic response. Concelet chicked MEDISEARCH, MEDIACT SYSTEMS

AGHPL

Report

Maximum Depression 0.0 Exercise Time 06:18 Mins. Ectopic Beats 0.0 METS 7.4 Test End Reason Target Heart Rate 184.0


.


14

10

BRUCE:HV(0:04)








MEDISEARCH, MEDIACT SYSTEMS

1 HAFT




REMARKS

BRUCE:Warm Up(0:06)

AGHPL

18662425 / MR ADITYA KUMAR / 36 Yrs / M / 167 Cms / 87 Kg / HR : 80




REMARKS:

ExStart




18662425 / MR ADITYA KUMAR / 36 Yrs / M / 167 Cms / 87 Kg / HR : 85




BRUCE:Stage 1(3:00)



18662425 / MR ADITYA KUMAR / 36 Yrs / M / 167 Cms / 87 Kg / HR : 143




18662425 / MR ADITYA KUMAR / 36 Yrs / M / 167 Cms / 87 Kg / HR : 166





AGHIPI


18662425 / MR ADITYA KUMAR / 36 Yrs / M / 167 Cms / 87 Kg / HR : 174



Recovery(0:30)




18662425 / MR ADITYA KUMAR / 36 Yrs / M / 167 Cms / 87 Kg / HR : 163



REMARKS:


Recovery(1:00)





Recovery(2:00)






REMARKS

Recovery(3:00)





7XF8+PVH, Kanchanpur Petrol Pump, Gokul
Nagar, DLW Colony, Chitaipur, Varanasi,
Kanchanpur, Uttar Pradesh 221004, India
LatitudeLatitudeLongitude25.274184°82.967186°

LOCAL 11:55:06 GMT 06:25:06 SATURDAY 09.28.2024 ALTITUDE 39 METER

CHANDAN DIAGNOSTIC CENTRE-1, CHITAIPUR, VARANASI




Age / Gender: 36/Male

Date and Time: 28th Sep 24 11:15 AM

Patient ID: CVA10018662425

Patient Name: Mr.ADITYA KUMAR - 22E34278







Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:10
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 28/Sep/2024 11:06:33
UHID/MR NO	: CVA1.000001826	Received	: 28/Sep/2024 11:09:53
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 13:37:00
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) , Blood				
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) , Whole Blood	,			
Haemoglobin	10.80	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>	5,900.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	60.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	35.00	%	20-40	FLOW CYTOMETRY
Monocytes	2.00	%	2-10	FLOW CYTOMETRY
Eosinophils	3.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	<1-2	FLOW CYTOMETRY
Observed	10.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	



Page 1 of 13







Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:10
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 28/Sep/2024 11:06:33
UHID/MR NO	: CVA1.000001826	Received	: 28/Sep/2024 11:09:53
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 13:37:00
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	6.00	Mm for 1st hr.	<9	
PCV (HCT)	34.40	%	40-54	
Platelet count				
Platelet Count	1.80	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	18.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	40.10	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.20	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.39	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	78.40	fl	80-100	CALCULATED PARAMETER
MCH	24.60	pg	27-32	CALCULATED PARAMETER
MCHC	31.30	%	30-38	CALCULATED PARAMETER
RDW-CV	17.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	50.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,540.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	177.00	/cu mm	40-440	

S. N. Sinta Dr.S.N. Sinha (MD Path)

Page 2 of 13

View Reports on

Chandan 24x7 App









Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:11
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 28/Sep/2024 11:06:33
UHID/MR NO	: CVA1.000001826	Received	: 28/Sep/2024 11:09:53
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 12:49:01
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Uni	t Bio. Ref. Interva	al Method	
GLUCOSE FASTING , Plasma	22.42				
Glucose Fasting	83.10	0,	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	114.00	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.50	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	37.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	11	mg/dl	

Interpretation:

NOTE:-

• eAG is directly related to A1c.



Page 3 of 13





Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:11
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 28/Sep/2024 11:06:33
UHID/MR NO	: CVA1.000001826	Received	: 28/Sep/2024 11:09:53
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 12:49:01
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN	(Blood	Urea	Nitrogen)
Sampl	e:Serum		

9.80

mg/dL 7.0-23.0

CALCULATED







Page 4 of 13



(33)

CHANDAN DIAGNOSTIC CENTRE

Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

DEPARTMENT OF BIOCHEMISTRY				
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report	
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 12:49:01	
UHID/MR NO	: CVA1.000001826	Received	: 28/Sep/2024 11:09:53	
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 28/Sep/2024 11:06:33	
Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:11	

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	П	nit Bio	o. Ref. Interval	Method
	nesure	J			Method
Interpretation: Note: Elevated BUN levels can be seen in th	he following:				
High-protein diet, Dehydration, Aging, Certain n	nedications, Burns,	Gastrointestin	nal (GI) bleed	ding.	
Low BUN levels can be seen in the following	g:				
Low-protein diet, overhydration, Liver disease.					
Creatinine Sample:Serum	0.90	mg/dl	0.7-1.30	Ν	IODIFIED JAFFES
man and shill have a high an anatiming any contraction.	The trand of comm	anastinina as	noontrotions	over time is mor	a improvement than
	ine concentrations 1	nay increase v	when an ACI	E inhibitor (ACE c antibodies, hen) is taken. The assay
absolute creatinine concentration. Serum creatin could be affected mildly and may result in anoma lipemic. Jric Acid <i>Sample:Serum</i> Interpretation: Note:- Elevated uric acid levels can be seen in the	ine concentrations i alous values if serur 5.00 following:	may increase v n samples hav mg/dl	vhen an ACI e heterophili 3.4-7.0	E inhibitor (ACE c antibodies, hen) is taken. The assay nolyzed, icteric or
absolute creatinine concentration. Serum creatin could be affected mildly and may result in anoma lipemic. Uric Acid <i>Sample:Serum</i> Interpretation: Note:- Elevated uric acid levels can be seen in the Drugs, Diet (high-protein diet, alcohol), Chronic	ine concentrations i alous values if serur 5.00 following:	may increase v n samples hav mg/dl	vhen an ACI e heterophili 3.4-7.0	E inhibitor (ACE c antibodies, hen) is taken. The assay nolyzed, icteric or
absolute creatinine concentration. Serum creatin could be affected mildly and may result in anoma lipemic. Uric Acid Sample:Serum Interpretation: Note:- Elevated uric acid levels can be seen in the f Drugs, Diet (high-protein diet, alcohol), Chronic	ine concentrations i alous values if serur 5.00 following:	may increase v n samples hav mg/dl	vhen an ACI e heterophili 3.4-7.0	E inhibitor (ACE c antibodies, hen) is taken. The assay nolyzed, icteric or
absolute creatinine concentration. Serum creatin could be affected mildly and may result in anoma lipemic. Jric Acid cample:Serum Interpretation: Note:- Elevated uric acid levels can be seen in the f Drugs, Diet (high-protein diet, alcohol), Chronic .FT (WITH GAMMA GT) , Serum SGOT / Aspartate Aminotransferase (AST)	ine concentrations i alous values if serur 5.00 following: c kidney disease, Hy 15.90	may increase v n samples hav mg/dl ypertension, O U/L	vhen an ACI e heterophili 3.4-7.0 besity.	E inhibitor (ACE c antibodies, hen U	The assay nolyzed, icteric or IRICASE
absolute creatinine concentration. Serum creatin could be affected mildly and may result in anoma lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid levels can be seen in the f Drugs, Diet (high-protein diet, alcohol), Chronic FT (WITH GAMMA GT) , Serum SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT)	ine concentrations i alous values if serur 5.00 following: c kidney disease, Hy 15.90 0.60	may increase v n samples hav mg/dl ypertension, O U/L U/L	vhen an ACI e heterophili 3.4-7.0 besity. < 35 < 40	E inhibitor (ACE c antibodies, hen U U	The assay molyzed, icteric or IRICASE FCC WITHOUT P5P FCC WITHOUT P5P
absolute creatinine concentration. Serum creatin could be affected mildly and may result in anoma lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid levels can be seen in the f Drugs, Diet (high-protein diet, alcohol), Chronic FT (WITH GAMMA GT) , Serum SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT)	ine concentrations i alous values if serur 5.00 following: c kidney disease, Hy 15.90 0.60 11.20	may increase w n samples hav mg/dl ypertension, O U/L U/L IU/L	when an ACI e heterophili 3.4-7.0 besity. < 35 < 40 11-50	E inhibitor (ACE c antibodies, hen U U U U U U U U U U U U U U U U U U U	CC WITHOUT P5P CC WITHOUT P5P CC WITHOUT P5P
absolute creatinine concentration. Serum creatin could be affected mildly and may result in anoma lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid levels can be seen in the f Drugs, Diet (high-protein diet, alcohol), Chronic FT (WITH GAMMA GT) , Serum SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) Protein	ine concentrations i alous values if serur 5.00 following: c kidney disease, Hy 15.90 0.60 11.20 6.60	may increase w n samples hav mg/dl ypertension, O U/L U/L IU/L gm/dl	when an ACI e heterophili 3.4-7.0 besity. < 35 < 40 11-50 6.2-8.0	E inhibitor (ACE c antibodies, hen U U I I I I I I B B B	CC WITHOUT P5P CC WITHOUT P5P
absolute creatinine concentration. Serum creatin could be affected mildly and may result in anoma lipemic. Uric Acid Sample:Serum Interpretation: Note:- Elevated uric acid levels can be seen in the Drugs, Diet (high-protein diet, alcohol), Chronic LFT (WITH GAMMA GT) , <i>Serum</i> SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) Protein Albumin	ine concentrations i alous values if serur 5.00 following: c kidney disease, Hy 15.90 0.60 11.20 6.60 3.60	may increase w n samples hav mg/dl ypertension, O U/L U/L IU/L gm/dl gm/dl	when an ACI e heterophili 3.4-7.0 besity. < 35 < 40 11-50 6.2-8.0 3.4-5.4	E inhibitor (ACE c antibodies, hen U U U U U U U U U U U U U U U U U U U	CC WITHOUT P5P CC WITHOUT P5P
absolute creatinine concentration. Serum creatin could be affected mildly and may result in anoma lipemic. Uric Acid Sample:Serum Interpretation: Note:- Elevated uric acid levels can be seen in the f Drugs, Diet (high-protein diet, alcohol), Chronic LFT (WITH GAMMA GT) , Serum SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) Protein	ine concentrations i alous values if serur 5.00 following: c kidney disease, Hy 15.90 0.60 11.20 6.60	may increase w n samples hav mg/dl ypertension, O U/L U/L IU/L gm/dl	when an ACI e heterophili 3.4-7.0 besity. < 35 < 40 11-50 6.2-8.0	E inhibitor (ACE c antibodies, hen U U U U U U U U U U U U U U U U U U U	CC WITHOUT P5P CC WITHOUT P5P



View Reports on

Chandan 24x7 App







Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:11
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 28/Sep/2024 11:06:33
UHID/MR NO	: CVA1.000001826	Received	: 28/Sep/2024 11:09:53
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 12:49:01
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS


Test Name	Result	U	nit Bio. Ref. Into	erval Method
Alkaline Phosphatase (Total)	114.60	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.80	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.50	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) , Serum				
Cholesterol (Total)	101.00	mg/dl	<200 Desirable 200-239 Borderline H > 240 High	CHOD-PAP High
HDL Cholesterol (Good Cholesterol)	25.80	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	59	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Opt 130-159 Borderline H 160-189 High > 190 Very High	
VLDL	16.60	mg/dl	10-33	CALCULATED
Triglycerides	83.00	mg/dl	< 150 Normal 150-199 Borderline H 200-499 High >500 Very High	GPO-PAP High

S.n. Sinta Dr.S.N. Sinha (MD Path)

Page 6 of 13











Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:10
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 28/Sep/2024 15:49:43
UHID/MR NO	: CVA1.000001826	Received	: 28/Sep/2024 15:55:07
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 16:36:41
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE, Uri	ine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	1-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	1-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
UGAR, FASTING STAGE , Urine				
Sugar, Fasting stage	ABSENT	gms%		



Page 7 of 13







Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:10
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 28/Sep/2024 15:49:43
UHID/MR NO	: CVA1.000001826	Received	: 28/Sep/2024 15:55:07
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 16:36:41
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
-----------	--------	------	--------------------	--------

Interpretation:

 $\begin{array}{ll} (+) & < 0.5 \\ (++) & 0.5 \\ (++) & 1 \\ (+++) & 1 \\ (++++) & > 2 \end{array}$

SUGAR, PP STAGE , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%

> S.N. Sinta Dr.S.N. Sinha (MD Path)

Page 8 of 13

View Reports on

Chandan 24x7 App









Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:11
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 28/Sep/2024 11:06:33
UHID/MR NO	: CVA1.000001826	Received	: 28/Sep/2024 11:09:53
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 15:04:40
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total Sample:Serum	0.63	ng/mL	<4.1	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL , Serum

T3, Total (tri-iodothyronine)	119.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	9.22	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	20.600	µlU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	µIU/mL	First Trimest	er		
0.5-4.6	µIU/mL	Second Trimester			
0.8-5.2	µIU/mL	Third Trimester			
0.5-8.9	µIU/mL	Adults	55-87 Years		
0.7-27	µIU/mL	Premature	28-36 Week		
2.3-13.2	µIU/mL	Cord Blood	> 37Week		
0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)		
1-39	µIU/mL	Child	0-4 Days		
1.7-9.1	µIU/mL	Child	2-20 Week		

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or





Page 9 of 13



Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:11
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 28/Sep/2024 11:06:33
UHID/MR NO	: CVA1.000001826	Received	: 28/Sep/2024 11:09:53
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 15:04:40
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

S. N. Sinton Dr.S.N. Sinha (MD Path)

Page 10 of 13

View Reports on

Chandan 24x7 App







Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:11
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 2024-09-28 13:43:31
UHID/MR NO	: CVA1.000001826	Received	: 2024-09-28 13:43:31
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 13:45:59
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

X-RAY CHEST PA

BOTH LUNG FIELDS AND PLEURAE:

- Both lungs show normal bronchovascular pattern.
- Right and left hila are normal.
- No focal mass or calcification noted.
- There is no evidence of any fluid in the both the pleural cavities.
- Both domes of diaphragms are normal in position.
- Trachea is central in position.
- Cardiac silhouette is of normal size and configuration.
- No evidence of pericardial effusion.
- No significant lymphadenopathy is seen.
- Visualized skeleton is normal.

IMPRESSION:

• NO SIGNIFICANT RADIOGRAPHIC ABNORMALITY.





View Reports on Chandan 24x7 App





Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: .05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:11
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 2024-09-28 12:26:34
UHID/MR NO	: CVA1.000001826	Received	: 2024-09-28 12:26:34
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 12:27:22
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• Normal in size (12.3 cm), shape, & echogenicity. Intra & extra hepatic biliary radicals & vascular structures are normal. Margins are smooth and regular

GALL BLADDER

• Normally distended with echo free lumen.

PORTAL SYSTEM

• Normal in course and caliber (10.5 mm).

BILIARY SYSTEM

• Visualized part normal in course & caliber (3.4 mm).

PANCREAS

• Normal in size, shape & echogenicity. Margins are smooth & regular. No diffuse/ focal lesion seen. Pancreatic duct not visualized.

KIDNEYS

- Right kidney:- (10.5 x 4.5 cm), Left kidney:- (11.6 x 4.1 cm).
- Both normal in size, shape echogenicity & position. Cortical-medullary differentiation
- Pelvicalyceal system normal. No evidence of any calculus/mass lesion seen.
- No hydronephrosisis/hydroureter seen. No suprarenal mass lesion

SPLEEN

• Normal in size (12.3 cm), shape & echogenicity. Margins are smooth & regular. No diffuse / focal lesion seen. Splenic vessels at hilum is normal.

URINARY BLADDER

- Normally distended with normal wall thickness. No echogenic foci lumen or diverticula seen.
- Both VUJ appears normal. No evidence of calculus / mass lesion seen.

PROSTATE

• Normal in size 3.7 x 3.1 x 2.9 cm, vol 18 gm, shape & echogenicity.



08069366666





Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: ,05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mr.ADITYA KUMAR - 22E34278	Registered On	: 28/Sep/2024 10:44:11
Age/Gender	: 36 Y 7 M 18 D /M	Collected	: 2024-09-28 12:26:34
UHID/MR NO	: CVA1.000001826	Received	: 2024-09-28 12:26:34
Visit ID	: CVA10018662425	Reported	: 28/Sep/2024 12:27:22
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

OTHERS

- No free fluid in peritoneal cavity.
- No free fluid in bilateral pleural cavity.
- No evidence of significantly enlarged retroperitoneal/ mesenteric lymph nodes noted

FINAL IMPRESSION:-

• No significant sonological abnormality noted.

*** End Of Report ***

Result/s to Follow: STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)





Dr Priyam Agarwal MBBS MD (Radiology)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing,Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * 365 Days Open *Facilities Available at Select Location

Facilities Available at Select Location Page 13 of 13



Home Sample Collection 08069366666





भारत सरकार Government of India





अदित्य कुमार Aditya Kumar अल जिस्मिDOB: 10/02/1988 डुल्ब/ MALE

सायार पहायान का प्रत्यास है, नागरिकता या जन्मतिथि का नहीं । इसका उपयोग सताराज (अनिसाइन प्रयागीकता, वा मयुदाय जोव/ सांप्रसाइन प्रत्यात्मयन की कोलिंग) के साथ किया जना पाहिए ।

Aadhaar is proof of identity, not of citizenship or date of birth. It should be used with verification (online authentication, or scanning of QR code / offline XML).

8052 2429 2577 मेरा आधार, मेरी पहचान





Near vision: 016

Dental check up : hlorma

ENT Check up : nlooms)

Eye Checkup: Normal

Final impression

Certified that I examined Adityg Kumar	S/o	or	D/o
is presently in good health and	free	from	any
cardio-respiratory/communicable ailment, he/she- is fit / Unfit-	to	join	any
organization.			

lient Signature :-

Signature of Medical Examiner

Dr. R.C. ROY MBBS., MD. (Radio Diagnosis) Reg. No. -26919

Place - VARANASI

CMARIDAN DIAGNOSTIC CENTRE 455/6, (H G Complex), KANCHANPUR, CHITAIPUR, VARANASI, UP 221005









Home Sample Collection

08069366666

CHANDAN DIAGNOSTIC CENTRE

Name of Company: Medicaleel Name of Executive: Adipya Kunar Date of Birth: 10 / 02 / 1908 Sex: , Male / Female BMI (Body Mass Index): 31.2 Abdomen: 105 CMs Blood Pressure: 11.6 / 7.3 mm/Hg Ident Mark: Black male lift forchead Any Allergies: No Vertigo : No Any Medications: Thysoid medication last everys (Tab - Thynoxin) Any Surgical History: No Habits of alcoholism/smoking/tobacco: Chief Complaints if any: No Lab Investigation Reports: Report Attach Eye Check up vision & Color vision: Nationa (Nonnel Left eve: alamet Right eye:





I am Aditya loumar de not go for stool sample to my own coist.

Dr. R.C. ROY 1885., MD. (Radio Diagnosis) Reg. No. -26918

OMANDAN DIAGNOSTIC CENTRE 455/6, (H & Complex), KANCHANPUR, CHITAIPUR, VARANASI, UP 221005



View Reports on



Home Sample Collection 08069366666