Name	MR.PADAGA JAYA SANKAR	ID	MED112126282	
Age & Gender	31Y/MALE	Visit Date	23/03/2024	
Ref Doctor Name	MediWheel			MEDALL

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in size and shows slightly increased echotexture.

No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.3	1.5
Left Kidney	9.6	1.8

URINARY BLADDER show normal shape and wall thickness.

It has clear contents.

PROSTATE shows normal shape, size and echopattern. No evidence of ascites.

IMPRESSION:

> GRADE I FATTY CHANGES IN LIVER.

CONSULTANT RADIOLOGISTS

DR. ANITHA ADARSH MB/MS

DR. MOHAN B

Name	: Mr. PADAGA JAYA SANKAR	र		
PID No.	: MED112126282	Register On	: 23/03/2024 8:58 AM	\sim
SID No.	: 712409368	Collection On	: 23/03/2024 10:09 AM	
Age / Sex	: 31 Year(s) / Male	Report On	: 23/03/2024 6:14 PM	medall
Туре	: OP	Printed On	: 24/03/2024 8:35 AM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Observed

<u>Value</u>

Investigation

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination) Remark: Test to be confirmed by gel method 'O' 'Positive'





<u>Unit</u>



Biological Reference Interval

APPROVED BY

Name	: Mr. PADAGA JAYA SANK	AR		
PID No.	: MED112126282	Register On : 23/0	03/2024 8:58 AM	\sim
SID No.	: 712409368	Collection On : 23/	03/2024 10:09 AM	
Age / Sex	: 31 Year(s) / Male	Report On : 23/	/03/2024 6:14 PM	medall
Туре	: OP	Printed On : 24/	03/2024 8:35 AM	DIAGNOSTICS
Ref. Dr	: MediWheel			
Investiga		<u>Observed</u> <u>Value</u>	Unit	Biological Reference Interval
<u>HAEN</u>	<u>IATOLOGY</u>			
<u>Complete</u>	e Blood Count With - ESR			
Haemogl (EDTA Blo	lobin pod/Spectrophotometry)	15.4	g/dL	13.5 - 18.0
	RETATION: Haemoglobin values, renal failure etc. Higher values ar			n values may be due to nutritional deficiency, , hypoxia etc.
· · · · · · · · · · · · · · · · · · ·	cked Cell Volume) / Haemato pod/Derived)	ocrit 45.6	%	42 - 52
RBC Con (EDTA Blo	unt pod/Automated Blood cell Counter)	5.71	mill/cu.mm	4.7 - 6.0
	lean Corpuscular Volume) pod/Derived from Impedance)	80.0	fL	78 - 100
	lean Corpuscular Haemoglob	n) 27.0	pg	27 - 32
concentra	Mean Corpuscular Haemoglo ation) pood/Derived)	bin 33.9	g/dL	32 - 36
RDW-CY (Derived)	V	14.6	%	11.5 - 16.0
RDW-SI (Derived))	40.88	fL	39 - 46
	BC Count (TC) ood/Derived from Impedance)	6390	cells/cu.mm	4000 - 11000
Neutroph (Blood/Imp	nils pedance Variation & Flow Cytometr	60 v)	%	40 - 75
Lymphoo (Blood/Imp	cytes pedance Variation & Flow Cytometr	34	%	20 - 45







Name	: Mr. PADAGA JAYA SANKAI	R		
PID No.	: MED112126282	Register On	: 23/03/2024 8:58 AM	~
SID No.	: 712409368	Collection On	: 23/03/2024 10:09 AM	
Age / Sex	: 31 Year(s) / Male	Report On	: 23/03/2024 6:14 PM	meo
Туре	: OP	Printed On	: 24/03/2024 8:35 AM	DIAGNOS

Observed Unit **Investigation Biological** Value **Reference Interval** 01 - 06 Eosinophils 01 % (Blood/Impedance Variation & Flow Cytometry) Monocytes 05 % 01 - 10 (Blood/Impedance Variation & Flow Cytometry) 00 - 02 **Basophils** 00 % (Blood/Impedance Variation & Flow Cytometry) Absolute Neutrophil count 3.83 10^3 / µl 1.5 - 6.6 (EDTA Blood/Impedance Variation & Flow Cytometry) Absolute Lymphocyte Count 2.17 10^3 / µl 1.5 - 3.5 (EDTA Blood/Impedance Variation & Flow Cytometry) 0.06 10^3 / µl 0.04 - 0.44 Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry) 10^3 / µl 0.32 < 1.0Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry) 10^3 / µl Absolute Basophil count 0.00 < 0.2 (EDTA Blood/Impedance Variation & Flow Cytometry) 251 10^3 / µl Platelet Count 150 - 450 (EDTA Blood/Derived from Impedance) MPV 11.9 fL 7.9 - 13.7 (Blood/Derived) PCT 0.30 % 0.18 - 0.28 ESR (Erythrocyte Sedimentation Rate) 05 mm/hr < 15

Iohan Kumar Sr.LabTechnician VERIFIED BY

(Citrated Blood/Automated ESR analyser)

Ref. Dr

: MediWheel





APPROVED BY

Name	: Mr. PADAGA JAYA SANKA	R	
PID No.	: MED112126282	Register On : 23/03/2024 8:58 AM	\sim
SID No.	: 712409368	Collection On : 23/03/2024 10:09 AM	
Age / Sex	: 31 Year(s) / Male	Report On : 23/03/2024 6:14 PM	medall
Туре	: OP	Printed On : 24/03/2024 8:35 AM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.4	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.20	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.2	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.9	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.30	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	2.13		1.1 - 2.2
INTERPRETATION: Remark : Electrophoresis is the p	preferred method		
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC / Kinetic)	26	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	27	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/PNPP / Kinetic)	121	U/L	53 - 128
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	98	U/L	< 55







The results pertain to sample tested.

Name	: Mr. PADAGA JAYA SANKA	R	
PID No.	: MED112126282	Register On : 23/03/2024 8:58 AM	\sim
SID No.	: 712409368	Collection On : 23/03/2024 10:09 AM	
Age / Sex	: 31 Year(s) / Male	Report On : 23/03/2024 6:14 PM	medall
Туре	: OP	Printed On : 24/03/2024 8:35 AM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Lipid Profile			
Cholesterol Total (Serum/Oxidase / Peroxidase method)	219	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	66	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	25	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	180.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	13.2	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	194.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219







Very High: >= 220

APPROVED BY

Name	: Mr. PADAGA JAYA SANKA	R		
PID No.	: MED112126282	Register On : 23/03/2024 8:58	АМ 🦰	
SID No.	: 712409368	Collection On : 23/03/2024 10:09		
Age / Sex	: 31 Year(s) / Male	Report On : 23/03/2024 6:14	PM medall	
Туре	: OP	Printed On : 24/03/2024 8:35	AM DIAGNOSTICS	
Ref. Dr	: MediWheel			
<u>Investiga</u>	ation	<u>Observed</u> <u>Unit</u> <u>Value</u>	Biological Reference Interval	
INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.				

co primary target for choresteror lowering alerapy.		
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	8.8	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	2.6	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	7.2	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0







Name	: Mr. PADAGA JAYA SANKA	R	
PID No.	: MED112126282	Register On : 23/03/2024 8:58 AM	\sim
SID No.	: 712409368	Collection On : 23/03/2024 10:09 AM	
Age / Sex	: 31 Year(s) / Male	Report On : 23/03/2024 6:14 PM	medall
Туре	: OP	Printed On : 24/03/2024 8:35 AM	DIAGNOSTICS
Ref. Dr	: MediWheel		
Investiga		<u>Observed</u> <u>Unit</u> <u>Value</u>	Biological Reference Interval
<u>Glycosyl</u>	ated Haemoglobin (HbA1c)		
HbA1C (Whole Ble	ood/HPLC)	4.3 %	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 76.71 mg/dl

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia,hyperbilirubinemia,Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly,Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.







APPROVED BY

Name	: Mr. PADAGA JAYA SANKA	R	
PID No.	: MED112126282	Register On : 23/03/2024 8:58 AM	
SID No.	: 712409368	Collection On : 23/03/2024 10:09 AM	
Age / Sex	: 31 Year(s) / Male	Report On : 23/03/2024 6:14 PM medall	
Туре	: OP	Printed On : 24/03/2024 8:35 AM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	9.2		
Glucose Fasting (FBS) (Plasma - F/GOD- POD)	80	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Urine sugar, Fasting (Urine - F)	Nil		Nil
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	80	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Sugar (PP-2 hours) (Urine - PP)	Negative	Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	10.2 mg/dL	7.0 - 21
Creatinine	1.1 mg/dL	0.9 - 1.3

(Serum/Jaffe Kinetic)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	7.4	mg/dL
(Serum/Uricase/Peroxidase)		







3.5 - 7.2

APPROVED BY

Name	: Mr. PADAGA JAYA SANKA	R			
PID No.	: MED112126282	Register On	: 23/03/2	2024 8:58 AM	
SID No.	: 712409368	Collection On	n: 23/03/	2024 10:09 AM	
Age / Sex	: 31 Year(s) / Male	Report On		/2024 6:14 PM	medall
Туре	: OP	Printed On		/2024 8:35 AM	DIAGNOSTICS
Ref. Dr	: MediWheel	Finited On	. 24/03/	2024 0.33 AM	
Investiga	ation		<u>served</u> /alue	<u>Unit</u>	Biological Reference Interval
IMMU	JNOASSAY				
<u>THYRO</u>	ID PROFILE / TFT				
	odothyronine) - Total		1.21	ng/ml	0.7 - 2.04
(Serum/Ch (CLIA))	emiluminescent Immunometric Assay				
INTERPE	RETATION:				
Comment	: ariation can be seen in other conditio	n like pregnancy	drugs nen	brosis etc. In such cas	es Eree T3 is recommended as it is
	ally active.	n nice pregnancy,	, urugs, nep		
T4 (Thyr	oxine) - Total		13.63	Microg/dl	4.2 - 12.0
(Serum/Ch (CLIA))	emiluminescent Immunometric Assay				
	RETATION:				
	ariation can be seen in other conditio ally active.	n like pregnancy,	, drugs, nep	hrosis etc. In such case	es, Free T4 is recommended as it is
TSH (Th	yroid Stimulating Hormone)		1.403	µIU/mL	0.35 - 5.50
(Serum/Ch (CLIA))	emiluminescent Immunometric Assay				
	RETATION:				
	range for cord blood - upto 20 ter: 0.1-2.5				
2 nd trime	ster 0.2-3.0				
	ster : 0.3-3.0 lyroid Society Guidelines)				
Comment					
1.TSH refe	erence range during pregnancy deper				centration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.







APPROVED BY

Name	: Mr. PADAGA JAYA SANKA	R	
PID No.	: MED112126282	Register On : 23/03/2024 8:	58 AM
SID No.	: 712409368	Collection On : 23/03/2024 10	
Age / Sex	: 31 Year(s) / Male	Report On : 23/03/2024 6	14 PM medall
Туре	: OP	Printed On : 24/03/2024 8:	35 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
CLINICAL PATHOLOGY			
PHYSICAL EXAMINATION			
Colour (Urine/Physical examination)	Pale Yellow		Yellow to Amber
Volume (Urine/Physical examination)	15		ml
Appearance (Urine)	Clear		
CHEMICAL EXAMINATION			
pH (Urine)	6.5		4.5 - 8.0
Specific Gravity (Urine/Dip Stick 6"Reagent strip method)	1.015		1.002 - 1.035
Protein (Urine/Dip Stick ó"Reagent strip method)	Negative		Negative
Glucose (Urine)	Nil		Nil
Ketone (Urine/Dip Stick ó"Reagent strip method)	Nil		Nil
Leukocytes (Urine)	Negative	leuco/uL	Negative
Nitrite (Urine/Dip Stick ó"Reagent strip method)	Nil		Nil
Bilirubin (Urine)	Negative	mg/dL	Negative
Blood (Urine)	Nil		Nil







Name	: Mr. PADAGA JAYA SANKA	R		
PID No.	: MED112126282	Register On	: 23/03/2024 8:58 AM	\sim
SID No.	: 712409368	Collection On	: 23/03/2024 10:09 AM	
Age / Sex	: 31 Year(s) / Male	Report On	: 23/03/2024 6:14 PM	medall
Туре	: OP	Printed On	: 24/03/2024 8:35 AM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Urobilinogen	Normal		Within normal limits
(Urine/Dip Stick o''Reagent strip method)			
<u>Urine Microscopy Pictures</u>			
RBCs	Nil	/hpf	NIL
(Urine/Microscopy)			
Pus Cells	2-3	/hpf	< 5
(Urine/Microscopy)		-	
Epithelial Cells	2-3	/hpf	No ranges
(Urine/Microscopy)		Ĩ	
Others	Nil		Nil
(Urine)			







Name	: Mr. PADAGA JAYA SANKA	R		
PID No.	: MED112126282	Register On	: 23/03/2024 8:58 AM	\sim
SID No.	: 712409368	Collection On	: 23/03/2024 10:09 AM	
Age / Sex	: 31 Year(s) / Male	Report On	: 23/03/2024 6:14 PM	medall
Туре	: OP	Printed On	: 24/03/2024 8:35 AM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<u>Stool Analysis - ROUTINE</u>			
Colour (Stool)	Brown		Brown
Blood (Stool)	Not present		Not present
Mucus (Stool)	Not present		Not present
Reaction (Stool)	Alkaline		Alkaline
Consistency (Stool)	Semi solid		Semi solid
Ova (Stool)	Nil		Nil
Others (Stool)	Nil		Nil
Cysts (Stool)	Nil		Nil
Trophozoites (Stool)	Nil		Nil
RBCs (Stool)	Nil	/hpf	Nil
Pus Cells (Stool)	0-1	/hpf	Nil
Macrophages (Stool)	Nil		Nil
Epithelial Cells (Stool)	Nil	/hpf	Nil







-- End of Report --

Name	MR.PADAGA JAYA SANKAR	ID	MED112126282	
Age & Gender	31Y/MALE	Visit Date	23/03/2024	
Ref Doctor Name	MediWheel			MEDALL

<u>2 D ECHOCARDIOGRAPHIC STUDY</u>

M mode measurement:

AORTA			:	2.6cms
LEFT ATRIUM			:	2.6cms
LEFT VENTRICLE	(DIASTOLE)	:	4.0cms
(SYS'	TOLE)	:	2.0cm	IS
VENTRICULAR SEPTUM	(DIASTOLE)		:	0.8cms
(SYS	TOLE)	:	1.0cm	IS
POSTERIOR WALL	(DIASTOLE)		:	0.8cms
(SYST	TOLE)	:	1.0cm	IS
EDV			:	61ml
ESV			:	m241
FRACTIONAL SHORTENII	NG		:	35%
EJECTION FRACTION			:	61%
RVID			:	1.0cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	: E' - 0.81	m/s A' - 0.35 m/s	NO MR
AORTIC VALVE	: 0.	99m/s	NO AR
TRICUSPID VALVE	: E' - 0.63	3m/s A' - 0.60m/s	NO TR
PULMONARY VALVE	: 0.	61m/s	NO PR

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle

: Normal size, Normal systolic function.

Name	MR.PADAGA JAYA SANKAR	ID	MED112126282	
Age & Gender	31Y/MALE	Visit Date	23/03/2024	
Ref Doctor Name	MediWheel			MEDALL

No regional wall motion abnormalities.

Left Atrium	: Normal.
Right Ventricle	: Normal.
Right Atrium	: Normal.
Mitral valve	: Normal, No mitral valve prolapse.
Aortic valve	: Normal, Trileaflet.
Tricuspid valve	: Normal.
Tricuspid valve Pulmonary valve	: Normal. : Normal.
Pulmonary valve	: Normal.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 61 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS/ PERICARDIAL EFFUSION VEGETATION.



DR. NIKHIL B INTERVENTIONAL CARDIOLOGIST NB/mm



Name	Mr. PADAGA JAYA SANKAR	ID	MED112126282
Age & Gender	31Y/M	Visit Date	Mar 23 2024 8:56AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

<u>Impression</u>: No significant abnormality detected.

DR. MOHAN. B (DMRD, DNB, EDIR, FELLOW IN CARDIAC MRI) CONSULTANT RADIOLOGIST