

Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



E

Use a QR Code Scanner Application To Scan the Code

Calculated

Calculated

Collected : 04-Jan-2024 / 08:27 Reported : 04-Jan-2024 / 10:52

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

	CBC (Complete Blood	d Count), Blood	
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	8.7	12.0-15.0 g/dL	Spectrophotometric
RBC	4.51	3.8-4.8 mil/cmm	Elect. Impedance
PCV	26.8	36-46 %	Measured
MCV	59	80-100 fl	Calculated
MCH	19.3	27-32 pg	Calculated
MCHC	32.4	31.5-34.5 g/dL	Calculated
RDW	22.5	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	3280	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSO	DLUTE COUNTS		
Lymphocytes	19.9	20-40 %	
Absolute Lymphocytes	652.7	1000-3000 /cmm	Calculated
Monocytes	7.7	2-10 %	
Absolute Monocytes	252.6	200-1000 /cmm	Calculated
Neutrophils	72.0	40-80 %	
Absolute Neutrophils	2361.6	2000-7000 /cmm	Calculated
Eosinophils	0.2	1-6 %	

WBC Differential Count by Absorbance & Impedance method/Microscopy.

6.6

0.2

6.6

PLATELET PARAMETERS

Platelet Count	154000	150000-400000 /cmm	Elect. Impedance
MPV	8.2	6-11 fl	Calculated
PDW	17.0	11-18 %	Calculated

20-500 /cmm

20-100 /cmm

0.1-2 %

RBC MORPHOLOGY

Absolute Eosinophils

Absolute Basophils

Immature Leukocytes

Basophils

Hypochromia ++
Microcytosis +++



Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)

Authenticity Check

E

Use a QR Code Scanner Application To Scan the Code

Collected : 04-Jan-2024 / 08:27

Reported

:04-Jan-2024 / 12:56

Macrocytosis

Anisocytosis ++

Poikilocytosis Mild Polychromasia Mild

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Elliptocytes-occasional

WBC MORPHOLOGY PLATELET MORPHOLOGY -

COMMENT -

Note: Features suggest Thalassemia trait.

Advice: Hb electrophoresis & Reticulocyte count.

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 63 2-20 mm at 1 hr. Sedimentation

Result rechecked,

Kindly correlate clinically.



Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr. : -

Reg. Location: Borivali West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 04-Jan-2024 / 08:27

:04-Jan-2024 / 10:52

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- · The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***







Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr.

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Hexokinase

Hexokinase

Collected : 04-Jan-2024 / 08:27 :04-Jan-2024 / 16:30 Reported

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING, 78.7 Non-Diabetic: < 100 mg/dl Fluoride Plasma Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 78.4 Non-Diabetic: < 140 mg/dl

Plasma PP/R Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 04-Jan-2024 / 08:27 Reported : 04-Jan-2024 / 16:30

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	24.1	12.8-42.8 mg/dl	Kinetic
BUN, Serum	11.3	6-20 mg/dl	Calculated
CREATININE, Serum	0.50	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	117	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 36-44 Severe decrease: 15-29 Kidney failure: < 15	

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

	9	•	
TOTAL PROTEINS, Serum	9.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	5.0	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	0.8	1 - 2	Calculated
URIC ACID, Serum	4.0	2.4-5.7 mg/dl	Enzymatic
PHOSPHORUS, Serum	4.7	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	8.5	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	139	135-148 mmol/l	ISE
POTASSIUM, Serum	5.0	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	106	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr. : -

Reg. Location: Borivali West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 04-Jan-2024 / 08:27

:04-Jan-2024 / 10:52

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobin 5.1 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Diabetic Level: >/= 6.5 %

Collected

Reported

Estimated Average Glucose 99.7 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- · In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Page 6 of 17



Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Collected Consulting Dr. :04-Jan-2024 / 08:27

Reported :04-Jan-2024 / 15:09 Reg. Location : Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>E</u> <u>METHOD</u>	
PHYSICAL EXAMINATION				
Color	Pale yellow	Pale Yellow	-	
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator	
Specific Gravity	1.005	1.001-1.030	Chemical Indicator	
Transparency	Clear	Clear	-	
Volume (ml)	40	-	-	
CHEMICAL EXAMINATION				
Proteins	Absent	Absent	pH Indicator	
Glucose	Absent	Absent	GOD-POD	
Ketones	Absent	Absent	Legals Test	
Blood	Absent	Absent	Peroxidase	
Bilirubin	Absent	Absent	Diazonium Salt	
Urobilinogen	Normal	Normal	Diazonium Salt	
Nitrite	Absent	Absent	Griess Test	
MICROSCOPIC EXAMINATION				
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf		
Red Blood Cells / hpf	Absent	0-2/hpf		
Epithelial Cells / hpf	0-1			
Casts	Absent	Absent		
Crystals	Absent	Absent		
Amorphous debris	Absent	Absent		
Bacteria / hpf	2-3	Less than 20/hpf		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ = 75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl, 2+ =100 mg/dl, 3+ =300 mg/dl, 4+ =1000 mg/dl)
- Ketone (1+ = 5 mg/dl, 2+ = 15 mg/dl, 3+ = 50 mg/dl, 4+ = 150 mg/dl)

Reference: Pack inert

Others

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **







Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 04-Jan-2024 / 08:27

Reported :04-Jan-2024 / 14:27

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

RESULTS PARAMETER

ABO GROUP В

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 8 of 17



Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr.

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:04-Jan-2024 / 08:27

Collected Reported :04-Jan-2024 / 13:41

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	104.5	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	84.8	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	31.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	73.0	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	56.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	17.0	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.3	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.8	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 04-Jan-2024 / 08:27

Reported :04-Jan-2024 / 17:55

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.8	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	13.2	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	33.79	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0 mIU/ml	ECLIA



Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr. : - Collected : 04-Jan-2024 / 08:27

Reg. Location : Borivali West (Main Centre) Reported : 04-Jan-2024 / 17:55

Interpretation

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

Use a QR Code Scanner Application To Scan the Code



Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 04-Jan-2024 / 08:27

:04-Jan-2024 / 13:41

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.43	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.06	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.37	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	9.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	5.0	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	0.8	1 - 2	Calculated
SGOT (AST), Serum	39.3	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	15.6	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	22.0	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	87.9	35-105 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Name : MRS.SWARA S KHANVILKAR


Age / Gender : 46 Years / Female


Consulting Dr. :


Reg. Location: Borivali West (Main Centre)





Use a QR Code Scanner Application To Scan the Code
















Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female


Consulting Dr. :


Reg. Location: Borivali West (Main Centre)




Use a QR Code Scanner Application To Scan the Code


HDL CHOLESTEROL







BLOOD UREA





CREATININE







Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr.

0

Reg. Location : Borivali West (Main Centre)


15-Feb-2022



R


Use a OR Code Scanner Application To Scan the Code


mg/dl




25-Feb-2023


04-Jan-2024








PHOSPHORUS







Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female


Consulting Dr.


6


Reg. Location : Borivali West (Main Centre)





Use a OR Code Scanner Application To Scan the Code



















Name : MRS.SWARA S KHANVILKAR

Age / Gender : 46 Years / Female

Consulting Dr.

Reg. Location : Borivali West (Main Centre)




Use a OR Code Scanner


Application To Scan the Code

BILIRUBIN (DIRECT) 0.25 0.22 mg/dl 0.24 mg/d 0.2 0.15 0.1 0.05 0.06 mg/dl 0 25-Feb-2023 15-Feb-2022 04-Jan-2024


Estimated Average Glucose (eAG)




Free T4




Glycosylated Hemoglobin (HbA1c)



Free T3



sensitiveTSH






SUBURBAN DIAGNOSTICS - BORIVALI WEST

Date and Time: 4th Jan 24 9:01 AM

Patient Name: SWARA S KHANVILKAR Patient ID: 2400410980

kth Jan 24 9:01 AM



Long QT Interval observed, Incomplete Right Bundle Branch Block, Sinus Arrhythmia Seen, Sinus Rhythm. Please correlate clinically.

REPORTED BY



Dr Nitin Sonsoune M.B.B.S.AFLH, D.DIAB, D.CARD Consultant Carafologist 87714

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. (1) Patient vitals are as entered by the clinician and not derived from the ECG.



CID

: 2400410980

Name

: Mrs SWARA S KHANVILKAR

Age / Sex

: 46 Years/Female

Ref. Dr

Reg. Location

: Borivali West

Reg. Date

Reported

Authenticity Check

Use a QR Code Scanner

R

E

Application To Scan the Code

: 04-Jan-2024 : 04-Jan-2024 / 9:33

USG WHOLE ABDOMEN

LIVER: Liver is enlarged in size 15.1 cm, with mild generalized increase in parenchymal echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or

KIDNEYS: Right kidney measures 9.8 x 3.8 cm. Left kidney measures 11.8 x 3.5 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is enlarged in size 13.6 cm, normal in shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

UTERUS: Uterus is anteverted, normal and measures 3.6 x 2.0 x 2.8 cm. Uterine myometrium shows homogenous echotexture. Endometrium is normal in thickness and measures 2.8 mm. Cervix appears

OVARIES: Both ovaries appear normal in size and echotexture.

The right ovary measures 1.1 x 0.9 cm.

The left ovary measures 1.0 x 0.6 cm.

Bilateral adnexa is clear.

No free fluid or obvious significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?

sionNo=2024010408191603



CID

: 2400410980

Name

: Mrs SWARA S KHANVILKAR

Age / Sex

: 46 Years/Female

Ref. Dr

Reg. Location

: Borivali West

Authenticity Check



Use a QR Code Scanner

R

E

т

Application To Scan the Code

Reg. Date : 04-Jan-2024 Reported

: 04-Jan-2024 / 9:33

Opinion:

Grade I fatty infiltration of liver with mild hepato-splenomegaly, Advice LFT & Lipid profile

For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer? Acces

sionNo=2024010408191603



CID NO: 2400410980	
PATIENT'S NAME: MRS.SWARA S KHANVILKAR	
REF BY:	AGE/SEX: 46 Y/F
	DATE: 04/01/2024

R

E

T

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary, Mitral, valves normal, Trivial TR.
- 6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10.No LV clot.
- 11. No Pericardial Effusion
- 12. No Diastolic disfunction. No Doppler evidence of raised LVEDP.



REF BY:	MIANVILKAR	AGE/SEX: 46 Y/F
1. AO root diameter 2. IVSd 3. LVIDd 4. LVIDs 5. LVPWd 6. LA dimension 7. RA dimension 8. RV dimension 9. Pulmonary flow vel: 10. Pulmonary Gradient	3.0 cm 0.9 cm 4.1 cm 1.9 cm 0.9 cm 3.6 cm 3.6 cm 3.7 cm 3.0 cm 0.7 m/s 2.4 m/s	AGE/SEX: 46 Y/F DATE: 04/01/2024
1. Tricuspid flow vel 2. Tricuspid Gradient 3. PASP by TR Jet 4. TAPSE 5. Aortic flow vel 6. Aortic Gradient 7. MV:E 8. A vel 9. IVC	2.4 m/s 1.5 m/s 10 m/s 20 mm Hg 3.0 cm 1.0 m/s 4 m/s 0.7 m/s 0.6 m/s	

Impression:

Normal 2d echo study.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

15 mm

End of Report

DR. S. NITIN Consultant Cardiologist Reg. No. 87714 R

E

0

R



CID

: 2400410980 Name : Mrs SWARA S KHANVILKAR Age / Sex

: 46 Years/Female

Ref. Dr

Reg. Location : Borivali West Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

: 04-Jan-2024

: 04-Jan-2024 / 12:27

Reg. Date

Reported

X-RAY CHEST PA VIEW

Prominent bronchovascular markings are seen bilaterally in both lower zones.

Rest of the lung fields are clear.

Minimal blunting of right costophrenic angle. Left costo-phrenic angle is clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer? Acces

sionNo=2024010408191685

T



Date: 4/1/24

CID: 2400410980

Name: Swara Khanvilkar Sex/Age: F1 46

EYE CHECK UP

Chief complaints: NO

Systemic Diseases:

Past history:

NO

Unaided Vision:

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	7	7	7	616	•	7	, ,	616
Near	-		*	N190		-		N/10

Colour Vision: Normal / Abnormal

Remark: Normal

30 4 July, 3rd Plear, Wei Eleganone Alasse Souther, L. T. Road Borney (Most), Mumbel - 409 892.