

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:18
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 31/Jul/2024 10:21:00
UHID/MR NO	: IDCD.0000124511	Received	: 31/Jul/2024 12:06:34
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 16:40:08
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS						
Test Name	Result	Unit	Bio. Ref. Interval	Method		
Blood Group (ABO & Rh typing) , Blood						
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA		
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA		
Complete Blood Count (CBC) , Whole Blood						
Haemoglobin	11.90	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl			
TLC (WBC) <u>DLC</u>	6,800.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE		
Polymorphs (Neutrophils)	53.00	%	40-80	ELECTRONIC IMPEDANCE		
Lymphocytes	41.00	%	20-40	ELECTRONIC IMPEDANCE		
Monocytes	4.00	%	2-10	ELECTRONIC IMPEDANCE		
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE		
Basophils ESR	0.00	%	< 1-2	ELECTRONIC IMPEDANCE		
Observed	32.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8 Pregnancy			

Page 1 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:18
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 31/Jul/2024 10:21:00
UHID/MR NO	: IDCD.0000124511	Received	: 31/Jul/2024 12:06:34
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 16:40:08
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	16.00	Mm for 1st hr.	< 20	
PCV (HCT)	35.00	%	40-54	
Platelet count				
Platelet Count	3.70	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.20	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	35.30	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.40	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count		Sec. Star		
RBC Count	4.60	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	83.00	fl	80-100	CALCULATED PARAMETER
MCH	25.80	pg	27-32	CALCULATED PARAMETER
MCHC	31.10	%	30-38	CALCULATED PARAMETER
RDW-CV	13.00	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	40.90	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,604.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	136.00	/cu mm	40-440	

Dr. Anupam Singh (MBBS MD Pathology)

Page 2 of 14





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:19
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 31/Jul/2024 15:24:25
UHID/MR NO	: IDCD.0000124511	Received	: 31/Jul/2024 16:34:58
	: IDCD0206272425	Reported	: 31/Jul/2024 17:07:37
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING , <i>Plasma</i> Glucose Fasting	83.70	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impaired Glucose Tolerance.

Glucose PP Sample:Plasma After Meal	102.90	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

Dr. Anupam Singh (MBBS MD Pathology)

Page 3 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:19
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 31/Jul/2024 10:21:00
UHID/MR NO	: IDCD.0000124511	Received	: 31/Jul/2024 13:29:53
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 15:23:30
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLYCOSYLATED HAEMOGLOBIN (HBA1C) ** , ED Glycosylated Haemoglobin (HbA1c)	TA BLOOD 5.90	% NGSP		HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c) Estimated Average Glucose (eAG)		mmol/mol/IFC(mg/dl	2	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

Page 4 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:19
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 31/Jul/2024 10:21:00
UHID/MR NO	: IDCD.0000124511	Received	: 31/Jul/2024 13:29:53
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 15:23:30
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

Dr. Anupam Singh (MBBS MD Pathology)

Page 5 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name					
Age/Gender UHID/MR NO Visit ID	: Mrs.NUPUR : 30 Y 9 M 29 D /F : IDCD.0000124511 : IDCD0206272425 : Dr.Madiwhaal - Araafami J	Ci Ri Ri	egistered On bllected eceived eported	: 31/Jul/2024 10:1 : 31/Jul/2024 10:2 : 31/Jul/2024 12:1 : 31/Jul/2024 13:5	21:00 0:21
Ref Doctor	: Dr.Mediwheel - Arcofemi I -	Health Care Ltd. S	atus	: Final Report	
	D	EPARTMENT OF	BIOCHEMIST	RY	
	MEDIWHEEL	BANK OF BARO			
Fest Name		Result	Unit	Bio. Ref. Interval	Method
UN (Blood Urea l ample:Serum	Nitrogen)	9.16	mg/dL	7.0-23.0	CALCULATED
Interpretation: Note: Elevated	BUN levels can be seen in tl	he following:			
High-protein diet	, Dehydration, Aging, Certain n	nedications, Burns,	Gastrointestim	al (GI) bleeding.	
Low BUN level	s can be seen in the following	g:			
Low-protein diet	, overhydration, Liver disease.				
r eatini<mark>ne</mark> ample:Serum		0.96	mg/dl	0.5-1.20	MODIFIED JAFFES
The significance of mass will have a labsolute creatinin could be affected	of single creatinine value must higher creatinine concentration. he concentration. Serum creatin mildly and may result in anoma	The trend of serum ine concentrations	creatinine con nay increase w	centrations over time is then an ACE inhibitor	s more important than (ACE) is taken. The ass
The significance of mass will have a labsolute creatinin could be affected lipemic.	higher creatinine concentration. he concentration. Serum creatin	The trend of serum ine concentrations	creatinine con nay increase w	centrations over time is then an ACE inhibitor	s more important than (ACE) is taken. The ass
The significance of mass will have a labsolute creatinin could be affected lipemic. Interpretation: Note:-	higher creatinine concentration. he concentration. Serum creatin	The trend of serum ine concentrations in alous values if serum 4.78	creatinine con nay increase w n samples have	centrations over time is then an ACE inhibitor heterophilic antibodie	s more important than (ACE) is taken. The ass s, hemolyzed, icteric or
The significance of mass will have a labsolute creatinin could be affected lipemic. Inic Acid ample:Serum Interpretation: Note:- Elevated uric ac	higher creatinine concentration. he concentration. Serum creatin mildly and may result in anoma	The trend of serum ine concentrations in alous values if serum 4.78 following:	n creatinine com nay increase w n samples have mg/dl	centrations over time is then an ACE inhibitor heterophilic antibodie 2.5-6.0	s more important than (ACE) is taken. The ass s, hemolyzed, icteric or
mass will have a labsolute creatinin could be affected lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric ac	higher creatinine concentration. he concentration. Serum creatin mildly and may result in anoma cid levels can be seen in the f h-protein diet, alcohol), Chronic	The trend of serum ine concentrations in alous values if serum 4.78 following:	n creatinine com nay increase w n samples have mg/dl	centrations over time is then an ACE inhibitor heterophilic antibodie 2.5-6.0	s more important than (ACE) is taken. The assa s, hemolyzed, icteric or



Mar. 2018

Home Sample Collection 1800-419-0002



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:20
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 31/Jul/2024 10:21:00
UHID/MR NO	: IDCD.0000124511	Received	: 31/Jul/2024 12:10:21
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 13:54:22
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd	. Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Protein	5.70	gm/dl	6.2-8.0	BIURET
Albumin	3.56	gm/dl	3.4-5.4	B.C.G.
Globulin	2.14	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.66		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	93.29	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.30	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.11	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.19	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	170.22	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	57.12	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	98	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	14.89	mg/dl	10-33	CALCULATED
Triglycerides	74.46	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

Dr. Anupam Singh (MBBS MD Pathology)

Page 7 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:19
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 31/Jul/2024 17:05:35
UHID/MR NO	: IDCD.0000124511	Received	: 31/Jul/2024 17:33:38
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 17:44:19
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Ur	ine			
Color	PALE YELLOW			
Specific Gravity	1.005			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	['] mg %	< 10 Absent	DIPSTICK
		5	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
		1 2	>2(++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT		1.1.1	
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	1-2/h.p.f			MICROSCOPIC
•	,			EXAMINATION
Pus cells	0-1/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
<u>,</u>				EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE , Urine				
Sugar, Fasting stage	ABSENT	gms%		
	. Boern	9.11070		

Interpretation:

Page 8 of 14





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:19
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 31/Jul/2024 17:05:35
UHID/MR NO	: IDCD.0000124511	Received	: 31/Jul/2024 17:33:38
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 17:44:19
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				
() / _				
SUGAR, PP STAGE, Urine				
Sugar, PP Stage	ABSENT			
Interpretation:				
(+) < 0.5 gms%				
(++) 0.5-1.0 gms%				
(+++) 1-2 gms%				
(++++) > 2 gms%				
			and a start of	

Dr. Neetu Kushwaha MD.PATH







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:20
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 31/Jul/2024 10:21:00
UHID/MR NO	: IDCD.0000124511	Received	: 31/Jul/2024 12:45:54
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 14:11:27
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL ** , Serum					
T3, Total (tri-iodothyronine)	110.20	ng/dl	84.61–201.7	CLIA	
T4, Total (Thyroxine)	6.60	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	2.030	μlŪ/mL	0.27 - 5.5	CLIA	
T () ()					

Interpretation:

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Anupam Singh (MBBS MD Pathology)

Page 10 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:21
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 2024-07-31 15:12:09
UHID/MR NO	: IDCD.0000124511	Received	: 2024-07-31 15:12:09
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 15:12:32
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION: NORMAL SKIAGRAM

Dr. Anoop Agarwal MBBS,MD(Radiology)

Page 11 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:21
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 2024-07-31 12:18:25
UHID/MR NO	: IDCD.0000124511	Received	: 2024-07-31 12:18:25
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 17:02:30
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER

• The liver is normal in size and has a normal homogenous echotexture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct are normal at the porta.
- The gall bladder is normal in size and has regular walls. Wall thickness is normal. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

<u>RIGHT KIDNEY</u>

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

LEFT KIDNEY

• Left kidney is normal in size and shape and cortical echotexture.





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:21
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 2024-07-31 12:18:25
UHID/MR NO	: IDCD.0000124511	Received	: 2024-07-31 12:18:25
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 17:02:30
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

SPLEEN

• The spleen is normal in size and has a homogenous echotexture. No focal lesion is seen.

ILIAC FOSSA

• Scan over the iliac fossae does not reveal any fluid collection or mass.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and regular.

UTERUS

- The uterus is anteverted and anteflexed position.
- It has a homogenous myometrial echotexture.
- The endometrium is seen in midline.
- Cervix is normal.

ADNEXA & OVARIES

- Adnexa on both sides are normal.
- Both the ovaries are normal in size, shape & has a normal echotexture.

CUL-DE-SAC

• Pouch of Douglas is clear.

ISO 8001:2015

Page 13 of 14





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85110UP2003PLC193493



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11:21
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 2024-07-31 12:18:25
UHID/MR NO	: IDCD.0000124511	Received	: 2024-07-31 12:18:25
Visit ID	: IDCD0206272425	Reported	: 31/Jul/2024 17:02:30
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

IMPRESSION

• No significant sonological abnormality is seen on this study.

Adv: - Clinicopathological correlation, follow up

Typed by- suhail

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow: STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)



Dr. Anoop Agarwal MBBS.MD(Radiolog

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open

Page 14 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN: U85110DL2003PLC308206



Patient Name	: Mrs.NUPUR	Registered On	: 31/Jul/2024 10:11AM
Age/Gender	: 30 Y 9 M 29 D /F	Collected	: 31/Jul/2024 07:24PM
UHID/MR NO	: IDCD.0000124511	Received	: 01/Aug/2024 04:01PM
Visit ID	: IDCD0206272425	Reported	: 01/Aug/2024 08:00PM
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd	Status	: Final Report
		Contract By	: MEDIWHEEL - ARCOFEMI HEALTH CARE LTD.[52610]CREDIT

DEPARTMENT OF CYTOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

SPECIMEN:

PAP SMEAR

CYTOLOGY NO: 264/24-25

GROSS: Two unstained smears received & stained by papanicolau's technique.

MICROSCOPIC:	Smears are cellular showing plenty of superficial & intermediate squamous epithelial cells
	showing unremarkable morphology on a background of plenty of polymorphs. No
	endocervical cells seen. No atypical cells seen.

IMPRESSION:	SMEARS ARE SUGGESTIVE OF INFLAMMATORY PATHOLOGY
	SMEARS ARE NEGATIVE FOR INTRAEPITHELIAL LESION OR MALIGNANCY

*** End Of Report ***

(*) Test not done under NABL accredited Scope, (**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)

Der'

Dr. Anupam Singh (MBBS MD Pathology)

Dr. Nirupma Lal MD(Pathology)

This report is not for medico legal purpose. If clinical correlation is not established kindly repeate the test at no additional cost within seven days. Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Online Booking Facilities for Diagnostics Test And Health Check-ups, Online Report Viewing, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2S Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services* 65 Days Open





