

www.busysoft.in

🖾 info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 3	1/10/2021		Srl No.	3	Patient Id	2110310003
Name N Ref. By Dr.B	Irs. BINEETA VERM/ OB	4	Age	40 Yrs.	Sex	F
Test Name		V	/alue	Unit	Normal Val	ue
		HAE	EMATOL	<u>.0GY</u>		
HB A1C		5	5.4	%		
EXPECTED	VALUES :-					
REMARKS:-	Fair Poor	Control = Control = Control =	= 5.5 = 6.8- = >8.2	- 6.8 % HbA 8.2 % HbA % HbA	AIC AIC IC	
In vitro quant	itative determination of	of HbAIC in v	whole blood	is utilized ir	long term monitoring of	glycemia

The **HbAIC** level correlates with the mean glucose concentration prevailing in the course of the patient's recent history (approx - 6-8 weeks) and therefore provides much more reliable information for glycemia monitoring than do determinations of blood glucose or urinary glucose.

It is recommended that the determination of **HbAIC** be performed at intervals of 4-6 weeksduring Diabetes

Mellitus therapy.

Results of **HbAIC** should be assessed in conjunction with the patient's medical history, clinical examinations and other findings.

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST



www.busysoft.in

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 31/10/2021 Name Mrs. BINEETA VERMA Ref. By Dr.BOB	Srl No. Age	3 40 Yrs.	Patient Id 2110310003 Sex F
Test Name	Value	Unit	Normal Value
COMPLETE BLOOD COUNT (CBC)			
HAEMOGLOBIN (Hb)	11.8	gm/dl	11.5 - 16.5
TOTAL LEUCOCYTE COUNT (TLC)	5,800	/cumm	4000 - 11000
DIFFERENTIAL LEUCOCYTE COUNT (D	LC)		
NEUTROPHIL	61	%	40 - 75
LYMPHOCYTE	36	%	20 - 45
EOSINOPHIL	01	%	01 - 06
MONOCYTE	02	%	02 - 10
BASOPHIL	00	%	0 - 0
ESR (WESTEGREN`s METHOD)	13	mm/lst hr.	0 - 20
R B C COUNT	3.89	Millions/cmm	3.8 - 4.8
P.C.V / HAEMATOCRIT	35.4	%	35 - 45
MCV	91	fl.	80 - 100
MCH	30.33	Picogram	27.0 - 31.0
МСНС	33.3	gm/dl	33 - 37
PLATELET COUNT	2.03	Lakh/cmm	1.50 - 4.00
BLOOD GROUP ABO	"A"		
RH TYPING	POSITIVE		

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD **CONSULTANT PATHOLOGIST**



🖾 info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 31/10/2021	Srl No		Patient Id 211031000
Name Mrs. BINEETA VERMA	Age	40 Yrs.	Sex F
Ref. By Dr.BOB	U		
Test Name	Value	Unit	Normal Value
	BIOCHEM	<u>ISTRY</u>	
BLOOD SUGAR FASTING	113.5	mg/dl	70 - 110
SERUM CREATININE	1.21	mg%	0.5 - 1.3
BLOOD UREA	35.7	mg /dl	15.0 - 45.0
SERUM URIC ACID	5.2	mg%	2.5 - 6.0
LIVER FUNCTION TEST (LFT)			
BILIRUBIN TOTAL	0.60	mg/dl	0 - 1.0
CONJUGATED (D. Bilirubin)	0.18	mg/dl	0.00 - 0.40
UNCONJUGATED (I.D.Bilirubin)	0.42	mg/dl	0.00 - 0.70
TOTAL PROTEIN	6.8	gm/dl	6.6 - 8.3
ALBUMIN	3.9	gm/dl	3.4 - 4.8
GLOBULIN	2.9	gm/dl	2.3 - 3.5
A/G RATIO	1.345		
SGOT	30.1	IU/L	5 - 35
SGPT	34.6	IU/L	5.0 - 45.0
ALKALINE PHOSPHATASE IFCC Method	52.2	U/L	35.0 - 104.0
GAMMA GT	24.9	IU/L	6.0 - 42.0
LFT INTERPRET			
LIPID PROFILE			
TRIGLYCERIDES	160.8	mg/dL	25.0 - 165.0
TOTAL CHOLESTEROL	144.2	mg/dL	29.0 - 199.0



info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 31/10/2021 Name Mrs. BINEETA VERMA Ref. By Dr.BOB	Srl No. Age	3 40 Yrs.	Patient Id 2110310003 Sex F
Test Name	Value	Unit	Normal Value
H D L CHOLESTEROL DIRECT	58.3	mg/dL	35.1 - 88.0
VLDL	32.16	mg/dL	4.7 - 22.1
L D L CHOLESTEROL DIRECT	53.74	mg/dL	63.0 - 129.0
TOTAL CHOLESTEROL/HDL RATIO	2.473		0.0 - 4.97
LDL / HDL CHOLESTEROL RATIO	0.922		0.00 - 3.55
THYROID PROFILE			
ТЗ	1.27	ng/ml	0.60 - 1.81
T4 Chemiluminescence	9.38	ug/dl	4.5 - 10.9
TSH Chemiluminescence REFERENCE RANGE	1.87	ulU/ml	
<u>PAEDIATRIC AGE GROUP</u> 0-3 DAYS 3-30 DAYS I MONTH -5 MONTHS 6 MONTHS- 18 YEARS	1-20 0.5 - 6.5 0.5 - 0.5 -		
ADULTS	0.39 - 6.16	ulu/ml	

before the onset of sleep, reaching peak levels between 11 pm to 6 am. Nadir concentrations are observed during the afternoon. Diurnal variation in TSH level approximates \pm 50 %, hence time of the day has influence on the measured serum TSH concentration.



info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Test Name	Value	Unit	Normal	Value
Date 31/10/2021 Name Mrs. BINEETA VERMA Ref. By Dr.BOB	Srl No Age	o. 3 40 Yrs.	Patient Sex	ld 2110310003 F

Assay performed on enhanced chemi lumenescence system (Centaur-Siemens)

Serum T3,T4 & TSH measurements form the three components of Thyroid screening panel, useful in diagnosing various disorders of Thyroid gland function.

1. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH level.

2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 levels along with depressed TSH values.

3. Normal T4 levels are accompanied by increased T3 in patients with T3 thyrotoxicosis.

4. Slightly elevated T3 levels may be found in pregnancy and estrogen therapy, while depressed levels may be encountered in severe illness, renal failure and during therapy with drugs like propranolol and propyl thiouracil.

5. Although elevated TSH levels are nearly always indicative of primary hyporthyroidism, and may be seen in secondary thyrotoxicosis.

URINE EXAMINATION TEST

PHYSICAL EXAMINATION

	QUANTITY	20	ml.
	COLOUR	PALE YELLOW	,
	TRANSPARENCY	CLEAR	
	SPECIFIC GRAVITY	1.025	
	PH	6.0	
(CHEMICAL EXAMINATION		
	ALBUMIN	NIL	



www.busysoft.in

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date	31/10/2021	Srl N			2110310003
Name Ref. By I	Mrs. BINEETA VERMA Dr.BOB	Age 40 Yrs.		Sex	F
Test Name		Value	Unit	Normal Val	ue
SUGAR		NIL			
MICROSCO	PIC EXAMINATION				
PUS CELL	S	2-4	/HPF		
RBC'S		NIL	/HPF		
CASTS		NIL			
CRYSTAL	S	NIL			
EPITHELI	AL CELLS	1-3	/HPF		
BACTERI	4	NIL			
OTHERS		NIL			

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST