

Name : Mrs. Harini.M  
PID No. : MED111466809 Register On : 28/01/2023 9:34 AM  
SID No. : 423005418 Collection On : 28/01/2023 10:05 AM  
Age / Sex : 36 Year(s) / Female Report On : 28/01/2023 3:02 PM  
Type : OP Printed On : 30/01/2023 5:23 PM  
Ref. Dr : MediWheel


---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**HAEMATOLOGY**

**Complete Blood Count With - ESR**

Haemoglobin (EDTA Blood/Spectrophotometry)	13.3	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	41.7	%	37 - 47
RBC Count (EDTA Blood)	5.10	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	81.9	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	<b>26.1</b>	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	<b>31.9</b>	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.7	%	11.5 - 16.0
RDW-SD (EDTA Blood)	39.8	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	7500	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	52.3	%	40 - 75
Lymphocytes (EDTA Blood)	34.8	%	20 - 45
Eosinophils (EDTA Blood)	2.3	%	01 - 06
Monocytes (EDTA Blood)	9.4	%	01 - 10




APPROVED BY

Name : Mrs. Harini.M  
PID No. : MED111466809  
SID No. : 423005418  
Age / Sex : 36 Year(s) / Female  
Type : OP  
Ref. Dr : MediWheel

Register On : 28/01/2023 9:34 AM  
Collection On : 28/01/2023 10:05 AM  
Report On : 28/01/2023 3:02 PM  
Printed On : 30/01/2023 5:23 PM

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Basophils (Blood)	1.2	%	00 - 02
<b>INTERPRETATION:</b> Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (EDTA Blood)	3.9	10 <sup>3</sup> / $\mu$ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.6	10 <sup>3</sup> / $\mu$ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.2	10 <sup>3</sup> / $\mu$ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.7	10 <sup>3</sup> / $\mu$ l	< 1.0
Absolute Basophil count (EDTA Blood)	0.1	10 <sup>3</sup> / $\mu$ l	< 0.2
Platelet Count (EDTA Blood)	264	10 <sup>3</sup> / $\mu$ l	150 - 450
MPV (EDTA Blood)	8.5	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.225	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citratd Blood)	8	mm/hr	< 20



APPROVED BY

Name : Mrs. Harini.M  
PID No. : MED111466809 Register On : 28/01/2023 9:34 AM  
SID No. : 423005418 Collection On : 28/01/2023 10:05 AM  
Age / Sex : 36 Year(s) / Female Report On : 28/01/2023 3:02 PM  
Type : OP Printed On : 30/01/2023 5:23 PM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>BIOCHEMISTRY</u></b>			
<b><u>Liver Function Test</u></b>			
Bilirubin(Total) (Serum/DCA with ATCS)	0.46	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.22	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.24	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	20.06	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	37.93	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	<b>40.86</b>	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	86.7	U/L	42 - 98
Total Protein (Serum/Biuret)	7.09	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.69	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.40	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.95		1.1 - 2.2

  
Dr Anusha.K.S  
Sr.Consultant Pathologist  
Reg No : 100674  
APPROVED BY

**Name** : Mrs. Harini.M  
**PID No.** : MED111466809 **Register On** : 28/01/2023 9:34 AM  
**SID No.** : 423005418 **Collection On** : 28/01/2023 10:05 AM  
**Age / Sex** : 36 Year(s) / Female **Report On** : 28/01/2023 3:02 PM  
**Type** : OP **Printed On** : 30/01/2023 5:23 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>Lipid Profile</u></b>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	143.57	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	71.09	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the 'usual' circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	<b>28.97</b>	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	100.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	14.2	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	114.6	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

  
**Dr Anusha.K.S**  
 Sr.Consultant Pathologist  
 Reg No : 100674  
**APPROVED BY**

**Name** : Mrs. Harini.M  
**PID No.** : MED111466809      **Register On** : 28/01/2023 9:34 AM  
**SID No.** : 423005418      **Collection On** : 28/01/2023 10:05 AM  
**Age / Sex** : 36 Year(s) / Female      **Report On** : 28/01/2023 3:02 PM  
**Type** : OP      **Printed On** : 30/01/2023 5:23 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.  
 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	---	--	--

Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	2.5		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.5		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	--	---

  
**Dr Anusha.K.S**  
 Sr.Consultant Pathologist  
 Reg No : 100674  
**APPROVED BY**

Name : Mrs. Harini.M  
PID No. : MED111466809 Register On : 28/01/2023 9:34 AM  
SID No. : 423005418 Collection On : 28/01/2023 10:05 AM  
Age / Sex : 36 Year(s) / Female Report On : 28/01/2023 3:02 PM  
Type : OP Printed On : 30/01/2023 5:23 PM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>Glycosylated Haemoglobin (HbA1c)</u></b>			
HbA1C (Whole Blood/HPLC)	9.7	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

**INTERPRETATION:** If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

Estimated Average Glucose 231.69 mg/dL  
(Whole Blood)

**INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

  
Dr Anusha.K.S  
Sr.Consultant Pathologist  
Reg No : 100674  
APPROVED BY

Name : Mrs. Harini.M  
PID No. : MED111466809 Register On : 28/01/2023 9:34 AM  
SID No. : 423005418 Collection On : 28/01/2023 10:05 AM  
Age / Sex : 36 Year(s) / Female Report On : 28/01/2023 3:02 PM  
Type : OP Printed On : 30/01/2023 5:23 PM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

## IMMUNOASSAY

### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/ECLIA)	1.43	ng/ml	0.7 - 2.04
--	------	-------	------------

**INTERPRETATION:**

**Comment :**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total (Serum/ECLIA)	7.47	µg/dl	4.2 - 12.0
--	------	-------	------------

**INTERPRETATION:**

**Comment :**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	1.60	µIU/mL	0.35 - 5.50
--	------	--------	-------------

**INTERPRETATION:**

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0


(Indian Thyroid Society Guidelines)

**Comment :**

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&amplt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



APPROVED BY

**Name** : Mrs. Harini.M  
**PID No.** : MED111466809      **Register On** : 28/01/2023 9:34 AM  
**SID No.** : 423005418      **Collection On** : 28/01/2023 10:05 AM  
**Age / Sex** : 36 Year(s) / Female      **Report On** : 28/01/2023 3:02 PM  
**Type** : OP      **Printed On** : 30/01/2023 5:23 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**CLINICAL PATHOLOGY**

**PHYSICAL EXAMINATION (URINE COMPLETE)**

Colour (Urine)	Yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	20		

**CHEMICAL EXAMINATION (URINE COMPLETE)**

pH (Urine)	5.0		4.5 - 8.0
Specific Gravity (Urine)	1.019		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative

  
**Dr Anusha.K.S**  
 Sr.Consultant Pathologist  
 Reg No : 100674  
**APPROVED BY**



**Name** : Mrs. Harini.M  
**PID No.** : MED111466809      **Register On** : 28/01/2023 9:34 AM  
**SID No.** : 423005418      **Collection On** : 28/01/2023 10:05 AM  
**Age / Sex** : 36 Year(s) / Female      **Report On** : 28/01/2023 3:02 PM  
**Type** : OP      **Printed On** : 30/01/2023 5:23 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Positive(+++)		

**MICROSCOPIC EXAMINATION**  
**(URINE COMPLETE)**

Pus Cells (Urine)	<b>10-15</b>	/hpf	NIL
Epithelial Cells (Urine)	<b>5-10</b>	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	Bacteria present		

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL

  
**Dr Anusha.K.S**  
 Sr.Consultant Pathologist  
 Reg No : 100674  
**APPROVED BY**

Name : Mrs. Harini.M  
PID No. : MED111466809 Register On : 28/01/2023 9:34 AM  
SID No. : 423005418 Collection On : 28/01/2023 10:05 AM  
Age / Sex : 36 Year(s) / Female Report On : 28/01/2023 3:02 PM  
Type : OP Printed On : 30/01/2023 5:23 PM  
Ref. Dr : MediWheel

---

Investigation

Observed  
Value

Unit

Biological  
Reference Interval

**IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING  
(EDTA Blood/Agglutination)

'B' 'Positive'

  
Dr Anusha.K.S  
Sr.Consultant Pathologist  
Reg No : 100674  
APPROVED BY

**Name** : Mrs. Harini.M  
**PID No.** : MED111466809      **Register On** : 28/01/2023 9:34 AM  
**SID No.** : 423005418      **Collection On** : 28/01/2023 10:05 AM  
**Age / Sex** : 36 Year(s)/ Female      **Report On** : 28/01/2023 3:02 PM  
**Type** : OP      **Printed On** : 30/01/2023 5:23 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**BIOCHEMISTRY**

BUN / Creatinine Ratio	7.9		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	<b>178.89</b>	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
---	----------	--	----------

Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	<b>274.46</b>	mg/dL	70 - 140
--	---------------	-------	----------

**INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	++++		Negative
---	------	--	----------

**Remark:** Rechecked

Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	7.9	mg/dL	7.0 - 21
--	-----	-------	----------

Creatinine (Serum/Modified Jaffe)	0.78	mg/dL	0.6 - 1.1
--------------------------------------	------	-------	-----------

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcysteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic)	3.07	mg/dL	2.6 - 6.0
--------------------------------	------	-------	-----------

  
**Dr Anusha.K.S**  
 Sr.Consultant Pathologist  
 Reg No : 100674

**APPROVED BY**

-- End of Report --



**CLUMAX DIAGNOSTICS**

36



--- A MEDALL COMPANY ---

vs done

CUSTOMER CHECKLIST

Date 28-Jan-2023 9:32 AM

Customer Name : **MRS.HARINI.M**

DOB : **20 Dec 1986**

Ref Dr Name : **MediWheel**

Age : **36Y/FEMALE**

Customer Id : **MED111466809**



Visit ID : 423005418

**MED111466809**

Email Id :

Phone No : **9844022091**

Corp Name : MediWheel

Address :

Package Name : **Mediwheel Full Body Health Checkup Female Below 40**

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN (BUN)				
2	LAB	CREATININE				
3	LAB	GLUCOSE - FASTING				
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)				
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				
9	LAB	THYROID PROFILE/ TFT( T3, T4, TSH)				
10	LAB	URINE GLUCOSE - FASTING				
11	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)				
12	LAB	COMPLETE BLOOD COUNT WITH ESR				
13	LAB	STOOL ANALYSIS - ROUTINE				
14	LAB	URINE ROUTINE				
15	LAB	BUN/CREATININE RATIO				



16	LAB	BLOOD GROUP & RH TYPE (Forward Reverse)			
17	ECG	ECG	IND13657661138		
18	OTHERS	Treadmill / 2D Echo	IND136576614690		
19	OTHERS	physical examination	IND136576615279		
20	US	ULTRASOUND ABDOMEN	IND136576615292		
21	OTHERS	EYE CHECKUP	IND136576617756		
22	X-RAY	X RAY CHEST	IND136576618659		
23	OTHERS	Consultation Physician	IND136576618736		

Registered By

(HARI.O)



28.01.2023 10:12:14  
CLUMAX DIAGNOSTICS  
THIPPASANDRA  
BANGALORE


84 bpm  
-- / -- mmHg

*Nimal E*

**DR. SUBRAMANIAM K.S**  
MD, DM (Cardiology)  
Consultant Cardiologist  
KMC Reg. No.: 45604  
MEDALL DIAGNOSTICS

MED11146680 (v.0. 2) 28-01-2309 .32 f  
423005418-P  
MRS. HARINT. M(36Y/F)

QRS : 80 ms  
QT / QTcBaz : 368 / 434 ms  
PR : 132 ms  
P : 104 ms  
RR / PP : 712 / 714 ms  
P / QRS / T : 69 / 71 / 27 degrees





Name	MRS.HARINI.M	ID	MED111466809
Age & Gender	36Y/FEMALE	Visit Date	28 Jan 2023
Ref Doctor Name	MediWheel		

## 2 D ECHOCARDIOGRAPHIC STUDY

### M mode measurement:

AORTA	:	3.0cms
LEFT ATRIUM	:	3.0cms
AVS	:	----
LEFT VENTRICLE (DIASTOLE)	:	4.6cms
(SYSTOLE)	:	2.9cms
VENTRICULAR SEPTUM (DIASTOLE)	:	0.8cms
(SYSTOLE)	:	1.2cms
POSTERIOR WALL (DIASTOLE)	:	0.9cms
(SYSTOLE)	:	1.3cms
EDV	:	95ml
ESV	:	31ml
FRACTIONAL SHORTENING	:	37%
EJECTION FRACTION	:	67%
EPSS	:	---
RVID	:	1.94cms

### DOPPLER MEASUREMENTS:

MITRAL VALVE	:	E' 0.78 m/s	A' 0.54 m/s	NO MR
AORTIC VALVE	:	1.26 m/s		NO AR
TRICUSPID VALVE	:	E' - m/s	A' - m/s	NO TR
PULMONARY VALVE	:	0.98 m/s		NO PR

Name	MRS.HARINI.M	ID	MED111466809
Age & Gender	36Y/FEMALE	Visit Date	28 Jan 2023
Ref Doctor Name	MediWheel		

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left ventricle : Normal size, Normal systolic function.  
No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

## **IMPRESSION:**

- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF:67 %.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NORMAL VALVES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

**DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC**  
SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST  
*Kss/da*

### **Note:**

- \* **Report to be interpreted by qualified medical professional.**
- \* **To be correlated with other clinical findings.**



Name	MRS.HARINI.M	ID	MED111466809
Age & Gender	36Y/FEMALE	Visit Date	28 Jan 2023
Ref Doctor Name	MediWheel		

**\* Parameters may be subjected to inter and intra observer variations.**

**\*Any discrepancy in reports due to typing errors should be corrected as soon as possible.**

Name	MRS.HARINI.M	ID	MED111466809
Age & Gender	36Y/FEMALE	Visit Date	28 Jan 2023
Ref Doctor Name	MediWheel		

**ABDOMINO-PELVIC ULTRASONOGRAPHY**

**LIVER is normal in size and shows diffuse fatty changes.** No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size and echopattern. No demonstrable Para -aortic lymphadenopathy.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

**The kidney measures as follows:**

	<b>Bipolar length (cms)</b>	<b>Parenchymal thickness (cms)</b>
<b>Right Kidney</b>	<b>10.6</b>	<b>1.0</b>
<b>Left Kidney</b>	<b>10.8</b>	<b>1.8</b>

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**UTERUS** is anteverted and normal in size. It has uniform myometrial echopattern.

**Endometrial thickness measures 10mm**

**Uterus measures as follows: LS: 7.8cms      AP: 4.6cms      TS: 4.9cms.**

**OVARIES** are normal in size, shape and echotexture. No focal lesion seen.

Ovaries measure as follows: **Right ovary:** 2.4 x 1.2cms      **Left ovary:** 2.9 x 1.9cms

POD & adnexae are free.

No evidence of ascites/pleural effusion.

**IMPRESSION:**

- **FATTY LIVER.**
- **NO OTHER SIGNIFICANT ABNORMALITY DETECTED.**

**DR. APARNA**

Name	MRS.HARINI.M	ID	MED111466809
Age & Gender	36Y/FEMALE	Visit Date	28 Jan 2023
Ref Doctor Name	MediWheel		

**CONSULTANT RADIOLOGIST**

*A/da*



ಶ್ರೀ ಪಾರ್ವತಿ ಆಪ್ಟಿಕ್ಸ್

Mahesh  
Mob: 8618385220  
9901569756

# SRI PARVATHI OPTICS

Multi Branded Optical Store

## Computerized Eye Testing & Spectacles Clinic

# 333.8th Main 5th Cross Near Cambridge & Miranda School HAL 3rd Stage  
Behind Vishveshvariah Park New Thippasandra, Bangalore - 560075,  
Email: parvathiopticals@gmail.com / www.sriparvathioptics.in

### SPECTACLE PRESCRIPTION

Name: Manmi. M.

No. 2245

Mobil No:

Date: 28/1/2023.

Age / Gender 36y / F.

Ref. No.

	RIGHT EYE				LEFT EYE			
	SPH	CYL	AXIS	VISION	SPH	CYL	AXIS	VISION
DISTANCE	-7.25	-0.75	1	6/6	-2.0	-1.75	175	6/6
NEAR								

PD 55mm

Advice to use glasses for:

DISTANCE  FAR & NEAR  READING  COMPUTER PURPOSE

We Care Your Eyes

**SRI PARVATHI OPTICS**  
NEW THIPPASANDRA

Name	Harini.M	Customer ID	MED111466809
Age & Gender	36Y/F	Visit Date	Jan 28 2023 9:32AM
Ref Doctor	MediWheel		

**X - RAY CHEST PA VIEW**

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

***Impression: Essentially normal study.***



**DR. APARNA**

**CONSULTANT RADIOLOGIST**

Mahesh  
Mob: 8618385220  
9901569756



# SRI PARVATHI OPTICS

Multi Branded Optical Store

Computerized Eye Testing & Spectacles Clinic

# 333.8th Main 5th Cross Near Cambridge & Miranda School HAL 3rd Stage  
Behind Vishveshvariah Park New Thippasandra, Bangalore - 560075,  
Email: parvathiopticals@gmail.com / www.sriparvathioptics.in

## SPECTACLE PRESCRIPTION

Name: Manjini. M.

No. 2245

Date: 28/1/2023.

Mobil No:

Ref. No.

Age / Gender 36y / F.

	RIGHT EYE				LEFT EYE			
	SPH	CYL	AXIS	VISION	SPH	CYL	AXIS	VISION
DISTANCE	-7.25	-0.75	1	6/6	-2.0	-1.75	175	6/6
NEAR								

PD 55mm

Advice to use glasses for:

DISTANCE  FAR & NEAR  READING  COMPUTER PURPOSE

We Care Your Eyes

SRI PARVATHI OPTICS  
NEW THIPPASANDRA