

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	14.2	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	43.4	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	4.87	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	89.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	29.1	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	32.6	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	13.7	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	43.3	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	6400	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	50.4	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	38.0	%	20 - 45


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	3.2	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	7.7	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.7	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.23	10 ³ / μ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.43	10 ³ / μ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.20	10 ³ / μ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.49	10 ³ / μ l	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.04	10 ³ / μ l	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	207	10 ³ / μ l	150 - 450
MPV (EDTA Blood/Derived from Impedance)	9.5	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.196	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citratd Blood/Modified Westergren)	2	mm/hr	< 20


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY

Liver Function Test

Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.4	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.2	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.0	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.4	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.6	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.7		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	26	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	29	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	85	U/L	56 - 119
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standardised IFCC)	44	U/L	< 55


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMG 88902
APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	194	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	157	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	38	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	124.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	31.4	mg/dL	< 30


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Non HDL Cholesterol (Serum/Calculated)	156.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5.1		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	4.1		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.3		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	5.4	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: \geq 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control \geq 8.1 %

Estimated Average Glucose 108.28 mg/dL
(Whole Blood)

INTERPRETATION: Comments


HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/CMIA)	1.17	ng/mL	0.4 - 1.81
---	------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total (Serum/CMIA)	7.10	µg/dL	4.2 - 12.0
--	------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	1.42	µIU/mL	0.35 - 5.50
--	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values$\leq 0.03 \mu\text{IU/mL}$ need to be clinically correlated due to presence of rare TSH variant in some individuals.


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


CLINICAL PATHOLOGY

PHYSICAL EXAMINATION


Colour (Urine)	Pale yellow		
Appearance (Urine)	clear		Clear
Volume (Urine)	15	mL	

CHEMICAL EXAMINATION(Automated-Urineanalyser)

pH (Urine/AUTOMATED URINANALYSER)	5.5		4.5 - 8.0
Specific Gravity (Urine)	1.020		1.002 - 1.035
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative
Glucose (Urine)	Negative		Negative


DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902


APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	3-4	/hpf	3-5
Epithelial Cells (Urine)	2-3	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil
Casts (Urine/Flow cytometry)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL



DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>PHYSICAL EXAMINATION</u>			
Colour (Stool)	Brownish		
Consistency (Stool)	Solid		Semi solid to solid
Mucus (Stool)	Absent		Absent
Blood (Stool)	Absent		Absent
<u>CHEMICAL EXAMINATION</u>			
Reducing Substances (Stool)	Negative		Negative
Reaction (Stool)	Alkaline		Alkaline
<u>MICROSCOPIC EXAMINATION(STOOL COMPLETE)</u>			
Ova (Stool)	Not Found		Not Found
Cysts (Stool)	Not Found		Not Found
Trophozoites (Stool)	Not Found		Not Found
Pus Cells (Stool/Microscopy)	2-3	/hpf	Nil
RBCs (Stool/Microscopy)	Nil	/hpf	Nil


DR. VANITHA R. SWAMY MD
Consultant Pathologist
Reg No : 99049
VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Others (Stool)	Nil		Nil



DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049
VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. CHOKKALINGAM

PID No. : IND572653

Register On : 31/03/2022 7:32 AM

SID No. : 422028282

Collection On : 31/03/2022 8:15 AM

Age / Sex : 51 Year(s) / Male

Report On : 01/04/2022 3:17 PM

Type : OP

Printed On : 08/04/2022 2:10 PM

Ref. Dr : MediWheel



Investigation

Observed
Value

Unit


Biological
Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'O' Positive'


DR. VANITHA R. SWAMY MD
Consultant Pathologist
Reg No : 99049
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
BUN / Creatinine Ratio	15		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	86	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	118	mg/dL	70 - 140

INTERPRETATION:


Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	17	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	1.1	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Uricase/Peroxidase)	3.0	mg/dL	3.5 - 7.2
---	-----	-------	-----------


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. CHOKKALINGAM
PID No. : IND572653
SID No. : 422028282
Age / Sex : 51 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 31/03/2022 7:32 AM
Collection On : 31/03/2022 8:15 AM
Report On : 01/04/2022 3:17 PM
Printed On : 08/04/2022 2:10 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

Prostate specific antigen - Total(PSA) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	1.62	ng/mL	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0
---	------	-------	--

INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH).

Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within 24 hours.

PSA levels tend to increase in all men as they age.

Clinical Utility of PSA:

- In the early detection of Prostate cancer.
- As an aid in discriminating between Prostate cancer and Benign Prostatic disease.
- To detect cancer recurrence or disease progression.

A handwritten signature in blue ink, appearing to read "Shamim Javed".

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

-- End of Report --

Name	CHOKKALINGAM	ID	IND572653
Age & Gender	51/Male	Visit Date	31-03-2022 00:00:00
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	2.2cms
LEFT ATRIUM	:	3.2cms
AVS	:	----
LEFT VENTRICLE (DIASTOLE)	:	4.3cms
(SYSTOLE)	:	2.9cms
VENTRICULAR SEPTUM (DIASTOLE)	:	0.8cms
(SYSTOLE)	:	1.1cms
POSTERIOR WALL (DIASTOLE)	:	0.8cms
(SYSTOLE)	:	1.3cms
EDV	:	84ml
ESV	:	33ml
FRACTIONAL SHORTENING	:	32%
EJECTION FRACTION	:	61%
EPSS	:	---
RVID	:	1.6cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	:	E' 0.66 m/s	A' 0.51 m/s	TRIVIAL MR
AORTIC VALVE	:	0.77 m/s		NO AR
TRICUSPID VALVE	:	E' 1.73 m/s	A' - m/s	NO TR
PULMONARY VALVE	:	0.60 m/s		NO PR

Name	CHOKKALINGAM	ID	IND572653
Age & Gender	51/Male	Visit Date	31-03-2022 00:00:00
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.
No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- **TRIVIAL MITRAL REGURGITATION.**
- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF: 61%.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC, FICC
SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	CHOKKALINGAM	ID	IND572653
Age & Gender	51/Male	Visit Date	31-03-2022 00:00:00
Ref Doctor Name	MediWheel		

Kss/an

Note:

- * **Report to be interpreted by qualified medical professional.**
- * **To be correlated with other clinical findings.**
- * **Parameters may be subjected to inter and intra observer variations.**

Name	CHOKKALINGAM	ID	IND572653
Age & Gender	51/Male	Visit Date	31-03-2022 00:00:00
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in size and shows diffuse mild fatty changes. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. Spleen measures 8.2cms in long axis and 3.0cms in short axis.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.4	1.3
Left Kidney	10.0	1.2

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 3.4 x 2.9 x 2.5cms (Vol:19cc).

No evidence of ascites / pleural effusion.

IMPRESSION:

➤ **MILD FATTY CHANGES IN THE LIVER.**

DR. H.K. ANAND
CONSULTANT RADIOLOGISTS
MS/vp

DR. MEERA S

Name	CHOKKALINGAM	ID	IND572653
Age & Gender	51/Male	Visit Date	31-03-2022 00:00:00
Ref Doctor Name	MediWheel		

Name	CHOKKALINGAM	Customer ID	IND572653
Age & Gender	51Y/M	Visit Date	Mar 31 2022 7:30AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.


IMPRESSION:

No significant abnormality detected.

DR. H.K. ANAND

DR. SHWETHA S

DR. CHARUL



DR. APARNA

CONSULTANT RADIOLOGISTS