



CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 13:40

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>RBC PARAMETERS</u>			
Haemoglobin	12.4	13.0-17.0 g/dL	Spectrophotometric
RBC	4.10	4.5-5.5 mil/cmm	Elect. Impedance
PCV	37.3	40-50 %	Measured
MCV	91	80-100 fl	Calculated
MCH	30.2	27-32 pg	Calculated
MCHC	33.2	31.5-34.5 g/dL	Calculated
RDW	13.5	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	10720	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	30.5	20-40 %	
Absolute Lymphocytes	3269.6	1000-3000 /cmm	Calculated
Monocytes	7.2	2-10 %	
Absolute Monocytes	771.8	200-1000 /cmm	Calculated
Neutrophils	57.8	40-80 %	
Absolute Neutrophils	6196.2	2000-7000 /cmm	Calculated
Eosinophils	4.3	1-6 %	
Absolute Eosinophils	461.0	20-500 /cmm	Calculated
Basophils	0.2	0.1-2 %	
Absolute Basophils	21.4	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<u>PLATELET PARAMETERS</u>			
Platelet Count	259000	150000-400000 /cmm	Elect. Impedance
MPV	9.0	6-11 fl	Calculated
PDW	15.9	11-18 %	Calculated
<u>RBC MORPHOLOGY</u>			



CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 13:34

Use a QR Code Scanner
Application To Scan the Code

Hypochromia	-
Microcytosis	-
Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	Leucocytosis

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 5 2-20 mm at 1 hr. Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 12:18
Reported : 13-Mar-2023 / 17:50

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	101.1	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	200.6	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Bmhaskar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist





CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 16:09

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
KIDNEY FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	19.4	12.8-42.8 mg/dl	Kinetic
BUN, Serum	9.1	6-20 mg/dl	Calculated
CREATININE, Serum	1.25	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	64	>60 ml/min/1.73sqm	Calculated
TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	5.0	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.4	1 - 2	Calculated
URIC ACID, Serum	5.8	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.4	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.7	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	140	135-148 mmol/l	ISE
POTASSIUM, Serum	4.8	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	102	98-107 mmol/l	ISE

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Bmhaskar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist





CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 15:28

Use a QR Code Scanner
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
GLYCOSYLATED HEMOGLOBIN (HbA1c)**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.6	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	114.0	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1c goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhaskar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner
Application To Scan the Code
Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 14:19

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
PROSTATE SPECIFIC ANTIGEN (PSA)

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
TOTAL PSA, Serum	0.306	<4.0 ng/ml	CLIA

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5- α -reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallel measurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

Anupa

Dr. ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director





Use a QR Code Scanner
Application To Scan the Code

CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 14:19

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 10:07
Reported : 13-Mar-2023 / 14:49

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
EXAMINATION OF FAECES

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>
<u>PHYSICAL EXAMINATION</u>		
Colour	Brown	Brown
Form and Consistency	Semi Solid	Semi Solid
Mucus	Absent	Absent
Blood	Absent	Absent
<u>CHEMICAL EXAMINATION</u>		
Reaction (pH)	Acidic (5.0)	-
Occult Blood	Absent	Absent
<u>MICROSCOPIC EXAMINATION</u>		
Protozoa	Absent	Absent
Flagellates	Absent	Absent
Ciliates	Absent	Absent
Parasites	Absent	Absent
Macrophages	Absent	Absent
Mucus Strands	Absent	Absent
Fat Globules	Absent	Absent
RBC/hpf	Absent	Absent
WBC/hpf	Absent	Absent
Yeast Cells	Absent	Absent
Undigested Particles	Present +	-
Concentration Method (for ova)	No ova detected	Absent
Reducing Substances	-	Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



MC-2111





CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 14:49

Use a QR Code Scanner
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
URINE EXAMINATION REPORT**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
<u>PHYSICAL EXAMINATION</u>			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
<u>CHEMICAL EXAMINATION</u>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<u>MICROSCOPIC EXAMINATION</u>			
Leukocytes(Pus cells)/hpf	6-8	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	++	Less than 20/hpf	
Others	Kindly rule out contamination		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)
- Ketone:(1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

Bmhaskar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



MC-2111



Use a QR Code Scanner
Application To Scan the Code

CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected :
Reported :

*** End Of Report ***



CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 15:18

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	A
Rh TYPING	Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum


Clinical significance:
ABO system is most important of all blood group in transfusion medicine

- Limitations:**
- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
 - Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
 - Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
 - Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
 - The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

- References:**
1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***

Dr.VRUSHALI SHROFF
M.D.(PATH)
Pathologist





CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 12:52

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	184.7	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	176.4	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	53.8	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	130.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	96.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	34.9	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.8	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Bmhaskar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



MC-2111





CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 18:52

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	3.9	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	11.4	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.62	0.35-5.5 microIU/ml	ECLIA



CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 18:52

Use a QR Code Scanner
Application To Scan the Code

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be transiently altered because of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***

J Thakker

Dr.JYOT THAKKER
M.D. (PATH), DPB
Pathologist & AVP(Medical Services)



MC-2111





CID : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years / Male
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Mar-2023 / 09:14
Reported : 13-Mar-2023 / 12:52

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
LIVER FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.42	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.13	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.29	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	5.0	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.4	1 - 2	Calculated
SGOT (AST), Serum	19.8	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	15.2	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	58.6	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	56.2	40-130 U/L	Colorimetric

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Bmhaskar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



MC-2111



CID# : 2307200776
 Name : MR.PUNIT PUSHKAR SHARAN
 Age / Gender : 52 Years/Male
 Consulting Dr. :
 Reg.Location : Kandivali East (Main Centre)
 Collected : 13-Mar-2023 / 09:11
 Reported : 14-Mar-2023 / 08:59

PHYSICAL EXAMINATION REPORT

History and Complaints:

HTN since 8 yrs.

EXAMINATION FINDINGS:

Height (cms):	166 cms	Weight (kg):	77 kgs
Temp (0c):	Afebrile	Skin:	Normal
Blood Pressure (mm/hg):	130/80	Nails:	Normal
Pulse:	72/min	Lymph Node:	Not palpable

Systems

Cardiovascular: Normal
 Respiratory: Normal
 Genitourinary: Normal
 GI System: Normal
 CNS: Normal

IMPRESSION:

*leucocytosis
 ↑ Hb 15.5 g/dl
 Sr creatine 1.25
 Urine - leucocytes 6-8/HSP
 Dyslipidemia
 USG - (R) renal simple cyst
 2D ECHO - mild LVH*

ADVICE:

*Low fatty diet
 in case / diet
 Diabetologist /
 Cardiologist*

CID# : 2307200776
Name : MR.PUNIT PUSHKAR SHARAN
Age / Gender : 52 Years/Male
Consulting Dr. : Collected : 13-Mar-2023 / 09:11
Reg.Location : Kandivali East (Main Centre) Reported : 14-Mar-2023 / 08:59

CHIEF COMPLAINTS:

- | | |
|--|-----|
| 1) Hypertension: | Yes |
| 2) IHD | No |
| 3) Arrhythmia | No |
| 4) Diabetes Mellitus | No |
| 5) Tuberculosis | No |
| 6) Asthama | No |
| 7) Pulmonary Disease | No |
| 8) Thyroid/ Endocrine disorders | No |
| 9) Nervous disorders | No |
| 10) GI system | No |
| 11) Genital urinary disorder | No |
| 12) Rheumatic joint diseases or symptoms | No |
| 13) Blood disease or disorder | No |
| 14) Cancer/lump growth/cyst | No |
| 15) Congenital disease | No |
| 16) Surgeries | No |
| 17) Musculoskeletal System | No |

PERSONAL HISTORY:

- | | |
|---------------|--------------|
| 1) Alcohol | No |
| 2) Smoking | 1 Packet/day |
| 3) Diet | Mixed |
| 4) Medication | Yes |

*** End Of Report ***

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD.
Row House - 1113, 11th Floor,
Thakur Village, Marol Bhayander (east),
Mumbai - 400011.
Tel : 61700800

Dr. Jagmiti Dhole
MBBS
Consultant Physician
Reg. No. 69548

Date:- 13/3/23

CID: 2307200776

Name:- Mr. Purit Sharan

Sex/Age: m/52

EYE CHECK UP

Chief complaints: Routine checkup

Systemic Diseases: HT @ eyes

Past history: NO H/O Ocular sx/Injury

Unaided Vision: 6/12 6/12

Aided Vision: - -

Refraction: *EMMETROPE, NORMAL*

	(Right Eye)				(Left Eye)			
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	+1.25	—	—	6/9	+1.25	—	—	6/9
Near	+3.0	—	—	N/6	+3.0	—	—	N/6

Colour Vision: Normal / Abnormal

Remark: Vn within normal limit
Adv. detailed evaluation

Kajal H.
KAJAL NAGRECHA
OPTOMETRIST

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD
B-1, 2nd Floor, S.A. Nagar,
Thakar Village, Kandivli (West),
Mumbai - 400101.
Tel : 61700890

DENTAL CHECK - UP

Name:- Punet Sharan

CID: 2307200776 Sex / Age M / 52

Occupation:-

Date: 13/13/2023

Chief complaints:- NO complaints

Medical / dental history:- No relevant history.
BP- + Medication-

GENERAL EXAMINATION:

1) Extra Oral Examination:

- a) TMJ: Normal movements
- b) Facial Symmetry: Bilateral Symmetrical

2) Intra Oral Examination:

- a) Soft Tissue Examination: Reddish / white patch on mucosa
- b) Hard Tissue Examination: Generalized attrition
- c) Calculus: +
Stains: +++
Habits :- Tobacco chewing

18	17	16	15	14	13	12	11	21	22	23	24	25	26	27	28
48	47	46	45	44	43	42	41	31	32	33	34	35	36	37	38

<input type="radio"/>	Missing	#	Fractured
<input type="radio"/>	Filled/Restored	RCT	Root Canal Treatment
<input type="radio"/>	Cavity/Caries	RP	Root Piece

Advised: a) Scaling & Polishing (cleaning)

Provisional Diagnosis:-

o/d - Oral submucous fibrosis / leukoplakia

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD.
Row House No. 3, Anandnagar,
Thakur Village, Kandivli (east),
Mumbai - 400101.
Tel: 61700800

DR. BHUMIK PATEL
(B.D.S) A - 23378

Dr. Bhumik Patel

Authenticity Check
<<QRCode>>

CID : 2307200776
Name : Mr PUNIT PUSHKAR SHARAN
Age / Sex : 52 Years/Male
Ref. Dr :
Reg. Location : Kandivali East Main Centre
Reg. Date : 13-Mar-2023
Reported : 14-Mar-2023 / 10:09

Use a QR Code Scanner
Application To Scan the Code

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size, shape and smooth margins. It shows normal parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen.

PANCREAS:

The pancreas is well visualized and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture.

A simple cortical cyst measuring 2.4 x 1.7 cm noted at upper pole of left kidney.

No evidence of any calculus, hydronephrosis.

Right kidney measures 9.9 x 4.3 cm. Left kidney measures 10.6 x 5.2 cm.

SPLEEN:

The spleen is normal in size and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE:

The prostate is normal in size and volume is 14 cc.

[Click here to view images <<ImageLink>>](#)

Authenticity Check
<<QRCode>>

CID : 2307200776
Name : Mr PUNIT PUSHKAR SHARAN
Age / Sex : 52 Years/Male
Ref. Dr :
Reg. Location : Kandivali East Main Centre
Reg. Date : 13-Mar-2023
Reported : 14-Mar-2023 / 10:09

Use a QR Code Scanner
Application To Scan the Code

IMPRESSION:

LEFT RENAL SIMPLE CYST.

Khilji FA

Dr.FAIZUR KHILJI
MBBS,RADIO DIAGNOSIS
Reg No-74850
Consultant Radiologist


-----End of Report-----

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the centre for rectification. Please interpret accordingly.

Click here to view images <<ImageLink>>

Patient Name: PUNIT PUSHKAR SHARAN
Patient ID: 2307200776

Date and Time: 13th Mar 23 10:31 AM



Age **52** 6 12
years months days

Gender **Male**

Heart Rate **76bpm**

Patient Vitals

BP: 130/80 mmHg

Weight: 77 kg

Height: 166 cm

Pulse: NA

SpO2: NA

Resp: NA

Others:

Measurements

QRSD: 86ms

QT: 378ms

QTc: 42.5ms

PR: 136ms

P-R-T: 47° 36° 69°

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD.

Reg. No. 3.A

Tarapur, Kandivalli, Mumbai - 400060

Tel : 61700000



REPORTED BY

[Signature]

DR ANHIL PARULKAR
MBBS, MD, MEDICINE, DNB Cardiology
Cardiologist

201208283

Disclaimer: This report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. This report shall not be treated by the clinician and not derived from the ECG.



Use a QR Code Scanner
Application To Scan the Code

CID : 2307200776
Name : Mr PUNIT PUSHKAR SHARAN
Age / Sex : 52 Years/Male
Ref. Dr :
Reg. Location : Kandivali East Main Centre
Reg. Date : 13-Mar-2023
Reported : 13-Mar-2023 / 13:22

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

Khilji Faizur

Dr.FAIZUR KHILJI
MBBS,RADIO DIAGNOSIS
Reg No-74850
Consultant Radiologist

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023031309120542>

PATIENT NAME : MR PUNIT PUSHKAR SHARAN	SEX : MALE
REFERRED BY : Arcofemi Healthcare Limited	AGE : 52 YEARS
CID NO : 2307200776	DATE : 13/03/2023

2D & M-MODE ECHOCARDIOGRAM REPORT

MITRAL VALVE: has thin leaflets with normal subvalvar motion.
No mitral regurgitation.

AORTIC VALVE : has three thin leaflets with normal opening .
No aortic regurgitation. No aortic stenosis.

LEFT VENTRICLE : is normal , has uniformly increased wall thickness , No regional wall motion abnormality . Normal LV systolic contractions. EF - 60%. No LV diastolic dysfunction.

LEFT ATRIUM: is normal.

RIGHT ATRIUM & RIGHT VENTRICLE: is Normal.

TRICUSPID VALVE & PULMONARY VALVES : normal.
No TR/PAH.

No pericardial effusion.

IMP : **Mild Concentric LV hypertrophy with no LV diastolic dysfunction.**
Normal LV systolic function. EF - 60%.
Normal other valves and chamber sizes.
No regional wall motion abnormality/scar.
No clot /pericardial effusion/ vegetation / thrombus.

M- MODE :

LA (mm)	30
AORTA (mm)	22
LVDD (mm)	42
LVSD (mm)	26
IVSD (mm)	11
PWD (mm)	12
EF	60%
E/A	1.3



DR AKHIL PARULEKAR

DNB CARDIOLOGIST

REG. NO 2012082483