Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:11
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000125452	Received	: N/A
Visit ID	: ALDP0173572324	Reported	: 09/Sep/2023 14:08:00
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

# DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### ECG / EKG \*

1. Machnism, Rhythm	Sinus, Regular	
2. Atrial Rate	58	/mt
3. Ventricular Rate	58	/mt
4. P - Wave	Normal	
5. P R Interval	Normal	
6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
7. Q T c Interval	Normal	
8. S - T Segment	Normal	
9. T – Wave	Normal	

FINAL IMPRESSION

Abnormal: Sinus Bradycardia, Complete Right Bundle Branch Block with Left Ventricular Hypertrophy, Lateral Ischemia suspected.Please evaluate further. Please correlate clinically.

Dr. R K VERMA MBBS, PGDGM

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:09
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: 09/Sep/2023 10:12:57
UHID/MR NO	: ALDP.0000125452	Received	: 09/Sep/2023 11:10:34
Visit ID	: ALDP0173572324	Reported	: 09/Sep/2023 14:50:37
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blood	ood			
Blood Group	Ο			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole	e Blood			
Haemoglobin	13.10	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	7,300.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils )	60.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	33.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	2.00	Mm for 1st hr.		
Corrected	-	Mm for 1st hr.	< 9	
PCV (HCT)	41.00	%	40-54	
Platelet count				
Platelet Count	1.43	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.70	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	54.10	%	35-60	ELECTRONIC IMPEDANCE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:09
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: 09/Sep/2023 10:12:57
UHID/MR NO	: ALDP.0000125452	Received	: 09/Sep/2023 11:10:34
Visit ID	: ALDP0173572324	Reported	: 09/Sep/2023 14:50:37
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF HAEMATOLOGY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.20	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.10	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	100.50	fl	80-100	CALCULATED PARAMETER
MCH	31.90	pg	28-35	CALCULATED PARAMETER
MCHC	31.70	%	30-38	CALCULATED PARAMETER
RDW-CV	15.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	56.30	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,380.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	146.00	/cu mm	40-440	

AS Dr.Akanksha Singh (MD Pathology)

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:10
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: 09/Sep/2023 10:12:57
UHID/MR NO	: ALDP.0000125452	Received	: 09/Sep/2023 11:10:34
Visit ID	: ALDP0173572324	Reported	: 09/Sep/2023 14:49:49
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	al Method
<b>GLUCOSE FASTING *</b> , <i>Plasma</i> Glucose Fasting	96.70	100-1	Normal 125 Pre-diabetes 5 Diabetes	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

Glucose PP *	128.60	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \* , EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	6.60	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	48.20	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	142	mg/dl	

#### Interpretation:

#### <u>NOTE</u>:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:10
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: 09/Sep/2023 10:12:57
UHID/MR NO	: ALDP.0000125452	Received	: 09/Sep/2023 11:10:34
Visit ID	: ALDP0173572324	Reported	: 09/Sep/2023 14:49:49
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
-----------	--------	------	--------------------	--------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	7.85	mg/dL	7.0-23.0	CALCULATED
<b>Creatinine *</b> Sample:Serum	1.20	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 2 Female-20-320	MODIFIED JAFFES 0-275
Uric Acid * Sample:Serum	5.76	mg/dl	3.4-7.0	URICASE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:10
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: 09/Sep/2023 10:12:57
UHID/MR NO	: ALDP.0000125452	Received	: 09/Sep/2023 11:10:34
Visit ID	: ALDP0173572324	Reported	: 09/Sep/2023 14:49:49
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	ι	Init Bio. Ref. I	nterval	Method
LFT (WITH GAMMA GT) * , Serum					
SGOT / Aspartate Aminotransferase (AST)	31.80	U/L	< 35	IFCC	WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	35.80	U/L	< 40		WITHOUT P5P
Gamma GT (GGT)	29.30	IU/L	11-50	OPTI	IMIZED SZAZING
Protein	7.10	gm/dl	6.2-8.0	BIUR	RET
Albumin	4.20	gm/dl	3.4-5.4	B.C.0	
Globulin	2.90	gm/dl	1.8-3.6	CALC	CULATED
A:G Ratio	1.45	0	1.1-2.0	CALC	CULATED
Alkaline Phosphatase (Total)	132.00	U/L	42.0-165.0	IFCC	METHOD
Bilirubin (Total)	1.70	mg/dl	0.3-1.2	JEND	DRASSIK & GROF
Bilirubin (Direct)	0.70	mg/dl	< 0.30	JENE	DRASSIK & GROF
Bilirubin (Indirect)	1.00	mg/dl	< 0.8	JEND	DRASSIK & GROF
LIPID PROFILE ( MINI ) * , Serum					
Cholesterol (Total)	142.00	mg/dl	<200 Desirable 200-239 Borderlir > 240 High		D-PAP
HDL Cholesterol (Good Cholesterol)	56.50	mg/dl	30-70	DIRE	CT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	74	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above C 130-159 Borderlir 160-189 High > 190 Very High	ptimal	CULATED
VLDL Triglycerides	12.00 60.00	mg/dl mg/dl	10-33 < 150 Normal 150-199 Borderlir 200-499 High >500 Very High	GPO	CULATED -PAP

AS

Dr.Akanksha Singh (MD Pathology)

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:10
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: 09/Sep/2023 15:23:52
UHID/MR NO	: ALDP.0000125452	Received	: 09/Sep/2023 16:43:40
Visit ID	: ALDP0173572324	Reported	: 09/Sep/2023 17:29:54
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF CLINICAL PATHOLOGY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , Urine				
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic ( 5.0 )			DIPSTICK
Protein	TRACE	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.

### STOOL, ROUTINE EXAMINATION \* , Stool

Color	YELLOWISH
Consistency	SEMI SOLID
Reaction (PH)	Basic ( 8.0 )
Mucus	ABSENT
Blood	ABSENT
Worm	ABSENT

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:10
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: 09/Sep/2023 15:23:52
UHID/MR NO	: ALDP.0000125452	Received	: 09/Sep/2023 16:43:40
Visit ID	: ALDP0173572324	Reported	: 09/Sep/2023 17:29:54
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

	TILLE DANK OF DAN			
Test Name	Result	Unit	Bio. Ref. Interval	Method
Pus cells	ABSENT			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			

### Interpretation:

(+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%

AS

Dr.Akanksha Singh (MD Pathology)

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:11
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: 09/Sep/2023 10:12:57
UHID/MR NO	: ALDP.0000125452	Received	: 10/Sep/2023 10:21:15
Visit ID	: ALDP0173572324	Reported	: 10/Sep/2023 12:06:33
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.370	ng/mL	< 3.0	CLIA	

#### Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone<sup>-</sup>
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Dr. Anupam Singh (MBBS MD Pathology)

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:10
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: 09/Sep/2023 10:12:57
UHID/MR NO	: ALDP.0000125452	Received	: 09/Sep/2023 11:10:34
Visit ID	: ALDP0173572324	Reported	: 09/Sep/2023 15:35:06
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	153.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.50	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.90	μlU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 μIU/m	L First Trimester	
		0.5-4.6 μIU/m	L Second Trimest	ter
		0.8-5.2 μIU/m	L Third Trimester	
		0.5-8.9 μIU/m	L Adults 5	5-87 Years
		0.7-27 μIU/m	L Premature	28-36 Week
		2.3-13.2 µIU/m	L Cord Blood	> 37Week
		0.7-64 μIU/m	L Child(21 wk - 2	0 Yrs.)
		1-39 μIU/	mL Child 0	-4 Days
		1.7-9.1 μIU/m	L Child 2-	-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

**6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:11
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000125452	Received	: N/A
Visit ID	: ALDP0173572324	Reported	: 09/Sep/2023 14:02:28
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### **DEPARTMENT OF X-RAY**

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

#### X-RAY DIGITAL CHEST PA \*

### <u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Icohh

DR K N SINGH (MBBS, DMRE)

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.LAKHAN LAL - 55437	Registered On	: 09/Sep/2023 09:28:11
Age/Gender	: 56 Y 6 M 5 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000125452	Received	: N/A
Visit ID	: ALDP0173572324	Reported	: 09/Sep/2023 12:27:10
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \*

**LIVER**: - Normal in size (14.6 cm), shape and **shows diffuse increase in the liver parenchymal echogenicity with patchy attenuation of portal venous walls, suggestive of grade II fatty changes**. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

### **GALL BLADDER** :- Not visualized (Post cholecystectomy status)

**CBD** :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

**RIGHT KIDNEY**: - Normal in size (10.2 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size (10.5 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**URINARY BLADDER :-** Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE :- Enlarged in size (3.9 x 4.2 x 3.3 cm vol - 29.3 cc), with normal shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

### **IMPRESSION**:

- Grade II fatty liver.
- Grade I prostatomegaly.

Please correlate clinically

\*\*\* End Of Report \*\*\* (\*\*) Test Performed at Chandan Speciality Lab. (\*\*) Test Performed Chandan Specialit

Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Manmography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* 365 Days Open \*Facilities Available at Select Location