

:2302818812

: -

: 35 Years / Female

: MRS.SABITA KUMARI SINHA

: Kandivali East (Main Centre)

CID

Name

Age / Gender

Consulting Dr.

Reg. Location

Authenticity Check

R

E

P

Ο

т

Use a QR Code Scanner Application To Scan the Code Collected :28-Jan-2023 /

Reported

:28-Jan-2023 / 08:47 :28-Jan-2023 / 11:56

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

<u>CBC (Complete Blood Count), Blood</u>					
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>		
RBC PARAMETERS					
Haemoglobin	12.6	12.0-15.0 g/dL	Spectrophotometric		
RBC	4.50	3.8-4.8 mil/cmm	Elect. Impedance		
PCV	39.8	36-46 %	Measured		
MCV	88	80-100 fl	Calculated		
MCH	28.1	27-32 pg	Calculated		
MCHC	31.8	31.5-34.5 g/dL	Calculated		
RDW	15.3	11.6-14.0 %	Calculated		
WBC PARAMETERS					
WBC Total Count	6230	4000-10000 /cmm	Elect. Impedance		
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS				
Lymphocytes	34.4	20-40 %			
Absolute Lymphocytes	2143.1	1000-3000 /cmm	Calculated		
Monocytes	6.5	2-10 %			
Absolute Monocytes	405.0	200-1000 /cmm	Calculated		
Neutrophils	55.3	40-80 %			
Absolute Neutrophils	3445.2	2000-7000 /cmm	Calculated		
Eosinophils	3.0	1-6 %			
Absolute Eosinophils	186.9	20-500 /cmm	Calculated		
Basophils	0.8	0.1-2 %			
Absolute Basophils	49.8	20-100 /cmm	Calculated		
Immature Leukocytes	-				

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	171000	150000-400000 /cmm	Elect. Impedance
MPV	11.9	6-11 fl	Calculated
PDW	26.8	11-18 %	Calculated

Page 1 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



DBC MODDUOLOCV

DIAGNOSTI	C S			-
PRECISE TESTING · HEAL	THIER LIVING			E
				Ρ
CID	: 2302818812			
Name	: MRS.SABITA KUMARI SINHA		D. AND	0
Age / Gender	: 35 Years / Female		Use a QR Code Scanner Application To Scan the Code	R
Consulting Dr.	: -	Collected	:28-Jan-2023 / 08:47	2233
Reg. Location	: Kandivali East (Main Centre)	Reported	:28-Jan-2023 / 11:03	т

RBC MORPHOLOGY	
Hypochromia	-
Microcytosis	-
Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic,Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-
Specimen: EDTA Whole Blood	

ESR, EDTA WB, EDTA WB-ESR 23 2-20 mm at 1 hr.

Sedimentation

Authenticity Check

R

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 2 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests, (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient (4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required. (8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein. (9) For the elaborated disclaimer, please turn over the page or visit our website.



:2302818812

: -

: 35 Years / Female

: MRS.SABITA KUMARI SINHA

: Kandivali East (Main Centre)

CID

Name

Age / Gender

Consulting Dr.

Reg. Location

Authenticity Check

R

F

P

O

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 28-Jan-2023 / 08:47 : 28-Jan-2023 / 15:19

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO						
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>			
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	107.9	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase			
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	111.7	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase			
Urine Sugar (Fasting)	Absent	Absent				
Urine Ketones (Fasting)	Absent	Absent				
*Sample processed at SUBURBAN DIA	GNOSTICS (INDIA) PVT. LTD Boriv *** End Of Repo	,				

HE-2111

Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 3 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics. (2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



R

E

P

Ο

т

CID : 2302818812 Name : MRS.SABITA KUMARI SINHA Age / Gender : 35 Years / Female Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)

.....

Use a QR Code Scanner Application To Scan the Code :28-Jan-2023 /

Collected : Reported :

:28-Jan-2023 / 08:47 :28-Jan-2023 / 15:57

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS					
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>		
BLOOD UREA, Serum	22.1	19.29-49.28 mg/dl	Calculated		
Kindly note change in Ref range an	d method w.e.f.11-07-2022				
BUN, Serum	10.3	9.0-23.0 mg/dl	Urease with GLDH		
Kindly note change in Ref range an	d method w.e.f.11-07-2022				
CREATININE, Serum	0.79	0.50-0.80 mg/dl	Enzymatic		
Kindly note change in Ref range an	d method w.e.f.11-07-2022				
eGFR, Serum	88	>60 ml/min/1.73sqm	Calculated		
TOTAL PROTEINS, Serum	7.4	5.7-8.2 g/dL	Biuret		
Kindly note change in Ref range an	d method w.e.f.11-07-2022				
ALBUMIN, Serum	4.4	3.2-4.8 g/dL	BCG		
GLOBULIN, Serum	3.0	2.3-3.5 g/dL	Calculated		
A/G RATIO, Serum	1.5	1 - 2	Calculated		
URIC ACID, Serum	6.3	3.1-7.8 mg/dl	Uricase/ Peroxidase		
Kindly note change in Ref range an	d method w.e.f.11-07-2022				
PHOSPHORUS, Serum	3.7	2.4-5.1 mg/dl	Phosphomolybdate		
Kindly note change in Ref range an	d method w.e.f.11-07-2022				
CALCIUM, Serum	9.6	8.7-10.4 mg/dl	Arsenazo		
Kindly note change in Ref range an	d method w.e.f.11-10-2022				
SODIUM, Serum	143	136-145 mmol/l	IMT		
Kindly note change in Ref range an	d method w.e.f.11-07-2022				

Page 4 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics. (2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



RECISE TESTING · HEALTHIER LIVING					P	
CID	: 2302818	812				
Name	Name : MRS.SABITA KUMARI SINHA				0	
Age / Gender	: 35 Years	/ Female		Use a QR Code Scanner Application To Scan the Code	R	
Consulting Dr.	: -		Collected	:28-Jan-2023 / 08:47		
Reg. Location	: Kandiva	i East (Main Centre)	Reported	:28-Jan-2023 / 15:57	т	
POTASSIUM, S	Serum	3.7	3.5-5.1 mmol/l	IMT		
Kindly note cha	nge in Ref ran	ge and method w.e.f.11-07-2	2022			
CHLORIDE, Se	erum	107	98-107 mmol/l	IMT		

Kindly note change in Ref range and method w.e.f.11-07-2022

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Suntar Romand Dr.VRUSHALI SHROFF

M.D.(PATH) Pathologist

Authenticity Check

R

C

Page 5 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID

Name

Authenticity Check



Use a OR Code Scanner

Application To Scan the Code

: 28-Jan-2023 / 08:47

:28-Jan-2023 / 12:21

Collected

Reported

Age / Gender: 35 Years / FemaleConsulting Dr.: -Reg. Location: Kandivali East (Main Centre)

: MRS. SABITA KUMARI SINHA

:2302818812

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c) PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.5	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	111.2	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Dr.NAMRATA RAUL M.D (Biochem) Biochemist

Page 6 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full.(5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.





CID : 2302818812 Name : MRS.SABITA KUMARI SINHA Age / Gender : 35 Years / Female Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 28-Jan-2023 / 08:47 : 28-Jan-2023 / 18:26

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	6.5	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	20	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	N		
Leukocytes(Pus cells)/hpf	2-3	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	3-4		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	++	Less than 20/hpf	
Others	Kindly rule out conta	amination	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)
- Ketone:(1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl)

Reference: Pack insert



NGJor

Dr.VIPUL JAIN M.D. (PATH) Pathologist

Page 7 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics. (2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



TESTING · HEALTHI				E
	2202040042		R. A. W. S.	Ρ
•	2302618612			-
e :	MRS.SABITA KUMARI SINHA			0
/ Gender :	35 Years / Female		Use a QR Code Scanner Application To Scan the Code	R
ulting Dr. :	-	Collected	:28-Jan-2023 / 08:47	
Location :	Kandivali East (Main Centre)	Reported	:28-Jan-2023 / 18:26	т
e : / Gender : ulting Dr. :	35 Years / Female -	-	Application To Scan the Code :28-Jan-2023 / 08:47	C F

R

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***

Page 8 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn encoded. over the page or visit our website.



R

CID : 2302818812 Name : MRS.SABITA KUMARI SINHA Age / Gender : 35 Years / Female Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)

Collected Reported

: 28-Jan-2023 / 08:47 : 28-Jan-2023 / 12:40

Use a OR Code Scanner

Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER

RESULTS

ABO GROUP B Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



Dr.TRUPTI SHETTY

Dr.TRUPTI SHETTY M. D. (PATH) Pathologist

Page 9 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full.(5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



A	ut	he	nti	cit	y١	Ch	ec	k



Use a QR Code Scanner Application To Scan the Code :28-Jan-2023 / 08:47 :28-Jan-2023 / 15:57

R

E

P

O

т

CID	: 2302818812
Name	: MRS.SABITA KUMARI SINHA
Age / Gender	: 35 Years / Female
Consulting Dr. Reg. Location	: - : Kandivali East (Main Centre)

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIPID PROFILE

Collected

Reported

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	167.2	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	138.8	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	41.1	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	126.1	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	98.3	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	27.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.4	0-3.5 Ratio	Calculated
*Sample processed at SUBUDBAN DI		l Vidvavibar Lab	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



June Sung Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 10 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests, (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient (4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required. (8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein. (9) For the elaborated disclaimer, please turn over the page or visit our website.



R

E

P

O

т

CID :2302818812 Name : MRS.SABITA KUMARI SINHA Age / Gender : 35 Years / Female Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code Collected Reported

:28-Jan-2023 / 08:47 :28-Jan-2023 / 15:51

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS					
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>		
Free T3, Serum	4.6	3.5-6.5 pmol/L	CLIA		
Kindly note change in Ref range and	method w.e.f.11-07-2022				
Free T4, Serum	12.5	11.5-22.7 pmol/L	CLIA		
Kindly note change in Ref range and method w.e.f.11-07-2022					
sensitiveTSH, Serum	5.042	0.55-4.78 microIU/ml	CLIA		
Kindly note change in Ref range and method w.e.f.11-07-2022					

Page 11 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests, (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient (4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required. (8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein. (9) For the elaborated disclaimer, please turn over the page or visit our website.



CID	: 2302818812			Р	
Name	: MRS.SABITA KUMARI SINHA			0	
Age / Gender	: 35 Years / Female		Use a QR Code Scanner Application To Scan the Code	R	
Consulting Dr.	: -	Collected	:28-Jan-2023 / 08:47		
Reg. Location	: Kandivali East (Main Centre)	Reported	:28-Jan-2023 / 15:51	т	

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz, Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Anto

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab** Director

Page 12 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics. (2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient. (4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



Auth	nenticity	Chec
------	-----------	------

CID :2302818812 Name : MRS.SABITA KUMARI SINHA : 35 Years / Female Age / Gender Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code Collected Reported

:28-Jan-2023 / 08:47 :28-Jan-2023 / 15:57 R

E

P

O

т

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS					
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>		
BILIRUBIN (TOTAL), Serum	0.52	0.3-1.2 mg/dl	Vanadate oxidation		
Kindly note change in Ref range and BILIRUBIN (DIRECT), Serum	1 method w.e.f.11-07-2022 0.20	0-0.3 mg/dl	Vanadate oxidation		
Kindly note change in Ref range and BILIRUBIN (INDIRECT), Serum	d method w.e.f.11-07-2022 0.32	<1.2 mg/dl	Calculated		
TOTAL PROTEINS, Serum	7.4	5.7-8.2 g/dL	Biuret		
Kindly note change in Ref range and					
ALBUMIN, Serum	4.4	3.2-4.8 g/dL	BCG		
GLOBULIN, Serum	3.0	2.3-3.5 g/dL	Calculated		
A/G RATIO, Serum	1.5	1 - 2	Calculated		
SGOT (AST), Serum	23.6	<34 U/L	Modified IFCC		
Kindly note change in Ref range and	1 method w.e.f.11-07-2022				
SGPT (ALT), Serum	18.0	10-49 U/L	Modified IFCC		
Kindly note change in Ref range and	1 method w.e.f.11-07-2022				
GAMMA GT, Serum	14.7	<38 U/L	Modified IFCC		
Kindly note change in Ref range and	1 method w.e.f.11-07-2022				
ALKALINE PHOSPHATASE, Serum	78.1	46-116 U/L	Modified IFCC		

Kindly note change in Ref range and method w.e.f.11-07-2022

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab



June **Dr.VRUSHALI SHROFF** M.D.(PATH) Pathologist

Page 13 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required. (8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein. (9) For the elaborated disclaimer, please turn over the page or visit our website.



IN 😂			N.
HIER LIVING			E
• 2202040042		ang ang ta	Р
: 2302818812			-
: MRS.SABITA KUMARI SINHA			0
: 35 Years / Female		Use a QR Code Scanner Application To Scan the Code	R
: -	Collected	:	1000
: Kandivali East (Main Centre)	Reported	:	т
	: 2302818812 : MRS.SABITA KUMARI SINHA : 35 Years / Female : -	: 2302818812 : MRS.SABITA KUMARI SINHA : 35 Years / Female : - Collected	: 2302818812 : MRS.SABITA KUMARI SINHA : 35 Years / Female : - Collected :

P

*** End Of Report ***

Page 14 of 14

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053


HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn events for the services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.

SUBURBAN DIAGNUSTICS - KANDIVALI EAST

Patient ID: Patient Name: SABITA KUMARI SINHA 2302818812

Date and Time: 28th Jan 23 9:39 AM



Disclating: 1) Analysis in this report is based on ECG along and should be used as an addited to choud history, symptoms, and require of other invasive and non-invasive tests and more merpited by a qualified physician. 2) Patent visits of other invasive tests and not derived from the ECG.



A E N O S T I C S			Authenticity Check	Р
				0
				R
CID	: 2302818812			-
Name	: Mrs Sabita Kumari Sinha		INCONTRACTORS	
Age / Sex	: 35 Years/Female		Use a QR Code Scanner Application To Scan the Code	
Ref. Dr	:	Reg. Date	: 28-Jan-2023	
Reg. Location	: Kandivali East Main Centre	Reported	: 28-Jan-2023 / 9:50	

R

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size, shape and smooth margins. It shows normal parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen.

PANCREAS:

The pancreas is well visualized and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture. No evidence of any calculus, hydronephrosis or mass lesion seen. Right kidney measures 8.7 x 4.0 cm. Left kidney measures 10.3 x 4.7 cm.

SPLEEN:

The spleen is normal in size and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

UTERUS:

The uterus is anteverted and appears normal. It measures 7.4 x 5.2 x 2.9 cm in size. The endometrial thickness is 6.0 mm.

OVARIES:

Both the ovaries are well visualized and appears normal. There is no evidence of any ovarian or adnexal mass seen. Right ovary = $1.9 \times 1.8 \times 1.7$ cm and volume is 3.3 ccLeft ovary = $2.1 \times 2.1 \times 1.9$ cm and volume is 4.6 cc

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023012808432080

vroom, Andheri West, Mumbai - 400053. Page no 1 of 2 r Road, Vidyavihar (W), Mumbai - 400084 REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2" Floor, Sundervan Complex, Above Mercedes Showroom, a CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Pre HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com | WEBSITE: www.subur



CID

Name

Age / Sex

Ref. Dr

Authenticity Check : 2302818812 : Mrs Sabita Kumari Sinha Use a OR Code Scanner : 35 Years/Female Application To Scan the Cod@ Reg. Date : 28-Jan-2023 . : 28-Jan-2023 / 9:50 : Kandivali East Main Centre Reported Reg. Location

IMPRESSION:-No significant abnormality is seen.

-----End of Report-----

This report is prepared and physically checked by DR. FAIZUR KHILJI before dispatch.

KLibi FRA

Dr.FAIZUR KHILJI MBBS, RADIO DIAGNOSIS Reg No-74850 **Consultant Radiologist**

R

F

P

0

R

т

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the centre for rectification. Please interpret accordingly. All safety precautions were taken before, during and after the USG examination in view of the ongoing Covid 19 pandemic.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023012808432080

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2^{tol} Floor, Sundervan Complex, Above Mercedes Showroom, Andheri We CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumb HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostic Corporate Identity Number (CIN): U85110MH2002PTC136144



MDS SADITA KUMARI SINHA	SEX : FEMALE
PATIENT NAME : MRS .SABITA KUMARI SINHA INCOFEMULE ALTHCARE LIMITED	AGE : 35 YEARS
REFERRED BY : ARCOFEMI HEALTHCARE LIMITED	• DATE : 28/01/2023
• CID NO : 2302818812	

2D & M-MODE ECHOCARDIOGRAM REPORT COLOR FLOW DOPPLER REPORT

ECHO & DOPPLER FINDINGS :

- Grade I diastolic dysfunction seen at present.
- No regional wall motion abnormality seen at rest at present.
- No left ventricular hypertrophy seen.
- All cardiac chambers are normal in size.
- RA and RV are normal in dimensions. LA and LV are normal in dimensions.
- All cardiac valves show normal structure and physiological function.
- No significant stenosis nor regurgitation seen.
- No defect seen in the inter ventricular and inter atrial septums
- No evidence of aneurysm / clots / vegetations/ effusion.
- TAPSE and MAPSE measured to 18 mm and 16 mm respectively.
- PASP by TR jet measured to 25 mm Hg.
- Visual LVEF of 60 %.

MEASUREMENTS:

IVS d (mm)	08	EDV (ml)	79	Ao (mm)	30
IVS s (mm)	11	ESV (ml)	20	LA (mm)	33
LVIDd (mm)	42	SV (ml)	59	EPSS (mm)	02
LVIDs (mm)	22	FS (mm)	30	EF SLOPE (ml/s)	110
Pwd (mm)	07	EF (%)	60	MV (mm)	19
Pws (mm)	14				

Conti....2

R

E

P

0

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com Corporate Identity Number (CIN): U85110MH2002PTC136144



2 - 1 N	G-REALINER LIVING		P
•	PATIENT NAME : MRS .SABITA KUMARI SINHA	• SEX : FEMALE	R
•	REFERRED BY : ARCOFEMI HEALTHCARE LIMITED	• AGE : 35 YEARS	
	CID NO : 2302818812	• DATE : 28/01/2023	

R

E

DOPPLER: Mitral E / A

Mitral (m/s)	0.8	Aortic (m/s)	1.50
Tricuspid (m/s)	0.6	Pulmonary (m/s)	0.9

TDI

Septal e' =0.06 m/s Septal a' = 0.08 m/sSeptal s' = 0.07 m/sSeptal E/e'=12

Lateral e' = 0.06 m/sLateral a' = 0.08 m/sLateral s' = 0.07 m/s

Dr. P. Bhatjiwale, M.D PG cert in Clinical Cardiology, Cert in 2 D Echo & Doppler Studies Reg. No 68857

NOTE :2D ECHO has a poor sensitivity in cases of angina pectoris. Adv: Please correlate clinically. CAG/ Further cardiac evaluation as clinically indicated.

-----End of Report-----

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Marcedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dimart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com Corporate Identity Number (CIN): U85110MH2002PTC136144



JBURBAN	1944 - Contra 1947 - Contra 19		Authenticity Check	R
GNOSTICS				E
SE TESTING HEALTHIE	LIVING			P
CID	: 2302818812			0
Name	: Mrs Sabita Kumari Sinha		回行的考试性的经济	~
Age / Sex	: 35 Years/Female		Use a QR Code Scanner Application To Scan the Code	R
Ref. Dr	:	Reg. Date	: 28-Jan-2023	Т
Reg. Location	: Kandivali East Main Centre	Reported	: 28-Jan-2023 / 12:14	

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

This report is prepared and physically checked by DR. FAIZUR KHILJI before dispatch.

KLIM FRA

Dr.FAIZUR KHILJI MBBS, RADIO DIAGNOSIS Reg No-74850 **Consultant Radiologist**

P

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer? Acces

sionNo=2023012808432125

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andhen West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com Corporate Identity Number (CIN): U85110MH2002PTC136144



JBURBAN 🦻			R
ISE TESTING THEALTHIER LIVING			Ρ
			0
Name: Sasta Kumani	sinha	Age/Gender 45/F	R
Dr. :		Date: , 28/1/23	

GYNAEC EXAMINATION REPORTS

PERSONAL HISTORY

CHIEF COMPLAINTS :	
MARITAL STATUS	- massing
MENSTRUAL HISTORY :	
(i) MENARCHE :	(a) age - 13423
(ii) PRESENT MENSTRUAL HISTORY	: - Reg
(iii) PAST MENSTRUAL HISTORY :	· 15 dej ayo
OBSTETRIC HISTORY :	42 P. L. A1
PAST HISTORY :	NIL nervicitory
PREVIOUS SURGERIES :	Uses, unsilical nerved tong
ALLERGIES :	. 20
FAMILY HISTORY :	: N6
DRUG HISTORY :	- NO
BOWEL HABITS : 2	3
BLADDER HABITS :	Z

Dr.Jagruti Dhale MBBS Consultant Physician Reg.No.69548

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2" Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com Corporate Identity Number (CIN): U85110MH2002PTC136144

SU	BL	IR	BA	N	4
114					
RECIS	E TEST	NG-	HEAL	THIEB	LIVING

		0
Name :	Age / Gender	R
Dr	Date :	т
Dr.		

GYNAEC EXAMINATION REPORTS

GENERAL EXAMINATION

TEMPERATURE :	RS : Loamo
PULSE: Juit my	cvs: MAD
BP : Inner	Breasts :
Per Abdomen : NAD Sec	and uneotony, uses Healthy
Per vaginal is - 50 Healthy	
RECO	OMMENDATIONS

ADVISE :

flat

R

E

Dr.Jagruti Dhale MBBS Consultant Physician Reg.No.69548

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com Corporate Identity Number (CIN): U85110MH2002PTC136144