

# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

### General Physical Examination

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date of Examination: 30-12-2023

Name: K.Poon Age: 28 Sex: Female

DOB: 01.01.1995

Referred By: BOB

Photo ID: Aadhari ID #: attached

Ht: 166 (cm) Wt: 72 (Kg)

Chest (Expiration): 88 (cm) Abdomen Circumference: 83 (cm)

Blood Pressure: 128/84 mm Hg PR: 80 / min

BMI 26.1

Eye Examination: VISION normal 6/6 N/G.

No colour blindness.

Other: Not significant.

On examination he/she appears physically and mentally fit: Yes / No

Signature Of Examinee : [Signature] Name of Examinee: \_\_\_\_\_


Signature Medical Examiner : [Signature] Name Medical Examiner \_\_\_\_\_

Dr. Piyush Goyal  
M.B.B.S., D.M.D.  
RMC Reg. No. 417380





102223903 / MRS. KIRAN / 28 Yrs / F / Non Smoker  
 Heart Rate : 60 bpm / Tested On : 30-Dec-23 12:54:38 / HF 0.05 Hz - LF 100 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s  
 / Refd By: BOB



Heart Rate : 60 bpm  
 PR Interval : 156 ms  
 QRS Duration : 82 ms  
 QT/QTc Int : 458/418 ms  
 P-RS-T axes : 71.00 • 78.00 • 27.00 •



**Dr. Nareesh Kumar Mohan**  
 MBBS, DPT, RADIO (ESORTS)  
 MDD No. 35703  
 R. 78.00 D. E. 27.00 (PROG-UK) P. 71.00

*Sinus rhythm with poor V1-V3*  
 Reported By: *V1-V3*



# DR. GOYALS PATH LAB & IMAGING CENTER

B-51 GANESH NAGAR, JAIPUR EMAIL:

Report



3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / NonSmoker  
 Date: 30 / 12 / 2023 12:55:24 PM Refd By: BOB Examined By:

Stage	Time	Duration	Speed(mph)	Elevation	METS	Rate	% THR	BP	RPP	PVC	Comments
Supine	00:12	0:12	01.1	00.0	01.0	065	34%	120/80	078	00	
Standing	00:34	0:22	01.1	00.0	01.0	062	32%	120/80	074	00	
HV	01:14	0:40	01.1	00.0	01.0	088	46%	120/80	105	00	
Warm Up	01:38	0:24	01.1	00.0	01.0	082	43%	120/80	098	00	
ExStart	03:00	1:22	01.0	00.0	01.0	089	46%	120/80	106	00	
BRUCE Stage 1	06:00	3:00	01.7	10.0	04.7	121	63%	128/84	154	00	
BRUCE Stage 2	09:00	3:00	02.5	12.0	07.1	165	86%	136/86	224	00	
PeakEX	09:17	0:17	03.4	14.0	07.4	166	86%	136/86	225	00	
Recovery	10:17	1:00	00.0	00.0	01.2	123	64%	136/86	167	00	
Recovery	11:17	2:00	00.0	00.0	01.0	097	51%	134/86	129	00	
Recovery	13:17	4:00	00.0	00.0	01.0	086	45%	130/84	111	00	
Recovery	13:26	4:09	00.0	00.0	01.0	088	46%	130/84	114	00	

## FINDINGS :

Exercise Time : 06:17  
 Max HR Attained : 166 bpm 86% of Target 192  
 Max BP Attained : 136/86 (mm/Hg)  
 Max WorkLoad Attained : 7.4 Fair response to induced stress  
 Test End Reasons : Test Complete, Heart Rate Achieved

*TRT Negative for RWT*

## REPORT :

**Dr. Nareesh Kumar Mohanika**  
 FMD No: 35703  
 MBBS, DIR, CARDIO (ESCORT)  
 D.E.M. (RCCP-UK)






3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / HR : 65

Date: 30 / 12 / 2023 12:55:24 PM METS- 1.0 @ 65 bpm 34% of THR BP- 120/80 mmHg Combined Medians/ BLC Qw Noctw Qw HF 0.05 HzULF 100 Hz

4X 30 ms Post J

Extra: 00:00 1.1 mph 0.0% 25 mm/Sec. 1.0 Cm/mV



REMARKS: I II aVR aVL V1 V2 V3 V4 V5 V6



DR. GOYALS PATH LAB & IMAGING CENTER

BRUCE: Standing(0:22)


3065 / MRS. KIRAN / 28 Yrs / F / 0 Crns / 0 Kg / HR : 62

Date: 30 / 12 / 2023 12:55:24 PM METS: 1.6/ 62 bpm 32% of THR BP: 120/80 mmHg

Composed Medians/ BLC Over Match Over HF: 0.05 Hz/AVF: 100 Hz ExtTime: 00:00 1.1 mph. 0.0%

4X 30 ms Post J

25 mm/Sec 1.0 Cm/mV



REMARKS: II aVR aVF V2 V4 V6





DR. GOYALS PATH LAB & IMAGING CENTER


BRUCE:HV(0:40)

3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / HR : 88

Date: 30 / 12 / 2023 12:55:24 PM METS: 1.01 88 bpm 46% of THR BP: 120/80 mmHg Combined Modems/ BLC On Notch On HF 0.00 HOLF 100 Hz

4X 40 ms Post J

ExTime: 00:00 1.1 mph 0.0% 25 mm/Sec. 1.0 Cm/IV



REMARKS: I II aVR aVL aVF V1 V2 V3 V4 V5 V6






3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / HR : 82

Date: 30 / 12 / 2023 12:55:24 PM METS: 1.0 / 82 bpm 43% of THR BP: 120/80 mmHg Combined Modems/ BLC Chip Modem On HF 0.05 Hz/LF 100 Hz

4X 50 ms Post J

ExTime 00:00 1.4 mph 0.0%  
25 mm/Sec 1.8 Cm/mV



REMARKS:  
I aVR aVL V1 V2 V3 V4 V5 V6

ASAP



DR. GOYALS PATH LAB & IMAGING CENTER


3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / HR : 89

Date: 30 / 12 / 2023 12:55:24 PM METS: 1.0/ 89 bpm 46% of THR BP: 120/80 mmHg Combined Modems/ ECG QW Notch QW HF 0.05 Hz/ F 100 Hz

4X 80 ms Post J

EXTime: 00:00 1.0 mph 0.0%  
25 mm/Sec 1.0 Cm/mV

ExStart



REMARKS: I II aVR aVL aVF V1 V2 V3 V4 V5 V6




3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / HR : 121

Date: 30 / 12 / 2023 12:55:24 PM METS: 4.7 / 121 bpm 63% of THR BP: 120/84 mmHg Combined Medication/ BLC: Qw Neofin Qw HF 0.05 H2O/LP 100 Hz

4X 70 ms Post J

ExTime: 03:00 5.7 mph 10.0%  
25 mm/Sec 1.0 Cm/mV



REMARKS: I II aVR aVL V1 V2 V3 V4 V5 V6







3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / HR : 165

Date: 30 / 12 / 2023 12:55:24 PM METS: 7.11 165 bpm 86% of THR BP: 138/86 mmHg


Continued Medication BLC ON/ Notch ON/ HF 0.05 Hz/ LF 100 Hz

4X 60 ml Pos J

ExtTime: 06:00 2.5 mph 12.0%

SI 0.2  
SII 0.2  
SIS 1.3

V1 0.3  
V2 0.4



SI 0.2  
SII 0.2  
SIS 2.2

V2 0.5  
V3 0.5



SI 0.2  
SII 0.2  
SIS 1.4

V2 1.0  
V3 2.6



aVR 0.4  
aVL 0.4  
aVF 1.8

V4 0.3  
V5 2.8



aVL 0.8  
aVF 0.3

V5 0.4  
V6 2.2



aVF 0.3  
aVL 1.8

V6 0.7  
V8 1.8



REMARKS:  
II aVR aVF V2 V4 V6  
III aVL V1 V3 V5






3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / HR : 166

Date: 30 / 12 / 2023 12:55:24 PM METS: 7.4/ 166 bpm 86% of THR BP: 136/66 mmHg Combined Medians/ BLC QW Kotah QW HF 0.05 H/L/F 100 Hz

4X 30 ms Post J

ExTime: 06:17 3.4 mph 14.0% 26 mmHgsec 1.0 Creamy



REMARKS: I II aVR aVL V1 V2 V3 V4 V5 V6



DR. GOYALS PATH LAB & IMAGING CENTER

Recovery(1:00)




3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / HR : 123

Date: 30/12/2023 12:55:24 PM METS: 1.2/ 123 bpm 64% of THR. BP: 135/86 mmHg Combined Medians/ BLC Out Mouth Out HF: 0.05 Hz/LE 100 Hz


ExTime: 06:17 0.0 mph 0.0%  
25 mm/sec. 1.0 Cm/mV

4X 68 ms Post J



REMARKS:  
I II aVR aVL aVF V1 V2 V3 V4 V5 V6





REMARKS:






3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / HR : 86

Date: 30 / 12 / 2023 12:55:24 PM METS: 1.0/ 86 bpm 45% of THR BP: 130/84 mmHg Combined Modemul/ BLC On/ Natch On/ HF: 0.05 Hz/ F: 100 Hz

4X 80 ms Peak J

ExTime: 06:17 0.0 mch. 0.0%  
25 mm/Sec. 1.5 Cm/mV



REMARKS: I II aVR aVL aVF V1 V2 V3 V4 V5 V6




3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / HR : 88

Date: 30 / 12 / 2023 12:55:24 PM METS: 1.0/ 88 bpm 46% of THR BP: 130/84 mmHg Combined Minservu BLC QW Natchi QW HF 0.05 Hz/LF 100 Hz

4X 80 ms Post J

EXTIME: 06:17 0.0 mV 0.0% 25 mm/Sec 1.0 Cm/mV



REMARKS:





3065 / MRS. KIRAN / 28 Yrs / F / 0 Cms / 0 Kg / HR : 62

Date: 30 / 12 / 2023 12:55:24 PM

I

II

III

aVR

aVL

aVF

V1

V2

V3

V4

V5

V6

**Supine**

(1) 0:00  
(2) 0:00  
65 bpm



**Standing**

(1) 0:00  
(2) 0:00  
62 bpm




**HV**

(1) 0:00  
(2) 0:00  
62 bpm



**Warm Up**

(1) 0:00  
(2) 0:00  
62 bpm



**ExStart**

(1) 0:00  
(2) 0:00  
68 bpm



**Stage 1**


(1) 0:00  
(2) 0:00  
128 bpm







Date: 30 / 12 / 2023 12:55:24 PM I II III aVR aVL aVF V1 V2 V3 V4 V5 V6





# Dr. Goyal's

## Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sangarner Road,  
Sodala, Jaipur-302019  
Tele : 0141-2293346, 4049787, 9887049787  
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 30/12/2023 10:06:55

Patient ID :-12235026

NAME :- Mrs. KIRAN

Ref. By Dr:- BOB

Sex / Age :- Female 28 Yrs 11 Mon 29 Days

Lab/Hosp :-

Company :- Med/Wheel



Sample Type :- EDTA

Sample Collected Time 30/12/2023 10:16:41

Final Authentication : 30/12/2023 13:24:06

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
<b>HAEMOGARAM</b>			
HAEMOGLOBIN (Hb)	13.0	g/dL	12.0 - 15.0
TOTAL LEUCOCYTE COUNT	8.16	/cumm	4.00 - 10.00
<b>DIFFERENTIAL LEUCOCYTE COUNT</b>			
NEUTROPHIL	50.7	%	40.0 - 80.0
LYMPHOCYTE	44.1 H	%	20.0 - 40.0
EOSINOPHIL	2.0	%	1.0 - 6.0
MONOCYTE	3.0	%	2.0 - 10.0
BASOPHIL	0.2	%	0.0 - 2.0
NEUT#	4.14	10 <sup>3</sup> /uL	1.50 - 7.00
LYMPH#	3.60	10 <sup>3</sup> /uL	1.00 - 3.70
EO#	0.16	10 <sup>3</sup> /uL	0.00 - 0.40
MONO#	0.24	10 <sup>3</sup> /uL	0.00 - 0.70
BASO#	0.02	10 <sup>3</sup> /uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	4.49	x10 <sup>6</sup> /uL	3.80 - 4.80
HEMATOCRIT (HCT)	40.80	%	36.00 - 46.00
MEAN CORP VOLUME (MCV)	90.9	fL	83.0 - 101.0
MEAN CORP HB (MCH)	28.9	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	31.7	g/dL	31.5 - 34.5
<b>PLATELET COUNT</b>			
RDW-CV	15.3 H	%	11.6 - 14.0
MENTZER INDEX	20.24		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

AJAYSINGH  
Technologist

Page No: 2 of 12



Dr. Chandrika Gupta  
MBBS.MD ( Path )  
RMC NO. 21021/008037



# Dr. Goyal's

## Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganeer Road, 5509  
Sodala, Jaipur-302019  
Tele : 0141-2293346, 4049787, 9887049787  
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 30/12/2023 10:06:55  
**NAME :- Mrs. KIRAN**  
Sex / Age :- Female 28 Yrs 11 Mon 29 Days  
Company :- MediWheel

Patient ID :- 12235026  
Ref. By Dr:- BOB  
Lab/Hosp :-



Sample Type :- EDTA

Sample Collected Time 30/12/2023 10:16:41

Final Authentication : 30/12/2023 13:24:06

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
<b>BOB PACKAGE FEMALE BELOW 40</b>			
<b>GLYCOSYLATED HEMOGLOBIN (HbA1C)</b> Method:- HPLC	<b>6.4</b>	H %	Non-diabetic: < 5.7 Pre-diabetics: 5.7-6.4 Diabetics: = 6.5 or higher ADA Target: 7.0 Action suggested: > 6.5
Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.			
<b>Test Interpretation:</b> HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable Schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycosylated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose over the period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasma glucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHb depends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to the mean of HbA1C. Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1c measurements. The effects vary depending on the specific Hb variant or derivative and the specific HbA1c method.			
<b>MEAN PLASMA GLUCOSE</b> Method:- Calculated Parameter	<b>137</b>	H mg/dL	Non Diabetic < 100 mg/dL Prediabetic 100- 125 mg/dL Diabetic 126 mg/dL or Higher

AJAYSINGH  
Technologist

Page No: 1 of 12



**Dr. Chandrika Gupta**  
MBBS, MD ( Path )  
RMC NO. 21021/008037



# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 30/12/2023 10:06:55

Patient ID :-12235026

NAME :- Mrs. KIRAN

Ref. By Dr:- BOB

Sex / Age :- Female 28 Yrs 11 Mon 29 Days

Lab/Hosp :-

Company :- MediWheel



Sample Type :- EDTA

Sample Collected Time 30/12/2023 10:16:41

Final Authentication : 30/12/2023 13:24:06

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

Erythrocyte Sedimentation Rate (ESR)

31 H

mm/hr.

00 - 20

(ESR) Methodology : Measurement of ESR by cells aggregation.

Instrument Name : Independent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator of inflammatory disease and abnormal protein states.

The test is used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction

Levels are higher in pregnancy due to hyperfibrinogenemia.

The "3-figure ESR" >100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia

(CBC); Methodology: TLC, DLC, Fluorescent Flow cytometry, HB SLS method, TRBC, PCV, PLT Hydrodynamically focused impedance. and

MCH, MCV, MCHC, MENTZER INDEX are calculated. Instrument Name: Sysmex 6 part fully automatic analyzer XN-L, Japan

AJAYSINGH  
Technologist

Page No: 3 of 12



Dr. Chandrika Gupta  
MBBS.MD ( Path )  
RMC NO. 21021/008037



# Dr. Goyal's

## Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganeer Road, 5509

Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 30/12/2023 10:06:55

Patient ID :-12235026

NAME :- Mrs. KIRAN

Ref. By Dr:- BOB

Sex / Age :- Female 28 Yrs 11 Mon 29 Days

Lab/Hosp :-

Company :- MediWheel



Sample Type :- PLAIN/SERUM

Sample Collected Time 30/12/2023 10:16:41

Final Authentication : 30/12/2023 11:46:37

### BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
<b>LIPID PROFILE</b>			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	226.64 H	mg/dl	Desirable <200 Borderline 200-239 High > 240
TRIGLYCERIDES Method:- GPO-PAP	102.63	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	41.76	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	167.77 H	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
VLDL CHOLESTEROL Method:- Calculated	20.53	mg/dl	0.00 - 80.00
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	5.43 H		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	4.02 H		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	634.55	mg/dl	400.00 - 1000.00
TOTAL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatment of lipid lipoprotein metabolism disorders.			
TRIGLYCERIDES InstrumentName:Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of disease involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.			
DIRECT HDL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.			
DIRECT LDL-CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.			
TOTAL LIPID AND VLDL ARE CALCULATED			

SURENDRAKHANGA

Page No: 4 of 12



Dr. Chandrika Gupta  
MBBS.MD ( Path )  
RMC NO. 21021/008037



# Dr. Goyal's

## Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road, ME-5509  
 Sodala, Jaipur-302019  
 Tele : 0141-2293346, 4049787, 9887049787  
 Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 30/12/2023 10:06:55  
**NAME :- Mrs. KIRAN**  
 Sex / Age :- Female 28 Yrs 11 Mon 29 Days  
 Company :- MediWHEEL

Patient ID :- 12235026  
 Ref. By Dr:- BOB  
 Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 30/12/2023 10:16:41

Final Authentication : 30/12/2023 11:46:37

### BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
<b>LIVER PROFILE WITH GGT</b>			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.42	mg/dl	Up to - 1.0 Cord blood <2 Premature < 6 days <16 Full-term < 6 days= 12 1month - <12 months <2 1-19 years <1.5 Adult - Up to - 1.2 Ref-(ACCP 2020)
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.11	mg/dL	Adult - Up to 0.25 Newborn - <0.6 >- 1 month - <0.2
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.31	mg/dl	0.30-0.70
SGOT Method:- IFCC	26.0	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	29.8	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMP Buffer	92.70	IU/L	30.00 - 120.00
SERUM GAMMA GT Method:- IFCC	70.20 H	U/L	7.00 - 32.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	7.41	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.54	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	2.87	gm/dl	2.20 - 3.50
A/G RATIO	1.58		1.30 - 2.50

**Total Bilirubin Methodology:** Colorimetric method Instrument Name Randox Rx Inova Interpretation An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in those incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

**AST Aspartate Aminotransferase Methodology:** IFCC Instrument Name Randox Rx Inova Interpretation Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

**ALT Alanine Aminotransferase Methodology:** IFCC Instrument Name Randox Rx Inova Interpretation The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminase can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage.

**Alkaline Phosphatase Methodology:** AMP Buffer Instrument Name Randox Rx Inova Interpretation Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobiliary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

**TOTAL PROTEIN Methodology:** Biuret Reagent Instrument Name Randox Rx Inova Interpretation Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

**ALBUMIN (ALB) Methodology:** Bromocresol Green Instrument Name Randox Rx Inova Interpretation Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

**Instrument Name:** Randox Rx Inova Interpretation Elevations in GGT levels occur earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal levels in intra- or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 3 times normal)

SURENDRAKHANGA

Page No: 5 of 12



**Dr. Chandrika Gupta**  
 MBBS,MD ( Path )  
 RMC NO. 21021/008037



# Dr. Goyal's

## Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road, Jaipur-302019  
Tele : 0141-2293346, 4049787, 9887049787  
Website: www.drgoyalspathlab.com | E-mail: drgoyalplyush@gmail.com

Date :- 30/12/2023 10:06:55

Patient ID :-12235026

NAME :- Mrs. KIRAN

Ref. By Dr:- BOB

Sex / Age :- Female 28 Yrs 11 Mon 29 Days

Lab/Hosp :-

Company :- MediWheel



Sample Type -> PLAIN/SERUM

Sample Collected Time 30/12/2023 10:16:41

Final Authentication : 30/12/2023 11:28:20

### IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

#### TOTAL THYROID PROFILE

SERUM TOTAL T3

1.870 H ng/ml

0.970 - 1.690

Method:- Chemiluminescence(Competitive immunoassay)

SERUM TOTAL T4

13.500 H ug/dl

5.500 - 11.000

Method:- Chemiluminescence(Competitive immunoassay)

SERUM TSH ULTRA

0.188 L  $\mu$ IU/mL

0.350 - 5.500

Method:- Enhanced Chemiluminescence Immunoassay

**Interpretation:** Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

**Interpretation:** The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

**Interpretation:** TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

#### INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN $\mu$ IU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

MUKESH SINGH  
Technologist

Page No: 6 of 12



Dr. Chandrika Gupta  
MBBS.MD ( Path )  
RMC NO. 21021/008037



# Dr. Goyal's

## Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganeer Road, 5509  
Sodala, Jaipur-302019  
Tele : 0141-2293346, 4049787, 9887049787  
Website: www.drgoalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 30/12/2023 10:06:55

Patient ID :- 12235026

NAME :- Mrs. KIRAN

Ref. By Dr:- BOB

Sex / Age :- Female 28 Yrs 11 Mon 29 Days

Lab/Hosp :-

Company :- MediWheel



Sample Type :- URINE

Sample Collected Time 30/12/2023 10:16:41

Final Authentication : 30/12/2023 13:21:37

### CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
<b>Urine Routine</b>			
<b>PHYSICAL EXAMINATION</b>			
COLOUR	PALE YELLOW		PALE YELLOW
APPEARANCE	Clear		Clear
<b>CHEMICAL EXAMINATION</b>			
REACTION(PH) Method:- Reagent Strip(Double indication blue reaction)	6.5		5.0 - 7.5
SPECIFIC GRAVITY Method:- Reagent Strip(bromthymol blue)	1.025		1.010 - 1.030
PROTEIN Method:- Reagent Strip (Sulphosalicylic acid test)	NIL		NIL
GLUCOSE Method:- Reagent Strip (Glu.Oxidase Peroxidase Benedict)	NIL		NIL
BILIRUBIN Method:- Reagent Strip (Azo-coupling reaction)	NEGATIVE		NEGATIVE
UROBILINOGEN Method:- Reagent Strip (Modified ehrlich reaction)	NORMAL		NORMAL
KETONES Method:- Reagent Strip (Sodium Nitroprusside) Rothers's	NEGATIVE		NEGATIVE
NITRITE Method:- Reagent Strip (Diazotization reaction)	NEGATIVE		NEGATIVE
<b>MICROSCOPY EXAMINATION</b>			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS	2-3	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		ABSENT

VIJENDRAMEENA  
Technologist

Page No: 7 of 12



Dr. Chandrika Gupta  
MBBS.MD ( Path )  
RMC NO. 21021/008037



# Dr. Goyal's

## Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganeer Road, 5509  
Sodala, Jaipur-302019  
Tele : 0141-2293346, 4049787, 9887049787  
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 30/12/2023 10:06:55 Patient ID :-12235026  
NAME :- Mrs. KIRAN Ref. By Dr:- BOB  
Sex / Age :- Female 28 Yrs 11 Mon 29 Days Lab/Hosp :-  
Company :- MediWheel



Sample Type :- KOx/Na FLUORIDE-F, KOx/Na FLUORIDE-F, BUN, SERUM, 30/12/2023 15:30:39

Final Authentication : 30/12/2023 16:15:32

### BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
FASTING BLOOD SUGAR (Plasma) Method:- GOD PAP	96.4	mg/dl	75.0 - 115.0
Impaired glucose tolerance (IGT)	111 - 125 mg/dL		
Diabetes Mellitus (DM)	> 126 mg/dL		

**Instrument Name:** Randox Rx Imola **Interpretation:** Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

BLOOD SUGAR PP (Plasma) 126.5 mg/dl 70.0 - 140.0  
Method:- GOD PAP

**Instrument Name:** Randox Rx Imola **Interpretation:** Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

SERUM CREATININE 0.83 mg/dl Men - 0.6-1.30  
Method:- Colorimetric Method Women - 0.5-1.20  
SERUM URIC ACID 5.44 mg/dl Men - 3.4-7.0  
Method:- Enzymatic colorimetric Women - 2.4-5.7

AJAYSINGH, SURENDRAKHANGA

Page No: 9 of 12



**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828  
**Dr. Chandrika Gupta**



# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganeer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 30/12/2023 10:06:55

Patient ID :-12235026

**NAME :- Mrs. KIRAN**

Ref. By Dr:- BOB

Sex / Age :- Female 28 Yrs 11 Mon 29 Days

Lab/Hosp :-

Company :- MediWheel



Sample Type :- EDTA, URINE, URINE-PP

Sample Collected Time 30/12/2023 10:16:41

Final Authentication : 30/12/2023 16:50:41

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BLOOD GROUP ABO	"AB" POSITIVE		
BLOOD GROUP ABO Methodology : Haemagglutination reaction Kit Name : Monoclonal agglutinating antibodies (Span clone).			
URINE SUGAR (FASTING) Collected Sample Received	Nil		Nil
URINE SUGAR PP Collected Sample Received	Nil		Nil

AJAYSINGH, MANOJCHOUDHARY, VIJENDRAMEENA  
Technologist

Page No: 11 of 12



**Dr. Chandrika Gupta**  
MBBS.MD ( Path )  
RMC NO. 21021/008037



# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9867049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 30/12/2023 10:06:55

Patient ID :-12235026



**NAME :- Mrs. KIRAN**

Ref. By Dr:- BOB

Sex / Age :- Female 28 Yrs 11 Mon 29 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 30/12/2023 10:16:41

Final Authentication : 30/12/2023 11:46:37

### BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
BLOOD UREA NITROGEN (BUN)	9.8	mg/dl	0.0 - 23.0

\*\*\* End of Report \*\*\*

SURENDRAXHANGA

Page No: 12 of 12



**Dr. Chandrika Gupta**  
MBBS,MD ( Path )  
RMC NO. 21021/008037



# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road, Jaipur  
Tele : 0141-2293346, 4049787, 9887049787  
Website : www.drgoyalpathlab.com E-mail : drgoyalpiyush@gmail.com



Date :- 30/12/2023 10:06:55  
NAME :- Mrs. KIRAN  
Sex / Age :- Female 28 Yrs 11 Mon 29 Days  
Company :- MediWheel

Patient ID :- 12235026  
Ref. By Doctor :- BOB  
Lab/Hosp :-

Final Authentication : 30/12/2023 12:43:55

BOB PACKAGEFEMALE BELOW 40

### X RAY CHEST PA VIEW:

Both lung fields appears clear.  
Bronchovascular markings appear normal.  
Trachea is in midline.  
Both the hilar shadows are normal.  
Both the C.P. angles is clear.  
Both the domes of diaphragm are normally placed.  
Bony cage and soft tissue shadows are normal.  
Heart shadows appear normal.

**Impression :- Normal Study**

(Please correlate clinically and with relevant further investigations)

Dr. NAVNEET AGARWAL (MD, DNB RADIO-DIAGNOSIS, MNAMS)  
EX-SR NEURO-RADIOLOGY AIIMS NEW DELHI  
(RMC No. 33613 / 14911)

\*\*\* End of Report \*\*\*

Page No: 1 of 1

**Dr. Piyush Goyal**  
(D.M.R.D.) BILAL

Transcript by.



Dr. Piyush Goyal  
M.B.B.S., D.M.R.D.  
RMC Reg No. 017996

Dr. Ashish Goyal  
MBBS, MD (Radio Diagnosis)  
Fetal Medicine Consultant  
FMF ID - 260517 | RMC No 22430

Dr. Abhishek Jain  
MBBS, DNB, (Radio-Diagnosis)  
RMC No. 21687

Dr. Navneet Agarwal  
MD, DNB (Radio Diagnosis)  
RMC No. 33613/14911

Dr. Poorvi Malik  
MBBS, MD, DNB (Radio Diagnosis)  
RMC No. 21505





Date :- 30/12/2023 10:06:55

NAME :- Mrs. KIRAN

Sex / Age :- Female 28 Yrs 11 Mon 29 Days

Company :- MediWheel

Patient ID :- 12235026

Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication : 30/12/2023 11:39:53

BOB PACKAGEFEMALE BELOW 40

### ULTRA SOUND SCAN OF ABDOMEN

**Liver** is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

**Gall bladder** is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

**Pancreas** is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

**Spleen** is of normal size and shape. Echotexture is normal. No focal lesion is seen.

**Kidneys** are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

**Urinary Bladder:** is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

**Uterus** is anteverted and normal in size and measures 76x40x34 mm .  
Myometrium shows normal echo - pattern. No focal space occupying lesion is seen.  
Endometrial echo is normal. Endometrial thickness is 5.4mm.

**Both ovaries** are visualised and are normal. No adnexal mass is seen.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified.  
No significant free fluid is seen in pouch of douglas.

#### **IMPRESSION:**

**Normal Study.**

**Needs clinical correlation & further evaluation**

\*\*\* End of Report \*\*\*

ANITASHARMA

Page No: 1 of 1

Transcript by.

Dr. Piyush Goyal  
M.B.B.S., D.M.R.D.  
RMC Reg. No. 017996

Dr. Ashish Choudhary  
MBBS, MD (Radio Diagnosis)  
Fetal Medicine Consultant  
FMC ID - 260517 | RMC No 22430

Dr. Abhishek Jain  
MBBS, DNB, (Radio-Diagnosis)  
RMC No. 21687

Dr. Navneet Agarwal  
MD, DNB (Radio Diagnosis)  
RMC No. 33613/14811

Dr. Poorvi Malik  
MBBS, MD, DNB (Radio Diagnosis)  
RMC No. 21505



# Dr Goyal's Path Lab, Jaipur

Name : KIRAN

30 Dec 2023

