

Name : Mrs. PUSHPA  
PID No. : MED121471332 Register On : 11/11/2022 9:54 AM  
SID No. : 522228320 Collection On : 11/11/2022 10:47 AM  
Age / Sex : 41 Year(s) / Female Report On : 11/11/2022 2:50 PM  
Type : OP Printed On : 14/11/2022 10:19 AM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**HAEMATOLOGY**

**Complete Blood Count With - ESR**

Haemoglobin (EDTA Blood/Spectrophotometry)	8.7	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	29.2	%	37 - 47
RBC Count (EDTA Blood)	3.84	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	76.2	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	22.8	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	29.9	g/dL	32 - 36
RDW-CV	22.5	%	11.5 - 16.0
RDW-SD	60.01	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	4000	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	58.2	%	40 - 75
Lymphocytes (Blood)	33.0	%	20 - 45
Eosinophils (Blood)	1.0	%	01 - 06
Monocytes (Blood)	7.4	%	01 - 10

  
Dr Anusha.K.S  
Sr.Consultant Pathologist  
Reg No : 100674  
APPROVED BY

Name : Mrs. PUSHPA  
PID No. : MED121471332 Register On : 11/11/2022 9:54 AM  
SID No. : 522228320 Collection On : 11/11/2022 10:47 AM  
Age / Sex : 41 Year(s) / Female Report On : 11/11/2022 2:50 PM  
Type : OP Printed On : 14/11/2022 10:19 AM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Basophils (Blood)	0.4	%	00 - 02
<b>INTERPRETATION:</b> Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (EDTA Blood)	2.33	10 <sup>3</sup> / $\mu$ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	<b>1.32</b>	10 <sup>3</sup> / $\mu$ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	<b>0.04</b>	10 <sup>3</sup> / $\mu$ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.30	10 <sup>3</sup> / $\mu$ l	< 1.0
Absolute Basophil count (EDTA Blood)	0.02	10 <sup>3</sup> / $\mu$ l	< 0.2
Platelet Count (EDTA Blood)	295	10 <sup>3</sup> / $\mu$ l	150 - 450
MPV (Blood)	<b>7.8</b>	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	0.23	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrate Blood)	11	mm/hr	< 20

  
Dr Anusha.K.S  
Sr.Consultant Pathologist  
Reg No : 100674

APPROVED BY

**Name** : Mrs. PUSHPA  
**PID No.** : MED121471332      **Register On** : 11/11/2022 9:54 AM  
**SID No.** : 522228320      **Collection On** : 11/11/2022 10:47 AM  
**Age / Sex** : 41 Year(s) / Female      **Report On** : 11/11/2022 2:50 PM  
**Type** : OP      **Printed On** : 14/11/2022 10:19 AM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

## **BIOCHEMISTRY**

### **Liver Function Test**

Bilirubin(Total) (Serum/DCA with ATCS)	0.47	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.20	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.27	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	15.51	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	9.80	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	6.35	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	76.0	U/L	42 - 98
Total Protein (Serum/Biuret)	6.81	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	3.84	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.97	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.29		1.1 - 2.2



APPROVED BY

**Name** : Mrs. PUSHPA  
**PID No.** : MED121471332      **Register On** : 11/11/2022 9:54 AM  
**SID No.** : 522228320      **Collection On** : 11/11/2022 10:47 AM  
**Age / Sex** : 41 Year(s) / Female      **Report On** : 11/11/2022 2:50 PM  
**Type** : OP      **Printed On** : 14/11/2022 10:19 AM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>Lipid Profile</u></b>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	129.12	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	51.21	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the usual circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	<b>48.14</b>	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	70.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	10.2	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	81.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



APPROVED BY

**Name** : Mrs. PUSHPA  
**PID No.** : MED121471332      **Register On** : 11/11/2022 9:54 AM  
**SID No.** : 522228320      **Collection On** : 11/11/2022 10:47 AM  
**Age / Sex** : 41 Year(s) / Female      **Report On** : 11/11/2022 2:50 PM  
**Type** : OP      **Printed On** : 14/11/2022 10:19 AM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b>INTERPRETATION:</b> 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.			
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	2.7		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	1.1		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	1.5		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



APPROVED BY

**Name** : Mrs. PUSHPA  
**PID No.** : MED121471332      **Register On** : 11/11/2022 9:54 AM  
**SID No.** : 522228320      **Collection On** : 11/11/2022 10:47 AM  
**Age / Sex** : 41 Year(s) / Female      **Report On** : 11/11/2022 2:50 PM  
**Type** : OP      **Printed On** : 14/11/2022 10:19 AM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>Glycosylated Haemoglobin (HbA1c)</u></b>			
HbA1C (Whole Blood/HPLC)	5.3	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

**INTERPRETATION:** If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

Estimated Average Glucose (Whole Blood)	105.41	mg/dL
--	--------	-------

**INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



APPROVED BY

Name : Mrs. PUSHPA  
PID No. : MED121471332 Register On : 11/11/2022 9:54 AM  
SID No. : 522228320 Collection On : 11/11/2022 10:47 AM  
Age / Sex : 41 Year(s) / Female Report On : 11/11/2022 2:50 PM  
Type : OP Printed On : 14/11/2022 10:19 AM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

## IMMUNOASSAY

### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/ECLIA)	1.12	ng/ml	0.7 - 2.04
--	------	-------	------------

**INTERPRETATION:**

**Comment :**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total (Serum/ECLIA)	8.87	µg/dl	4.2 - 12.0
--	------	-------	------------

**INTERPRETATION:**

**Comment :**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	2.54	µIU/mL	0.35 - 5.50
--	------	--------	-------------

**INTERPRETATION:**

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

**Comment :**

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&amplt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

  
Dr Anusha.K.S  
Sr.Consultant Pathologist  
Reg No : 100674  
APPROVED BY

**Name** : Mrs. PUSHPA  
**PID No.** : MED121471332      **Register On** : 11/11/2022 9:54 AM  
**SID No.** : 522228320      **Collection On** : 11/11/2022 10:47 AM  
**Age / Sex** : 41 Year(s) / Female      **Report On** : 11/11/2022 2:50 PM  
**Type** : OP      **Printed On** : 14/11/2022 10:19 AM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**CLINICAL PATHOLOGY**

**PHYSICAL EXAMINATION (URINE COMPLETE)**

Colour (Urine)	Pale yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	20		

**CHEMICAL EXAMINATION (URINE COMPLETE)**

pH (Urine)	5.0		4.5 - 8.0
Specific Gravity (Urine)	1.010		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative

  
**Dr Anusha.K.S**  
 Sr.Consultant Pathologist  
 Reg No : 100674

**APPROVED BY**



Name : Mrs. PUSHPA  
PID No. : MED121471332 Register On : 11/11/2022 9:54 AM  
SID No. : 522228320 Collection On : 11/11/2022 10:47 AM  
Age / Sex : 41 Year(s) / Female Report On : 11/11/2022 2:50 PM  
Type : OP Printed On : 14/11/2022 10:19 AM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
<b><u>MICROSCOPIC EXAMINATION</u></b> <b><u>(URINE COMPLETE)</u></b>			
Pus Cells (Urine)	<b>0-1</b>	/hpf	NIL
Epithelial Cells (Urine)	<b>0-2</b>	/hpf	NIL
RBCs (Urine)	<b>0-2</b>	/HPF	NIL
Others (Urine)	NIL		

**INTERPRETATION:**Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

  
Dr Anusha.K.S  
Sr.Consultant Pathologist  
Reg No : 100674  
**APPROVED BY**

Name : Mrs. PUSHPA  
PID No. : MED121471332 Register On : 11/11/2022 9:54 AM  
SID No. : 522228320 Collection On : 11/11/2022 10:47 AM  
Age / Sex : 41 Year(s) / Female Report On : 11/11/2022 2:50 PM  
Type : OP Printed On : 14/11/2022 10:19 AM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)	'O' Positive'		
--	---------------	--	--

**INTERPRETATION:**Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

  
Dr Anusha.K.S  
Sr.Consultant Pathologist  
Reg No : 100674  
APPROVED BY

**Name** : Mrs. PUSHPA  
**PID No.** : MED121471332      **Register On** : 11/11/2022 9:54 AM  
**SID No.** : 522228320      **Collection On** : 11/11/2022 10:47 AM  
**Age / Sex** : 41 Year(s) / Female      **Report On** : 11/11/2022 2:50 PM  
**Type** : OP      **Printed On** : 14/11/2022 10:19 AM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>BIOCHEMISTRY</u></b>			
BUN / Creatinine Ratio	7.5		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	86.28	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	83.35	mg/dL	70 - 140

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	4.8	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.64	mg/dL	0.6 - 1.1

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic)	2.67	mg/dL	2.6 - 6.0
--------------------------------	------	-------	-----------



APPROVED BY

-- End of Report --




41 Years

Female

Normal sinus rhythm  
Normal ECG

Technician:  
Ordering Ph:  
Referring Ph:  
Attending Ph:

QRS	76 ms
QT / QTcBaz	374 / 420 ms
PR	122 ms
P	68 ms
RR / PP	794 / 789 ms
P / QRS / T	40 / 65 / 43 degrees



Unconfirmed



Name	MRS.PUSHPA	ID	MED121471332
Age & Gender	41Y/FEMALE	Visit Date	11 Nov 2022
Ref Doctor Name	MediWheel		

**X-ray mammogram (mediolateral oblique & craniocaudal views) followed by Sonomammography.**

**BILATERAL MAMMOGRAPHY**

Breast composition Type B (These are scattered areas of fibroglandular density).

No evidence of focal soft tissue lesion.

No evidence of cluster microcalcification.

Subcutaneous fat deposition is within normal limits.

**BILATERAL SONOMAMMOGRAPHY**

Bilateral inversion of nipples are noted.

Both the breasts show normal echopattern.

No evidence of focal solid / cystic areas.

No evidence of ductal dilatation.

Bilateral benign axillary lymphnodes are noted with preserved fatty hilum.

**IMPRESSION:**

- **No breast lesions.**
- **Bilateral benign axillary lymph nodes.**

**ASSESSMENT: BI-RADS CATEGORY -2**

**BI-RADS CLASSIFICATION**

**CATEGORY RESULT**

2                                      Benign finding. Routine mammogram in 1 year recommended.

**DR. HEMANANDINI V.N**  
**CONSULTANT RADIOLOGIST**  
Hn/mj

Name	MRS.PUSHPA	ID	MED121471332
Age & Gender	41Y/FEMALE	Visit Date	11 Nov 2022
Ref Doctor Name	MediWheel		

Name	MRS.PUSHPA	ID	MED121471332
Age & Gender	41Y/FEMALE	Visit Date	11 Nov 2022
Ref Doctor Name	MediWheel		

### ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** shows two calculi measuring 6.2 and 5 mm. No pericholecystic fluid. CBD measures 4.5 mm.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** show normal shape, size and echopattern.

No demonstrable Para-aortic lymphadenopathy.

#### **KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cm)	Parenchymal thickness (cm)
Right Kidney	10.3	1.1
Left Kidney	9.6	1.4

**URINARY BLADDER** show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**UTERUS** is anteverted and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness - 5.0 mm.

Uterus measures LS: 6.6 cm      AP: 3.9 cm      TS: 4.7 cm.

Right ovary is obscured.

Left ovary is normal in size, shape and echotexture. It measures 2.4 x 2.1 cm.

POD & adnexa are free.

No evidence of ascites.

#### **IMPRESSION:**

- **Cholelithiasis.**
- **No other significant abnormality detected.**

Name	MRS.PUSHPA	ID	MED121471332
Age & Gender	41Y/FEMALE	Visit Date	11 Nov 2022
Ref Doctor Name	MediWheel		

**DR. HEMANANDINI V.N**  
**CONSULTANT RADIOLOGIST**  
Hn/mj



Name	MRS.PUSHPA	ID	MED121471332
Age & Gender	41Y/FEMALE	Visit Date	11 Nov 2022
Ref Doctor Name	MediWheel		

## 2D ECHOCARDIOGRAPHIC STUDY

### M-mode measurement:

AORTA	:	2.82	cms.
LEFT ATRIUM	:	2.51	cms.
AVS	:	1.47	cms.
<b>LEFT VENTRICLE</b>			
(DIASTOLE)	:	4.05	cms.
(SYSTOLE)	:	2.62	cms.
<b>VENTRICULAR SEPTUM</b>	:		
(DIASTOLE)	:	0.77	cms.
(SYSTOLE)	:	1.00	cms.
<b>POSTERIOR WALL</b>	:		
(DIASTOLE)	:	1.08	cms.
(SYSTOLE)	:	1.08	cms.
EDV	:	72	ml.
ESV	:	25	ml.
FRACTIONAL SHORTENING	:	36	%
EJECTION FRACTION	:	60	%
EPSS	:	---	cms.
RVID	:	1.80	cms.

### DOPPLER MEASUREMENTS:

MITRAL VALVE:	E - 0.8 m/s	A -0.6 m/s	NO MR.
AORTIC VALVE:	1.1m/s		NO AR.
TRICUSPID VALVE:	E - 0.4 m/s	A - 0.3 m/s	NO TR.
PULMONARY VALVE:	0.8m/s		NO PR.

Name	MRS.PUSHPA	ID	MED121471332
Age & Gender	41Y/FEMALE	Visit Date	11 Nov 2022
Ref Doctor Name	MediWheel		

**2D ECHOCARDIOGRAPHY FINDINGS:**

Left Ventricle : Normal size, Normal systolic function.  
: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal. Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

**IMPRESSION:**

- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.**
- **NO REGIONAL WALL MOTION ABNORMALITIES. .**
- **NORMAL VALVES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

Name	MRS.PUSHPA	ID	MED121471332
Age & Gender	41Y/FEMALE	Visit Date	11 Nov 2022
Ref Doctor Name	MediWheel		

**DR. YASHODA RAVI**

**CONSULTANT CARDIOLOGIST**

Name	PUSHPA	Customer ID	MED121471332
Age & Gender	41Y/F	Visit Date	Nov 11 2022 9:57AM
Ref Doctor	MediWheel		

**X - RAY CHEST PA VIEW**

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

**IMPRESSION:**

- No significant abnormality detected.



**DR. HEMANANDHINI**  
**CONSULTANT RADIOLOGIST**