

Name : MRS.NEHA SAMAIYA

Age / Gender : 33 Years / Female

Consulting Dr. : -

**Reg. Location**: Bhayander East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected : 16-Aug-2022 / 10:47

**Reported** :16-Aug-2022 / 15:06

## **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**

CBC (Complete Blood Count), Blood						
PARAMETER RESULTS		<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>			
RBC PARAMETERS						
Haemoglobin	11.5	12.0-15.0 g/dL	Spectrophotometric			
RBC	4.22	3.8-4.8 mil/cmm	Elect. Impedance			
PCV	34.9	36-46 %	Measured			
MCV	83	80-100 fl	Calculated			
MCH	27.3	27-32 pg	Calculated			
MCHC	32.9	31.5-34.5 g/dL	Calculated			
RDW	16.0	11.6-14.0 %	Calculated			
WBC PARAMETERS						
WBC Total Count	7820	4000-10000 /cmm	Elect. Impedance			
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS					
Lymphocytes	21.5	20-40 %				
Absolute Lymphocytes	1681.3	1000-3000 /cmm	Calculated			
Monocytes	9.8	2-10 %				
Absolute Monocytes	766.4	200-1000 /cmm	Calculated			
Neutrophils	67.2	40-80 %				
Absolute Neutrophils	5255.0	2000-7000 /cmm	Calculated			

1-6 %

0.1-2 %

20-500 /cmm

20-100 /cmm

WBC Differential Count by Absorbance & Impedance method/Microscopy.

1.4

0.1

7.8

109.5

### **PLATELET PARAMETERS**

Eosinophils

Basophils

Absolute Eosinophils

Absolute Basophils

Immature Leukocytes

Page 1 of 13

Calculated

Calculated

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.NEHA SAMAIYA

Age / Gender : 33 Years / Female

Consulting Dr. : -

**Reg. Location**: Bhayander East (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 16-Aug-2022 / 10:47

**Reported** :16-Aug-2022 / 14:03

Platelet Count	304000	150000-400000 /cmm	Elect. Impedance
MPV	7.2	6-11 fl	Calculated
PDW	11.4	11-18 %	Calculated

### **RBC MORPHOLOGY**

Hypochromia -

Microcytosis -

Macrocytosis -

Anisocytosis Mild Poikilocytosis Mild

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others -

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB 13 2-20 mm at 1 hr. Westergren

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
\*\*\* End Of Report \*\*\*









Page 2 of 13

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.NEHA SAMAIYA

Age / Gender : 33 Years / Female

Consulting Dr. :

Reg. Location

: Bhayander East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 16-Aug-2022 / 10:47

**Reported** :16-Aug-2022 / 14:20

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

PARAMETER	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	88.2	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	106.5	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.35	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.15	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.20	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
SGOT (AST), Serum	21.2	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	17.7	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	7.7	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	71.7	35-105 U/L	Colorimetric
BLOOD UREA, Serum	6.8	12.8-42.8 mg/dl	Kinetic

Page 3 of 13

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



CID : 2222803736

Name : MRS.NEHA SAMAIYA

: 33 Years / Female Age / Gender

Consulting Dr.

Reg. Location

BUN, Serum

eGFR, Serum

: Bhayander East (Main Centre)

3.2

0.69

104

4.6

Collected

6-20 mg/dl

0.51-0.95 mg/dl

2.4-5.7 mg/dl

Absent

Absent

>60 ml/min/1.73sqm

:16-Aug-2022 / 15:13 Reported

:16-Aug-2022 / 19:43

Use a OR Code Scanner

Application To Scan the Code

Authenticity Check

Calculated

Enzymatic Calculated

Enzymatic

Urine Sugar (Fasting) Urine Ketones (Fasting)

CREATININE, Serum

URIC ACID, Serum

Urine Sugar (PP)

Urine Ketones (PP)

Absent

Absent

Absent

Absent **Absent Absent** 







**Dr.ANUPA DIXIT** M.D.(PATH) Consultant Pathologist & Lab Director

Page 4 of 13

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*



Name : MRS.NEHA SAMAIYA

Age / Gender : 33 Years / Female

Consulting Dr. :

Reg. Location

: Bhayander East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported :16-Aug-2022 / 10:47

:16-Aug-2022 / 20:36

**HPLC** 

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

5.3

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 %

Diabetic Level: >/= 6.5 %

Estimated Average Glucose (eAG), EDTA WB - CC

105.4

mg/dl Calculated

Page 5 of 13

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.NEHA SAMAIYA

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected :16-Aug-2022 / 10:47

Reg. Location : Bhayander East (Main Centre) Reported :16-Aug-2022 / 20:36

#### Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

#### Clinical Significance:

- · HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

#### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- · Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

#### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
\*\*\* End Of Report \*\*\*







Mr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 6 of 13

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.NEHA SAMAIYA

Age / Gender : 33 Years / Female

Consulting Dr. : -

**Reg. Location**: Bhayander East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 16-Aug-2022 / 15:33

**Reported** :16-Aug-2022 / 19:40

Collected

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE EXAMINATION OF FAECES

## <u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u>

## PHYSICAL EXAMINATION

ColourBrownBrownForm and ConsistencySemi SolidSemi SolidMucusPresentAbsentBloodAbsentAbsent

### **CHEMICAL EXAMINATION**

Reaction (pH) Acidic (6.5) -

Occult Blood Trace Absent

#### **MICROSCOPIC EXAMINATION**

Protozoa Absent Absent Flagellates **Absent** Absent Ciliates Absent Absent **Parasites** Absent Absent Macrophages Absent Absent Mucus Strands Flakes +++ Absent Fat Globules Absent Absent RBC/hpf Absent Absent WBC/hpf 8-10 Absent

#### Small clumps restricted to mucus flakes.

Yeast Cells Absent Absent

Undigested Particles Present + -

Concentration Method (for ova) No ova detected Absent
Reducing Substances - Absent







Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP( Medical Services)

Page 7 of 13

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.NEHA SAMAIYA

Age / Gender : 33 Years / Female

Consulting Dr. : -

**Reg. Location**: Bhayander East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:16-Aug-2022 / 15:33

:16-Aug-2022 / 19:40

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
\*\*\* End Of Report \*\*\*

Page 8 of 13

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.NEHA SAMAIYA

Age / Gender : 33 Years / Female

Consulting Dr. : -

**Reg. Location**: Bhayander East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

Application To Scan the Code

: 16-Aug-2022 / 10:47 : 16-Aug-2022 / 17:24

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
IANAMETER	KLJOLIJ	BIOLOGICAL KEI KANGL	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
<b>CHEMICAL EXAMINATION</b>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	5-6	0-5/hpf	

Leukocytes(Pus cells)/hpf **5-6** 0-5/hpf Red Blood Cells / hpf Absent 0-2/hpf

Epithelial Cells / hpf 1-2

Casts Absent Absent Crystals Absent Absent Absent Absent Absent Absent

Bacteria / hpf + Less than 20/hpf

Others -

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
\*\*\* End Of Report \*\*\*







Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 9 of 13

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.NEHA SAMAIYA

Age / Gender : 33 Years / Female

Consulting Dr. : -

**Reg. Location**: Bhayander East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 16-Aug-2022 / 10:47

**Reported** :16-Aug-2022 / 16:40

Collected

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

#### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

#### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

#### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
\*\*\* End Of Report \*\*\*







Dr.TRUPTI SHETTY
M. D. (PATH)
Pathologist

Page 10 of 13

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID : 2222803736

Name : MRS.NEHA SAMAIYA

:33 Years / Female Age / Gender

Consulting Dr.

Reg. Location : Bhayander East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:16-Aug-2022 / 10:47

:16-Aug-2022 / 14:20

## **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE** LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	152.2	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	80.5	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	42.3	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	109.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	94.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	15.9	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.6	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.2	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
\*\*\* End Of Report \*\*\*









Page 11 of 13

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.NEHA SAMAIYA

Age / Gender : 33 Years / Female

Consulting Dr. :

Reg. Location

: Bhayander East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Application To Scan the Code: 16-Aug-2022 / 10:47

**Reported** :16-Aug-2022 / 13:48

Collected

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>
Free T3, Serum	4.2	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.4	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	4.25	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA

Page 12 of 13

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.NEHA SAMAIYA

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected :16-Aug-2022 / 10:47

Reg. Location : Bhayander East (Main Centre) Reported :16-Aug-2022 / 13:48

#### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

#### Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH. 2)TSH values may be trasie
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid, TSH receptor Antibody. Thyroglobulin, Calcitonin

#### Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

#### Reference

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
\*\*\* End Of Report \*\*\*







Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Auto

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 13 of 13

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

## SUBURBAN DIAGNOSTICS - BHAYANDER EAST




Patient Name: NEHA SAMAIYA

Patient ID:

2222803736

Date and Time: 16th Aug 22 11:10 AM



ECG Within Normal Limits: Sinus Rhythm, Normal Axis. No significant ST-T changes. Please correlate clinically.

REPORTED BY

Dr. Smita Valani

MBBS, D. Cardiology 2011/03/0587

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



CID#

: 2222803736

Name

: MRS.NEHA SAMAIYA

Age / Gender : 33 Years/Female

Consulting Dr. :-

Reg.Location : Bhayander East (Main Centre)

Collected

: 16-Aug-2022 / 09:58

Reported

: 16-Aug-2022 / 15:26

# PHYSICAL EXAMINATION REPORT

# **History and Complaints:**

No Complaint

## **EXAMINATION FINDINGS:**

Height (cms):

168

Temp (0c):

Afebrile

Blood Pressure (mm/hg): 130/80

Pulse:

75/min

Weight (kg):

69

Skin:

NAD

Nails:

NAD

0+ne 1

Lymph Node:

Not Palpable

## **Systems**

Cardiovascular: S1S2-Normal

Respiratory:

Chest-Clear

Genitourinary:

NAD

GI System:

NAD

CNS:

NAD

IMPRESSION: CBC, Gochemistry me WNL USU n'Sto. Chalelimiani and BIL PCOS.

ADVICE:

## **CHIEF COMPLAINTS:**

1) Hypertension:

No

IHD

No

3) Arrhythmia

No

4) Diabetes Mellitus

No

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

on samples received as per the sample collection guide of Suburban Diagr **7 age** 215.01 per may be rejected if unacceptable for the requested tests. (3) Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient (4) Report must not be copied in part, only in full. (5) This report is not valid for medico-legal purposes (6) Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit. (7) Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required. (8) Suburban Diagnostics is not liable for any penaltics or liabilities arising out of or relating in any way to orvices and/or content or information provided herein.(9) For the elaborated disclaimer, please turn wartha naga or vicit our wahcita

O T

R

E



CID#

: 2222803736

Name

: MRS.NEHA SAMAIYA

Age / Gender : 33 Years/Female

Consulting Dr. : -

Reg.Location : Bhayander East (Main Centre)

Collected

: 16-Aug-2022 / 09:58

T

Reported

: 16-Aug-2022 / 15:26

5)	Tuberculosis	No
6)	Asthama	No
7)	Pulmonary Disease	No
8)	Thyroid/ Endocrine disorders	No
9)	Nervous disorders	No
,	GI system	No
	Genital urinary disorder	No
12)	Rheumatic joint diseases or symptoms	No
	Blood disease or disorder	No
	Cancer/lump growth/cyst	No
	Congenital disease	No
	Surgeries	No
,	10	No
17)	Musculoskeletal System	

## **PERSONAL HISTORY:**

No 1) Alcohol No 2) Smoking Vegetalian 3) Diet No Medication 4)

DR. ANITA CHOWN RESIDENT OF RESIDENCE PROPERTY SICIAN PROPERTY

SUBURBAN DIRECTOR STICS IN PVT. LTD Shop No. 101-A. 131 Floor, Kshibi Building
Shop No. 101-A. 131 Near Thunga Hospital. Thop No. 701-R. S. Floor, Kenin Bullding Hospital.

Above Reymond, Near Rhavnader (F)

Above Rhavander Rhad Rhavnader

Mira - Rhavander Mira - Bhayander Thana Anting Thospiral.

Mira - Bhayander Thana Anting Mist Thana Anting Phone No : 022 - 61700000

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



E R T

R

Date:- 16/8/22 CID: 222803736
Name:- Ncha Samaya Sex/Age: 32/7

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

**Unaided Vision:** 

**Aided Vision:** 

Refraction:

RE CR 6/6 6/6 N/1 N/6

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Near								

Colour Vision: Normal / Abnormal

Remark:

DR. ANITA CHOUDHARY CONSULTANT TYSICIAN Reg. No. 2017/12/5553

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Name : Mrs Neha Samaiya Age / Sex : 33 Years/Female

Ref. Dr :

**Reg. Location**: Bhayander East Main Centre

Authenticity Check

R

 $\mathbf{E}$ 

P

Use a QR Code Scanner Application To Scan the Code

**Reg. Date** : 16-Aug-2022

**Reported** : 16-Aug-2022/15:16

## **USG WHOLE ABDOMEN**

### LIVER:

The liver is normal in size (13.3 cm), shape and shows smooth margins. It shows normal parenchymal echotexture. No obvious cystic or solid lesion made out in the parenchyma. The intra hepatic biliary and portal radicals appear normal. The main portal vein appears normal.

## **GALL BLADDER:**

The gall bladder is folded and physiologically distended. Neck region is not well visualised. Gall bladder wall appears normal. Multiple mobile calculi clustered together are seen in the lumen, measuring from 3.7 mm to 7.8 mm. No evidence of mass lesion seen.

## **COMMON BILE DUCT:**

The visualized common bile duct is normal in calibre. Terminal common bile duct is obscured due to bowel gas artefacts.

## **PANCREAS:**

The pancreas appears normal. No evidence of solid or cystic mass lesion seen.

## **KIDNEYS:**

Right kidney measures 9.6 x 5.0 cm. Left kidney measures 10.6 x 5.0 cm.

Both the kidneys are normal in size, shape, position and echotexture.

Corticomedullary differentiation is well maintained. Pelvicalyceal system is normal. No evidence of any calculus, hydronephrosis or mass lesion seen on both sides.

## **SPLEEN:**

The spleen is normal in size (9.2 cm) and echotexture. No evidence of focal lesion is noted.

# **URINARY BLADDER:**

The urinary bladder is well distended and reveals no intraluminal abnormality. Bladder wall appears normal. No obvious calculus or mass lesion made out in the lumen.

There is no evidence of any lymphadenopathy or ascites.

# **TERUS:**

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2022081609592702



Name : Mrs Neha Samaiya Age / Sex : 33 Years/Female

Ref. Dr :

**Reg. Location**: Bhayander East Main Centre

Authenticity Check

R

Use a QR Code Scanner Application To Scan the Code

**Reg. Date** : 16-Aug-2022

**Reported** : 16-Aug-2022/15:16

The uterus is anteverted and appears normal in size measuring 8.2 x 5.7 x 3.8 cm. Myometrium appears normal. No obvious hypo or hyperechoic mass lesion made out in the myometrium. The endometrial thickness is 4.2 mm and appears normal.

## **OVARIES:**

Right ovary: 4.0 x 1.8 x 1.8 cm, vol: 7.4 cc Left ovary: 3.6 x 1.7 x 1.7 cm, vol: 6.1 cc.

Both the ovaries are well visualised and appear normal in size, shape and position. Multiple small follicles are seen in the periphery of echogenic stroma in both ovaries.

There is no evidence of any ovarian or adnexal mass seen.

No free fluid is seen in the pouch of douglas.

### **IMPRESSION:**

- Cholelithiasis.
- Bilateral polycystic ovaries.

# Kindly correlate clinically and evaluate further.

Investigations have their limitation. Solitary pathological/Radiological & other investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms & other related tests. Please interpret accordingly.

-----End of Report-----

This report is prepared and physically checked by DR VIBHA S KAMBLE before dispatch.

DR.VIBHA S KAMBLE MBBS ,DMRD Reg No -65470 Consultant Radiologist



**CID :** 2222803736

: Mrs Neha Samaiya Name Age / Sex : 33 Years/Female

Ref. Dr

Reg. Location : Bhayander East Main Centre

Authenticity Check

R



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 16-Aug-2022

Reported : 16-Aug-2022/15:16



Name : Mrs Neha Samaiya Age / Sex : 33 Years/Female

Ref. Dr :

**Reg. Location**: Bhayander East Main Centre

Authenticity Check

R

Use a QR Code Scanner Application To Scan the Code

**Reg. Date** : 16-Aug-2022

**Reported** : 16-Aug-2022/10:49

# X-RAY CHEST PA VIEW

Positional rotation seen.

The lung fields are clear with no parenchymal lesion.

The cardiothoracic ratio is maintained and the cardiac outline is normal

The domes of the diaphragm and hila are normal.

The cardio and costophrenic angles are clear.

Bony thorax is normal.

#### **IMPRESSION:**

No significant abnormality detected.

Kindly correlate clinically.

End	of Repo	rt

This report is prepared and physically checked by DR VIBHA S KAMBLE before dispatch.

DR.VIBHA S KAMBLE MBBS ,DMRD Reg No -65470 Consultant Radiologist



**CID :** 2222803736

: Mrs Neha Samaiya Name Age / Sex : 33 Years/Female

Ref. Dr

Reg. Location : Bhayander East Main Centre

Authenticity Check

R



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 16-Aug-2022

: 16-Aug-2022/10:49 Reported