



MEDICAL EXAMINATION REPORT (MER

If the examinee is suffering from an acute life threatening situation, you may be obliged to disclose the result of the medical examination to the examinee.

medical examination	n to the examinee.				C of Helvis a	21 Personal Library	MIHORIST.
 Name of the Mark of Idea Age/Date of Photo ID Ch 	ntification : (M Birth :	/Mrs./Ms. Vole/Scar/any of Po6-1990 essport/Election	ther (specif	y location Gende)): r: F/N	Male (Company ID)	tosta? (d. Do you Ovadas
PHYSICAL DETA	AILS:						
a. Height	4 (cms) b. We	eight 90	(Kgs)	c. (Girth of Abdo	omen9.2 (cr	ns)
d. Pulse Rate		ood Pressure:				Diastolic 80	
d. I disc Itale	(11111)		st Reading		100	100	BIRGH
		mishor an ri <mark>ori</mark>	BOTTO TOP	Sent Book	ar proj vlaidin	ना-केल्ला साह जट	dian.
	sconneadabons below.	Library Marie 2	nd Reading	Darket Sales	lg aniesiąs		buoud.
FAMILY HISTO	T	T(1					
Relation	Age if Living	Health S	tatus	If dec	ceased, age a	t the time and cau	se
Father							
Mother	disconstruct transmitted	/.				For the tile of the transfer to	of the series
Brother(s)		/N	2				
Sister(s)		ins/Roign	on tol 11-12	11 10 111	ATTVOIGHI	a think he/she is N	Po you
1475 11	CTIONS: Does the exam		any of the	following		Alcohol	EDICAL
ledule statishtil	his/her identify		75.000.000.000.000				
			- 69	y knowler	m ha bead with	of Danies ban su	il ofe oro
PERSONAL HIS	TORY						
a. Are you present from any ment of No, please a	ntly in good health and er tal or Physical impairmen ttach details.	t or deformity	. exan	nined, rece		e you been medica vice or treatment of	
b. Have you undo procedure?	ergone/been advised any	surgical		e you lost	or gained we	ight in past 12 mc	onths?
Have vou ever suf	ffered from any of the fo	ollowing?					
	Disorders or any kind of	disorders of		disorder o	of Gastrointe	stinal System?	YN
the Nervous S	- [17] [2018] [18] [18] [18] [18] [18] [18] [18] [Y/N Y/N		xplained r		ersistent fever,	YN
Any Cardiac of	or Circulatory Disorders? Is or any form of Cancer/Tu	Y/N	1 6		n tested for H attach repor	IIV/HBsAg / HCV ts	Y/N)
	skeletal disorder?	Y(N	- A	you prese		nedication of any l	cind?

DDRC SRL Diagnostics Private Limited

Corp. Office: DDRC SRL Tower, G- 131, Panampilly Nagar, Ernakulam - 682 036 Ph No. 0484-2318223, 2318222, e-mail: info@ddrcsrl.com, web: www.ddrcsrl.com

 Any disorders of Urinary System? 	Y/N	 Any disorder of the Eyes, Ears, Nos Mouth & Skin 	se, Throat or
FOR FEMALE CANDIDATES ONLY NA			
a. Is there any history of diseases of breast/genital organs?	Y/N	d. Do you have any history of miscarr abortion or MTP	iage/
b. Is there any history of abnormal PAP Smear/Mammogram/USG of Pelvis or any other tests? (If yes attach reports)		e. For Parous Women, were there any during pregnancy such as gestations hypertension etc	
c. Do you suspect any disease of Uterus, Cervix or Ovaries?	Y/N	f. Are you now pregnant? If yes, how	many months? Y/N
CONFIDENTAIL COMMENTS FROM MEDICA	AI EXA	MINER	
> Was the examinee co-operative?	AL LAA	Q.D. marswig	(Y/N
➤ Is there anything about the examine's health, life	style tha	t might affect him/her in the near future	
his/her job?			Y/N
> Are there any points on which you suggest further	er inform	nation be obtained?	Y/N
Based on your clinical impression, please provide	le your si	aggestions and recommendations below	/ ;
Mes	sh'cel	consult	CROTEST INSTORT
		X = = ===	
➤ Do you think he/she is MEDICALLY FIT or UN	IFIT for 6	employment.	
	FIT		
MEDICAL EXAMINER'S DECLARATION			
	uidual af	ton conification of bin/bonidenties and d	k. C. C.
hereby confirm that I have examined the above indi- above are true and correct to the best of my knowledge		ter verification of his/her identity and ti	ne findings stated
		79.6	
Name & Signature of the Medical Examiner :	30	Control of monthly and obesit of	
Seal of Medical Examiner :		ORGE THOMAS MD, FCSI, FIAE	
		CAL EXAMINER Reg: 86614	
Name & Seel of DDBC SDI Branch		in epitically habital on, in retroter	
Name & Seal of DDRC SRL Branch :	OIL	GNOSTICS	
Date & Time :	KAD KAD	AVIL BUILDINGS 3 14 03 202	3 10 10 11 4
	115/10	/ Sim Altitude	

DDRC SRL Diagnostics Private Limited

Corp. Office: DDRC SRL Tower, G- 131, Panampilly Nagar, Ernakulam - 682 036 Ph No. 0484-2318223, 2318222, e-mail: info@ddrcsrl.com, web: www.ddrcsrl.com



Mar









CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESSY THEADE!

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131,Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA Tel: 93334 93334

Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

ACCESSION NO: 4126WC003765 AGE: 32 Years

RECEIVED: 11/03/2023 10:15

SEX: Male

ABHA NO:

PATIENT ID : VINEM1103914126

DRAWN .

REPORTED: 11/03/2023 17:05

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

CLIENT PATIENT ID :

Test Report Status

Final

Results

Units

MEDIWHEEL HEALTH CHEKUP BELOW 40(M)TMT

BUN/CREAT RATIO

BUN/CREAT RATIO

10.2

CREATININE, SERUM

CREATININE

1.07

18 - 60 yrs: 0.9 - 1.3

ma/dL

METHOD : JAFFE KINETIC METHOD

GLUCOSE, POST-PRANDIAL, PLASMA

GLUCOSE, POST-PRANDIAL, PLASMA

57

Diabetes Mellitus: > or = 200.

mg/dL

Impaired Glucose tolerance/ Prediabetes: 140 - 199. Hypoglycemia: < 55.

METHOD : HEXOKINASE

GLUCOSE FASTING, FLUORIDE PLASMA

GLUCOSE, FASTING, PLASMA

95

Diabetes Mellitus : > or = 126.

mg/dL

Impaired fasting Glucose/ Prediabetes: 101 - 125. Hypoglycemia : < 55.

METHOD : HEXOKINASE

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

GLYCOSYLATED HEMOGLOBIN (HBA1C)

Normal

: 4.0 - 5.6%. %

Non-diabetic level : < 5.7%.

Diabetic

: >6.5%

Glycemic control goal

More stringent goal : < 6.5 %. General goal : < 7%. Less stringent goal : < 8%.

Glycemic targets in CKD :-

If eGFR > 60: < 7%. If eGFR < 60: 7 - 8.5%.

MEAN PLASMA GLUCOSE

99.7

< 116.0

mg/dL

mg/dL

LIPID PROFILE, SERUM

CHOLESTEROL

METHOD : CHOD-POD

170

Desirable: < 200

Borderline: 200-239

High

: >or= 240

Scan to View Details

Page 2 Of 15

CIN: U85190MH2006PTC161480







CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS! TUCARE ITMITED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131,Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA Tel: 93334 93334

Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

PATIENT ID: VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

SEX: Male

ABHA NO :

RECEIVED: 11/03/2023 10:15

REPORTED: 11/03/2023 17:05

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Units
TRIGLYCERIDES	281	High Normal : < 150 mg/d High : 150-199 Hypertriglyceridemia : 200-499 Very High : > 499
HDL CHOLESTEROL METHOD: DIRECT ENZYME CLEARANCE	35	Low General range : 40-60 mg/d
DIRECT LDL CHOLESTEROL	99	Optimum : < 100 mg/d Above Optimum : 100-139 Borderline High : 130-159 High : 160-189 Very High : >or= 190
ION HDL CHOLESTEROL	135	High Desirable: Less than 130 mg/d Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220
/ERY LOW DENSITY LIPOPROTEIN	56.2	High Desirable value : mg/d 10 - 35
CHOL/HDL RATIO	4.9	High 3.3-4.4 Low Risk 4.5-7.0 Average Risk 7.1-11.0 Moderate Risk > 11.0 High Risk
LDL/HDL RATIO	2.8	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk

Comments

Factors that can influence triglyceride level in blood include diet (non-12 hrs. fasting status), Alcohol, Drug intake, Pregnancy, Smoking, Obesity, Stress and inflammation. So, if clinically not correlating contact lab within 24 hours.





CIN: U85190MH2006PTC161480







CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESSY THOME I THITED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 **DELHI INDIA** 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131, Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA

Tel: 93334 93334

Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

PATIENT ID : VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

SEX: Male

ABHA NO:

DRAWN:

RECEIVED: 11/03/2023 10:15

REPORTED: 11/03/2023 17:05

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

CLIENT PATIENT ID:

Test Report Status

Final

Results

Units

Interpretation(s)

- 1) Cholesterol levels help assess the patient risk status and to follow the progress of patient under treatment to lower serum cholesterol concentrations
- 2) Serum Triglyceride (TG) are a type of fat and a major source of energy for the body. Both quantity and composition of the diet impact on plasma triglyceride concentrations. Elevations in TG levels are the result of overproduction and impaired clearance. High TG are associated with increased risk for CAD (Coronary artery disease) in patients with other risk factors, such as low HDL-C, some patient groups with elevated apolipoprotein B concentrations, and patients with forms of LDL that may be particularly atherogenic.
- 3)HDL-C plays a crucial role in the initial step of reverse cholesterol transport, this considered to be the primary atheroprotective function of HDL
- 4) LDL -C plays a key role in causing and influencing the progression of atherosclerosis and, in particular, coronary sclerosis. The majority of cholesterol stored in atherosclerotic plaques originates from LDL, thus LDL-C value is the most powerful clinical predictor.
- 5)Non HDL cholesterol: Non-HDL-C measures the cholesterol content of all atherogenic lipoproteins, including LDL hence it is a better marker of risk in both primary and secondary prevention studies. Non-HDL-C also covers, to some extent, the excess ASCVD risk imparted by the sdLDL, which is significantly more atherogenic than the normal large buoyant particles, an elevated non-HDL-C indirectly suggests greater proportion of the small, dense variety of LDL particles

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category						
Extreme risk group	A.CAD with > 1 feature of high risk group					
	B. CAD with > 1 feature of Very high risk < or = 50 mg/dl or polyvascular disease	group or recurrent ACS (within 1 year) despite LDL-C				
Very High Risk	Established ASCVD 2. Diabetes with 2 major risk factors or evidence of end organ damage 3. Familial Homozygous Hypercholesterolemia					
High Risk	organ damage. 3. CKD stage 3B or 4. 4.	biabetes with 1 major risk factor or no evidence of end LDL >190 mg/dl 5. Extreme of a single risk factor. 6. J. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid				
Moderate Risk	2 major ASCVD risk factors					
Low Risk	0-1 major ASCVD risk factors					
Major ASCVD (Ath	erosclerotic cardiovascular disease) Risk	Factors				
1. Age > or = 45 year	rs in males and > or = 55 years in females	3. Current Cigarette smoking or tobacco use				
2. Family history of	oremature ASCVD	4. High blood pressure				
5. Low HDL						

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy		
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)	



Page 4 Of 15 Scan to View Report

CIN: U85190MH2006PTC161480







CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESSY TUCARE

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131,Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA Tel: 93334 93334

Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

CLIENT PATIENT ID:

PATIENT ID: VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

Final

SEX: Male

ABHA NO:

RECEIVED: 11/03/2023 10:15

REPORTED:

11/03/2023 17:05

Test Report Status

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

Results

Units

Extreme Risk Group Category A	<50 (Optional goal < OR = 30)	< 80 (Optional goal <or 60)<="" =="" th=""><th>>OR = 50</th><th>>OR = 80</th></or>	>OR = 50	>OR = 80
Extreme Risk Group Category B	<or 30<="" =="" td=""><td><or 60<="" =="" td=""><td>> 30</td><td>>60</td></or></td></or>	<or 60<="" =="" td=""><td>> 30</td><td>>60</td></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR= 100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR= 130*	>OR= 160

^{*}After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION TEST WITH GGT

BILIRUBIN, TOTAL METHOD: DIAZO METHOD	0.39	General Range : < 1.1	mg/dL
BILIRUBIN, DIRECT METHOD: DIAZO METHOD	0.18	General Range : < 0.3	mg/dL
BILIRUBIN, INDIRECT	0.21	0.00 - 0.60	mg/dL
TOTAL PROTEIN	7.9	Ambulatory: 6.4 - 8.3 Recumbant: 6 - 7.8	g/dL
ALBUMIN	4.9	20-60yrs: 3.5 - 5.2	g/dL
GLOBULIN	3.0	2.0 - 4.0 Neonates - Pre Mature: 0.29 - 1.04	g/dL
ALBUMIN/GLOBULIN RATIO	1.7	1.00 - 2.00	RATIO
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	16	Adults : < 40	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT) METHOD: IFCC WITHOUT PDP	25	Adults: < 45	U/L
ALKALINE PHOSPHATASE METHOD: IFCC	82	Adult(<60yrs): 40 -130	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT) TOTAL PROTEIN, SERUM	28	Adult (Male): < 60	U/L
TOTAL PROTEIN METHOD: BIURET	7.9	Ambulatory: 6.4 - 8.3 Recumbant: 6 - 7.8	g/dL
URIC ACID, SERUM			
URIC ACID	5.4	Adults: 3.4-7	mg/dL



Page 5 Of 15







CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESSY THOME ITALTED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131,Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA

Tel: 93334 93334 Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

PATIENT ID : VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

SEX: Male

ABHA NO:

RECEIVED: 11/03/2023 10:15

REPORTED: 11/03/2023 17:05

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results			Units
METHOD : SPECTROPHOTOMETRY				
ABO GROUP & RH TYPE, EDTA WHOLE BLOO	D			
ABO GROUP METHOD: GEL CARD METHOD	TYPE O			
RH TYPE	POSITIVE			
BLOOD COUNTS, EDTA WHOLE BLOOD				
HEMOGLOBIN METHOD: NON CYANMETHEMOGLOBIN	16.1		13.0 - 17.0	g/dL
RED BLOOD CELL COUNT METHOD: IMPEDANCE	5.22		4.5 - 5.5	mil/µL
WHITE BLOOD CELL COUNT METHOD: IMPEDANCE	5.33		4.0 - 10.0	thou/µL
PLATELET COUNT METHOD: IMPEDANCE	261		150 - 410	, thou/μL
RBC AND PLATELET INDICES				
HEMATOCRIT METHOD: CALCULATED	47.9		40 - 50	%
MEAN CORPUSCULAR VOL METHOD : DERIVED FROM IMPEDANCE MEASURE	91.7		83 - 101	fL
MEAN CORPUSCULAR HGB. METHOD: CALCULATED	30.9		27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION METHOD: CALCULATED	33.6		31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH	13.3		12.0 - 18.0	%
MENTZER INDEX	17.6			
MEAN PLATELET VOLUME METHOD: DERIVED FROM IMPEDANCE MEASURE	9.5		6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT				
SEGMENTED NEUTROPHILS METHOD: DHSS FLOWCYTOMETRY	46		40 - 80	%
LYMPHOCYTES METHOD: DHSS FLOWCYTOMETRY	35		20 - 40	%
MONOCYTES METHOD: DHSS FLOWCYTOMETRY	7		2 - 10	%
EOSINOPHILS METHOD: DHSS FLOWCYTOMETRY	12	High	1 - 6	%



Page 6 Of 15

CIN: U85190MH2006PTC161480







CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS! THE ADE ITALTED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131, Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA Tel: 93334 93334

Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

METHOD : ELECTROCHEMILUMINESCENCE

METHOD : ELECTROCHEMILUMINESCENCE TSH 3RD GENERATION

METHOD : ELECTROCHEMILUMINESCENCE

T4

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

PATIENT ID :

VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

Test Report Status

Final

SEX: Male

ABHA NO:

REPORTED:

80 - 200

5.1 - 14.1

21-50 yrs : 0.4 - 4.2

11/03/2023 17:05

DRAWN:

RECEIVED: 11/03/2023 10:15

Results

CLIENT PATIENT ID :

Units BASOPHILS 0 0 - 2 METHOD: IMPEDANCE ABSOLUTE NEUTROPHIL COUNT 2.45 2.0 - 7.0thou/µL METHOD : CALCULATED ABSOLUTE LYMPHOCYTE COUNT 1.87 1 - 3 thou/µL METHOD : CALCULATED ABSOLUTE MONOCYTE COUNT 0.37 0.20 - 1.00 thou/µL METHOD : CALCULATED ABSOLUTE EOSINOPHIL COUNT 0.64 High 0.02 - 0.50 thou/µL METHOD : CALCULATED ABSOLUTE BASOPHIL COUNT 0.00 0.00 - 0.10thou/µL NEUTROPHIL LYMPHOCYTE RATIO (NLR) 1.3 **ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE** BLOOD SEDIMENTATION RATE (ESR) 08 0 - 14 mm at 1 hr METHOD: WESTERGREN METHOD SUGAR URINE - POST PRANDIAL SUGAR URINE - POST PRANDIAL NOT DETECTED NOT DETECTED THYROID PANEL, SERUM

98.04

7.85

2.860





ng/dL

µg/dl

µIU/mL

CIN: U85190MH2006PTC161480







CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESSY THOME I THITED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131, Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA

Tel: 93334 93334

Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

PATIENT ID :

VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

SEX: Male

ABHA NO:

DRAWN :

RECEIVED: 11/03/2023 10:15

REPORTED :

11/03/2023 17:05

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

CLIENT PATIENT ID:

Test Report Status

Final

Results

Units

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate. Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions	
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment	
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.	
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism	
4	Low High High High	(3)T	Low High High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy		
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism	
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor	
7	Low	Low .	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent reatment for Hyperthyroidism	
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness	
9 -	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies	

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, Free T4 along with TSH, instead of testing for albumin bound Total T3, Total T4. TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

PHYSICAL EXAMINATION, URINE

COLOR AMBER **APPEARANCE** CLEAR CHEMICAL EXAMINATION, URINE

PH

5.0

4.8 - 7.4



Page 8 Of 15

CIN: U85190MH2006PTC161480







CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS! TUCADE I TMITTED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131,Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA

Tel: 93334 93334 Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

PATIENT ID : VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

SEX: Male

ABHA NO:

DRAWN:

RECEIVED: 11/03/2023 10:15

REPORTED: 11/03/2023 17:05

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results		Units
SPECIFIC GRAVITY	1.025	1.015 - 1.030	
PROTEIN	NOT DETECTED	NOT DETECTED	
GLUCOSE	NOT DETECTED	NOT DETECTED	. 18
KETONES	NOT DETECTED	NOT DETECTED	
BLOOD	NOT DETECTED	NOT DETECTED	
BILIRUBIN	NOT DETECTED	NOT DETECTED	
UROBILINOGEN	NORMAL	NORMAL	
NITRITE	NOT DETECTED	NOT DETECTED	
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED	
MICROSCOPIC EXAMINATION, URINE			
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
WBC	2-3	0-5	/HPF
EPITHELIAL CELLS	0-1	0-5	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	NOT DETECTED	NOT DETECTED	









CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESSY THOME I THITED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131,Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA

Tel: 93334 93334 Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

PATIENT ID :

CLIENT PATIENT ID:

VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

SEX: Male

ABHA NO:

DRAWN:

RECEIVED: 11/03/2023 10:15

REPORTED: 11/03/2023 17:05

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

Test Report Status

Final

Results

Units

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

BLOOD UREA NITROGEN (BUN), SERUM

BLOOD UREA NITROGEN

11

Adult(<60 yrs): 6 to 20

mg/dL

METHOD : UREASE - UV SUGAR URINE - FASTING

SUGAR URINE - FASTING

NOT DETECTED

NOT DETECTED

PHYSICAL EXAMINATION, STOOL COLOUR

BROWN

CONSISTENCY

WELL FORMED

Scan to View Details

Page 10 Of 15 Scan to View Report

CIN: U85190MH2006PTC161480







CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS ! TUCARE I TMITTER

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131,Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA Tel: 93334 93334

Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

PATIENT ID : VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

SEX: Male

ABHA NO :

DRAWN:

RECEIVED: 11/03/2023 10:15

REPORTED: 11/03/2023 17:05

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results		Units
MUCUS	NOT DETECTED	NOT DETECTED	
VISIBLE BLOOD	ABSENT	ABSENT	
ADULT PARASITE	NOT DETECTED		
MICROSCOPIC EXAMINATION, STOOL			
PUS CELLS	0-1		/hpf
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
CYSTS	NOT DETECTED	NOT DETECTED	
OVA	NOT DETECTED		
LARVAE	NOT DETECTED	NOT DETECTED	
TROPHOZOITES	NOT DETECTED	NOT DETECTED	
FAT	ABSENT		
VEGETABLE CELLS	ABSENT		
CHARCOT LEYDEN CRYSTALS	ABSENT		











CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESSY THE ADD

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 **DELHI INDIA** 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131, Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA Tel: 93334 93334

Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

PATIENT ID : VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

SEX: Male

ABHA NO :

RECEIVED: 11/03/2023 10:15

REPORTED:

11/03/2023 17:05

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

CLIENT PATIENT ID :

Test Report Status

Final

Results

Units

Interpretation(s)

Stool routine analysis is only a screening test for disorders of gastrointentestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

PRESENCE OF	CONDITION				
Pus cells	Pus in the stool is an indication of infection				
Red Blood cells	Parasitic or bacterial infection or an inflammatory bowel condition such as ulcerative colitis				
Parasites	Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques.				
Mucus	Mucus is a protective layer that lubricates, protects& reduces damage due to bacteria or viruses.				
Charcot-Leyden crystal	Parasitic diseases.				
Ova & cyst	Ova & cyst indicate parasitic infestation of intestine.				
Frank blood	Bleeding in the rectum or colon.				
Occult blood	Occult blood indicates upper GI bleeding.				
Macrophages	Macrophages in stool are an indication of infection as they are protective cells.				
Epithelial cells	Epithelial cells that normally line the body surface and internal organs show up in stool when there is inflammation or infection.				
Fat	Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.				
pH	Normal stool pH is slightly acidic to neutral. Breast-fed babies generally have at acidic stool.				

ADDITIONAL STOOL TESTS:

- Stool Culture: This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if treatment for GI infection worked.
- Fecal Calprotectin: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) 2. from Irritable Bowel Syndrome (IBS).
- 3. Fecal Occult Blood Test(FOBT): This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia.
- 4. Clostridium Difficile Toxin Assay: This test is strongly recommended in healthcare associated bloody or waterydiarrhoea, due to overuse of broad spectrum antibiotics which alter the normal GI flora.
- 5. Biofire (Film Array) GI PANEL: In patients of Diarrhoea, Dysentry, Rice watery Stool, FDA approved, Biofire Film Array Test,(Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria, fungi, virus , parasite and other opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.
- Rota Virus Immunoassay: This test is recommended in severe gastroenteritis in infants & children associated with watery



Page 12 Of 15

CIN: U85190MH2006PTC161480







CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESSY THEADE

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131, Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA Tel: 93334 93334

Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH, S, NATR

PATIENT ID :

VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

SEX: Male

ABHA NO :

DRAWN:

RECEIVED: 11/03/2023 10:15

REPORTED: 11/03/2023 17:05

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

CLIENT PATIENT ID .

Test Report Status

Final

Results

Unite

diarrhoea, vomitting& abdominal cramps. Adults are also affected. It is highly contagious in nature.

Interpretation(s)
CREATININE, SERUM-Higher than normal level may be due to:
Blockage in the urinary tract

Sidney problems, such as kidney damage or failure, infection, or reduced blood flow
 Loss of body fluid (dehydration)
 Muscle problems, such as breakdown of muscle fibers

· Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

Lower than normal level may be due to:

- Myasthenia Gravis

- Muscular dystrophy
GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Increased in

Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides. Decreased in

Decreased in Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency, hypopituitarism,diffuse liver disease, malignancy (adrenocortical, stomach,fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g., galactosemia),Drugs- insulin, ethanol, propranolol; sulfonylureas,tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1C) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

1.Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2.Diagnosing diabetes.

3.Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbALC (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1.eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months.

3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

I.Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

II.Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

II.Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.
III.Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.
IV.Interference of hemoglobinopathies in HbA1c estimation is seen in a.Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
b.Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
c.HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

recommended for detecting a hemoglobinopathy
TOTAL PROTEIN, SERUM-Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum...Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom'"""s disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic



Page 13 Of 15 里來家里 in to V Scan to View Report

CIN: U85190MH2006PTC161480







CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS! THEAD

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131, Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA Tel: 93334 93334

Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

PATIENT ID : VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

SEX: Male

ABHA NO :

RECEIVED: 11/03/2023 10:15

REPORTED: 11/03/2023 17:05

CLIENT PATIENT ID :

Test Report Status

Final

Results

Units

syndrome, Protein-losing enteropathy etc.
URIC ACID, SERUM-Causes of Increased levels:-Dietary (High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome

syndrome

Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD
Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same

The test is performed by both forward as well as reverse grouping methods.

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion, Estimation of HbA2 remains the gold standard for

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 105504 This ratio element is a calculated parameter and out of NABL scope.

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION:

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Test Interpretation
Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.
Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).
In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia
False Decreased: Polkilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

REFERENCE

REFERENCE:

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition.

SUGAR URINE - POST PRANDIAL-METHOD: DIPSTICK/BENEDICT"S TEST

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

SUGAR URINE - FASTING-METHOD: DIPSTICK/BENEDICT'S TEST

Scan to View Details

Page 14 Of 15 **20** 首都是 Scan to View Report

CIN: U85190MH2006PTC161480







CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESSY THOUSE ITMITTED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 **DELHI INDIA** 8800465156

DDRC SRL DIAGNOSTICS DDRC SRL Tower, G-131,Panampilly Nagar, PANAMPALLY NAGAR, 682036 KERALA, INDIA Tel: 93334 93334

Email: customercare.ddrc@srl.in

PATIENT NAME: VINEESH.S.NAIR

PATIENT ID: VINEM1103914126

ACCESSION NO: 4126WC003765 AGE: 32 Years

SEX: Male

ABHA NO :

RECEIVED: 11/03/2023 10:15

REPORTED: 11/03/2023 17:05

REFERRING DOCTOR: DR. BOB-MEDIWHEEL

CLIENT PATIENT ID :

Test Report Status

Final

Results

Units

MEDIWHEEL HEALTH CHEKUP BELOW 40(M)TMT

ECG WITH REPORT REPORT TEST COMPLETED **USG ABDOMEN AND PELVIS** REPORT TEST COMPLETED **CHEST X-RAY WITH REPORT** REPORT

TEST COMPLETED

End Of Report

Please visit www.srlworld.com for related Test Information for this accession

ANCY ABRAHAM, MSC MICROBIOLOGY Senior Microbiologist

DR.HARI SHANKAR, MBBS MD (Reg No - TCMC:62092) **HEAD - Biochemistry &** Immunology

DR.VIJAY K N, MBBS MD(PATH) (Reg No - KMC:91816) **HEAD-HAEMATOLOGY & CLINICAL PATHOLOGY**


Dr.ASWATHY VARGHESE, MBBS, MD(MICROBIOLOGY) (Reg No - TCMC:50839) CONSULTANT MICROBIOLOGIST

Scan to View Details

Page 15 Of 15

Scan to View Report

CIN: U85190MH2006PTC161480





NAME: MR VINEESH S NAIR	STUDY DATE 11/03/2023
AGE / SEX :32 YRS / M	REPORTING DATE:11/03/2023
REFERRED BY : MEDIWHEEL	ACC NO: 4126WC003765

X - RAY - CHEST PA VIEW

- Both the lung fields are clear.
- B/L hila and mediastinal shadows are normal.
- Cardiac silhouette appears normal.
- Cardio thoracic ratio is normal.
- Bilateral CP angles and domes of diaphragm appear normal.

IMPRESSION: NORMAL STUDY

Kindly correlate clinically

Dr. NAVNEET KAUR, MBBS,MD Consultant Radiologist.





Date. 11 . 03 . 2023

OPHTHALMOLOGY REPORT

This is to certif	fy that I have examined
Mr/ Ms :\	elsh. S. Nais
visual standard	ds is as follows :
Visual Acuity:	R: 616.
For far vision	
	R:
For near vision	
	L:
Color Vision :	Normal
	S KABAVIL BURL AUS -
	Namul Namula Sanampilly Namula
	(Optometrist)



INDIA'S LEADING DIAGNOSTICS NETWORK

NAME	MR VINEESH S NAIR	AGE	32 YRS
SEX	MALE	DATE	March 11, 2023
REFERRAL	MEDIWHEEL ARCOFEMI	ACC NO	4126WC003765

USG ABDOMEN AND PELVIS

LIVER

Measures ~ 14.1 cm. Bright echotexture.

Smooth margins and no obvious focal lesion within. No IHBR dilatation. Portal vein normal in caliber.

GB

No calculus within gall bladder. Normal GB wall caliber.

SPLEEN

Measures ~ 9.1 cm, normal to visualized extent. Splenic vein normal.

PANCREAS

Normal to visualized extent. PD is not dilated.

KIDNEYS

RK: $10.2 \times 4.8 \text{ cm}$, appears normal in size and echotexture LK: $9.8 \times 5.1 \text{ cm}$, appears normal in size and echotexture.

No focal lesion / calculus within.

Maintained corticomedullary differentiation and normal parenchymal thickness.

No hydroureteronephrosis.

BLADDER

Normal wall caliber, no internal echoes/calculus within.

PROSTATE

Normal in volume and echopattern.

NODES/FLUID

Nil to visualized extent.

BOWEL

Visualized bowel loops appear normal.

IMPRESSION

4 Grade I fatty liver.

Kindly correlate clinically.

Dr. NAVNEET KAUR MBBS . MD Consultant Radiologist

Thank you for referral. Your feedback will be appreciated.

OTE: This report is only a professional opinion based on the real time image finding and not a diagnosis by itself. It has to be correlated and interpret.

d with clinical and other investigation finding


CIN: U85190MH2006PTC161480














Filter: 35 Hz

Chart Speed: 25 mm/sec

Mains Filt: ON

Amp: 10 mm

Post J = J + 60 ms

 $J = R + 60 \, \text{ms}$

Iso = R - 60 ms

Test Report

VINEESH S NAIR (32 M)

ID: WC003765

Date: 11-Mar-23

Exec Time: 2 m 54 s Stage Time: 2 m 54 s HR: 117 bpm


Protocol: Bruce

Stage: 1

Speed: 1.7 mph

Grade: 10 % (THR: 159 bpm)

B.P: 120 / 80



Test Report

VINEESH S NAIR (32 M)

ID: WC003765

Date: 11-Mar-23

Exec Time: 5 m 54 s Stage Time: 2 m 54 s HR: 157 bpm


Protocol: Bruce

Stage: 2

Speed: 2.5 mph

Grade: 12 % (THR: 159 bpm)

B.P: 130 / 80



Test Report

VINEESH S NAIR (32 M)

ID: WC003765

Date: 11-Mar-23

Exec Time: 8 m 54 s Stage Time: 2 m 54 s HR: 195 bpm

Protocol: Bruce


Stage: 3

Speed: 3.4 mph

Grade: 14 %

(THR: 159 bpm)

B.P: 140 / 80



Test Report

Exec Time: 9 m 36 s Stage Time: 0 m 36 s HR: 192 bpm Date: 11-Mar-23 VINEESH S NAIR (32 M) ID: WC003765 B.P: 150 / 80 (THR: 159 bpm) Grade: 16 % Speed: 4.2 mph Stage: Peak Ex Protocol: Bruce ST Slope ST Level ST Slope (mV/s) ST Level (mV / s) (mm) Who who was the form who will some who were the work of the work of the second of the Iso = R - 60 ms $J = R + 60 \, \text{ms}$ Amp: 10 mm Mains Filt: ON Filter: 35 Hz Chart Speed: 25 mm/sec Linked Median

Schiller Spandan V 4.7

Test Report

VINEESH S NAIR (32 M)

ID: WC003765

Date: 11-Mar-23

Exec Time: 9 m 42 s Stage Time: 0 m 54 s HR: 166 bpm

Protocol: Bruce


Stage: Recovery(1)

Speed: 1 mph

Grade: 0 %


(THR: 159 bpm)

B.P: 170 / 80





Test Report



Test Report

VINEESH S NAIR (32 M)

ID: WC003765

Date: 11-Mar-23


Exec Time : 9 m 42 s Stage Time : 0 m 54 s HR: 130 bpm


Stage: Recovery(3)

Grade: 0 % Speed: 0 mph

(THR: 159 bpm)

B.P: 150 / 80





Patient Details Date: 11-Mar-23 Time: 13:12:35

Name: VINEESH S NAIR ID: WC003765

Age: 32 y Sex: M Height: -- cms Weight: -- Kgs

Clinical History: DYSLIPIDEMIA

Medications

Test Details

Protocol: Bruce Pr.MHR: 188 bpm THR: 159 (85 % of Pr.MHR) bpm


Total Exec. Time: 9 m 42 s Max. HR: 192 (102% of Pr.MHR)bpm Max. Mets: 13.50

Max. BP: 170 / 80 mmHg Max. BP x HR: 32640 mmHg/min Min. BP x HR: 5680 mmHg/min

Test Termination Criteria: Target HR attained

Protocol Details

Stage Name	Stage Time (min : sec)	Mets	Speed (mph)	Grade (%)	Heart Rate (bpm)	Max. BP (mm/Hg)	Max. ST Level (mm)	Max. ST Slope (mV/s)
Supine	0:52	1.0	o	0	71	120 / 80	-3.18 V6	-5.31 V6
Standing	0:31	1.0	0	0	84	120 / 80	-2.76 aVR	5.66 V2
standing 4	3:0	4.6	1.7	10	116	120 / 80	-1.70 aVR	2.48 II
2	3:0	7.0	2.5	12	152	130 / 80	-1.49 aVR	4.25
	3:0	10.2	3.4	14	181	140 / 80	-1.49 aVR	3.89 V3
3		13.5	4.2	16	192	150 / 80	-1.70 V3	4.25 V4
Peak Ex	0:42	1.8		0	169	170 / 80	-2.12 aVR	5.66 V3
Recovery(1)	1:0		0	0	148	160 / 80	-2.55 aVR	5.66 V3
Recovery(2)	1:0	1.0			126	150 / 80	-1.70 aVR	5.31 V3
Recovery(3)	1:0	1.0	0	0		140 / 80	-0.85 aVR	1.42
Recovery(4)	0:31	1.0	0	0	129	140700	0.00 avis	



Patient Details Date: 11-Mar-23

Name: VINEESH S NAIR ID: WC003765 Age: 32 y

Sex: M

Time: 13:12:35

Height: -- cms

Weight: -- Kgs

Interpretation

The patient exercised according to the Bruce protocol for 9 m 42 s achieving a work level of Max. METS: 13.50. Resting heart rate initially 71 bpm, rose to a max. heart rate of 192 (102% of Pr.MHR) bpm. Resting blood Pressure 120 / 80 mmHg, rose to a maximum blood pressure of 170 / 80 mmHg.No

> No significant ST changes Test negative for inducible ischemia

> > Dr. George Thomas MD,FCSI,FIAE Cardiologist

Ref. Doctor: MEDIWHEEL

(Summary Report edited by user)

(c) Schiller Healthcare India Pvt. Ltd. V 4.7

Doctor: ---