

Sugech AGE/ GENDER: HEIGHT: **IDENTIFICATION MARK:** 110/100000129 12/0000 **BLOOD PRESSURE:** PULSE: No Irmal ANY OTHER DISEASE DIAGNOSED IN THE PAST: ALLERGIES, IF ANY: Will LIST OF PRESCRIBED MEDICINES: ANY OTHER REMARKS: NO I Certify that I have carefully examined Mr/Mrs. of Ms Q 1/0 x Kor to Por you who has signed in my presence. He/ she has no physical disease and is fit for employment. , 治しまず Signature of Medical Officer Signature of candidate in Diagnostices & Health

Disclaimer: The patient has not been checked for COVID. This certificate does not relate to the covid status of the patient examined







Dr. Ashok S Bsc., MBBS., D.O.M.S Consultant Opthalmologist KMC No: 31827

DATE: 25.11.23.

### EYE EXAMINATION

NAME:	Mr. Suham

AGE: 584

GENDER: F/M

	RIGHT EYE	LEFT EYE
Vision	Ap : N10	Elegio 10
Vision With glass		
Color Vision	Normal	Normal
Anterior segment examination	Normal	Normal
Fundus Examination	Normal	Normal
Any other abnormality	Nill	Nill
Diagnosis/ impression	Normal	Normal

Dr. ASHOK SARODHE B.Sc., M.B.B.S., D.O.M.S. Eye Consultant & Surgeon Eye Consultant (Opthalmologist)





0.15-35Hz AC50	aWI I	J.Ve	N. S.		Male 58Years  Male 58Years	ID: 1130029
25mm/s 10mm/mV 2*5.0s \$75 V2.2					106 157 157 88 397/ 477-4 2.23	25-11-2023 11:04:04 For BPL HR : 75 bpm
SEMIP VI.81	√ V6		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Sinus Rhythm Larged PtfV1 QS Wave in lead V1 Low T Wave(V6) Report Confirmed by:	Diagnosis Information:
SPECTRUM DIAGNOSTICS & HEALTH CARE	\[ \]		\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\			


# **SPECTRUM DIAGNOSTICS & HEALTH CARE**

#9/1 TEJAS ARCADE, DR. RAJKUMAR ROAD, RAJAJINAGAR-560010 AUDIOGRAN

Patient ID: 0999 Name: SURESH

CR Number : 20231125111550 Registration Date : 25-Nov-2023 Age : 58 Gender : Male

Operator: spectrum diagnostics



	125 Hz	250 Hz	500 Hz	750 Hz	1000 Hz	1500 Hz	2000 Hz	3000 Hz	4000 Hz	6000 Hz	8000 Hz
X - Air Left	45	40	35	45	40	35	35	35	35	40	55
O - Air Right	50	45	40	45	50	40	40	40	45	35	45
> - Bone Left											
< - Bone Right											

#### Clinical Notes:

Right Ear:Moderate Ledt Ear :Moderate		
		-
		SHOTICAMO
		BENGLORU
		23



NAME	: MR.SURESH	DATE : 25/11/2023
AGE/SEX	: 58 YEARS / MALE	REG NO: 0029
REF BY	: APOLO CLINIC	

### CHEST PA VIEW

Mild cardiomegaly with unfolding of aorta

Few nodular opacities bilateral apical regions - ? Calcified granulomas

Both CP angles are free.

Domes of diaphragm and bony thoracic cage are normal.

Dr RIKHIT MAGANLAL **CONSULTANT RADIOLOGIST** 

Your suggestion / feedback is a valuable input for improving our services







PATIENT NAME	MR SURESH	ID NO	2511230029
AGE	58YEARS	SEX	MALE
REF BY	DR.APOLO CLINIC	DATE	25.11.2023

## 2D ECHO CARDIOGRAHIC STUDY

### M-MODE

AND CONTRACTOR OF THE PROPERTY		
AORTA	33mm	
LEFT ATRIUM	26mm	
RIGHT VENTRICLE	20mm	
LEFT VENTRICLE (DIASTOLE )	40mm	
LEFT VENTRICLE(SYSTOLE)	26mm	
VENTRICULAR SEPTUM (DIASTOLE)	14mm	
VENTRICULAR SEPTUM (SYSTOLE)	15mm	
POSTERIOR WALL (DIASTOLE)	10mm	
POSTERIOR WALL (SYSTOLE)	11mm	
FRACTIONAL SHORTENING	30%	
EJECTION FRACTION	58%	

### DOPPLER /COLOUR FLOW

Mitral Valve Velocity: MVE- 0.43m/s MVA – 0.56m/s E/A-0.77

Tissue Doppler : e' ( Septal) -8cm/s E/e'(Septal) -5

Velocity/ Gradient across the Pulmonic valve : 0.83m/s 3mmHg

Max. Velocity / Gradient across the Aortic valve: 0.83m/s 4mmHg

Velocity / Gradient across the Tricuspid valve : 2.44m/s 25mmHg





PATIENT NAME	MR SURESH	ID NO	2511230029
AGE	58YEARS	SEX	MALE
REF BY	DR.APOLO CLINIC	DATE	25.11.2023

## 2D ECHO CARDIOGRAHIC STUDY

LEFT VENTRICLE	SIZE& THICKNESS	NORMAL	
CONTRACTILITY	REGIONAL GLOBAL	NO RWMA	

RIGHT VENTRICLE	: NORMAL	
LEFT ATRIUM	: NORMAL	
RIGHT ATRIUM	: NORMAL	
MITRAL VALVE	: NORMAL	
AORTIC VALVE	: NORMAL	
PULMONARY VALVE	: NORMAL	_
TRICUSPID VALVE	: NORMAL	
INTER ATRIAL SEPTUM	: INTACT	
INTER VENTRICULAR SEPT	TUM: INTACT	
PERICARDIUM	: NORMAL	
OTHERS	: - NIL	

### **IMPRESSION**

- NO REGIONAL WALL MOTION ABNORMALITY PRESENT
- > NORMAL VALVES AND DIMENSIONS
- > NORMAL LV SYSTOLIC FUNCTION, LVEF- 58%
- CON. LVH WITH GRADE I LVDD
- TRIVIAL MR /MILD TR/ MILD PAH
- NO CLOT / VEGETATION / EFFUSION
- NO ASD / VSD / PDA / CoA SEEN

ECHO TECHNICIAN

The science of radiology is based upon interpretation of shadows of normal and abnormal tissue. This is neither complete nor accurate; hence, findings should always be interpreted in to the light of clinico-pathological correction.

SCAN FOR LOCATION



NAME AND LAB NO	MR SURESH	REG-30029
AGE & SEX	58 YRS	MALE
DATE AND AREA OF INTEREST	25.11.2023	ABDOMEN & PELVIS
REF BY	C/O APOLO CLINIC	

#### USG ABDOMEN AND PELVIS

LIVER:

Measures 13.9 cm. Normal in size an echotexture.

No e/o IHBR dilatation. No evidence of SOL. Portal vein appears normal.

CBD appears normal. . No e/o calculus / SOL

**GALL BLADDER:** 

Well distended. Wall appears normal. No e/o calculus/ neoplasm.

SPLEEN:

Measures 10.2 cm. Normal in size and echotexture. No e/o SOL/ calcification.

**PANCREAS:** 

Normal in size and echotexture.

Pancreatic duct appears normal. No e/o calculus / calcifications.

RETROPERITONEUM:

Poor window.

RIGHT KIDNEY:

Right kidney measures 10.9 x4.2 cm ,is normal in size & echotexture.

No evidence of calculus/ hydronephrosis.

No solid / cystic lesions.

LEFT KIDNEY:

Left kidney measures 11.7 x4.7 cm ,is normal in size & echotexture.

No evidence of calculus/ hydronephrosis.

No solid / cystic lesions.

**URETERS:** 

Bilateral ureters are not dilated.

URINARY BLADDER:

Partially distended. No wall thickening/calculi.

PROSTATE:

Normal in size 18 cc and echotexture.

No evidence of ascites/pleural effusion.

#### IMPRESSION:

No significant sonological abnormality detected in the abdomen and pelvis.

Suggested clinical / lab correlation.

DR.AKSHATHA R BHAT MDRD DNB FRCR









Age / Gender : 44 Years / Male : Dr. APOLO CLINIC

Ref. By Dr. : 2511230040 Reg. No.

: Apollo Clinic C/o

: 25-Nov-2023 09:41 AM **Bill Date** 

Sample Col. Date: 25-Nov-2023 09:41 AM : 25-Nov-2023 04:19 PM **Result Date** 

: Final Report Status

Test Name	Result	Unit	Reference Value	Method
Complete Haemogram-Whole Blo	ood EDTA			
Haemoglobin (HB)	15.80	g/dL	Male: 14.0-17.0 Female: 12.0-15.0 Newborn: 16.50 - 19.50	Spectrophotmeter
Red Blood Cell (RBC)	5.46	million/cum	: Tid N. T. (아) : () () 전기자는 장시에서 있으면 되었다면 있는	Volumetric Impedance
Packed Cell Volume (PCV)	46.30	%	Male: 42.0-51.0 Female: 36.0-45.0	Electronic Pulse
Mean corpuscular volume (MCV)	84.90	fL	78.0- 94.0	Calculated
Mean corpuscular hemoglobin (MCH)	29.00	pg	27.50-32.20	Calculated
Mean corpuscular hemoglobin concentration (MCHC)	34.10	%	33.00-35.50	Calculated
Red Blood Cell Distribution Width SD (RDW-SD)	40.80	fL	40.0-55.0	Volumetric Impedance
Red Blood Cell Distribution CV (RDW-CV)	14.70	%	Male: 11.80-14.50 Female:12.20-16.10	Volumetric Impedance
Mean Platelet Volume (MPV)	9.00	fL	8.0-15.0	Volumetric Impedance
Platelet	2.16	lakh/cumm	1.50-4.50	Volumetric Impedance
Platelet Distribution Width (PDW)	12.30	%	8.30 - 56.60	Volumetric Impedance
White Blood cell Count (WBC)	4900.00	cells/cumm	Male: 4000.0-11000.0 Female 4000.0-11000.0 Children: 6000.0-17500.0 Infants: 9000.0-30000.0	Volumetric Impedance
Neutrophils	57.30	%	40.0-75.0	Light scattering/Manual
Lymphocytes	37.20	%	20.0-40.0	Light scattering/Manual
Eosinophils	1.90	%	0.0-8.0	Light scattering/Manual


: 2511230040


2511230040


UHID

Page 1 of 12













Name : MR. SURESH KUMAR R

Age / Gender : 44 Years / Male

Ref. By Dr. : Dr. APOLO CLINIC Reg. No. : 2511230040

Reg. No. : 2511230040 C/o : Apollo Clinic Bill Date : 25-Nov-2023 09:41 AM

Sample Col. Date: 25-Nov-2023 09:41 AM Result Date : 25-Nov-2023 04:19 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Monocytes	3.50	%	0.0-10.0	Light scattering/Manual
Basophils	0.10	%	0.0-1.0	Light scattering/Manua
Absolute Neutrophil Count Absolute Lymphocyte Count Absolute Monocyte Count Absolute Eosinophil Count Absolute Basophil Count Erythrocyte Sedimentation	2.81 1.82 <b>0.17</b> 90.00 0.01	10^3/uL 10^3/uL 10^3/uL cells/cumm 10^3/uL mm/hr	2.0- 7.0 1.0-3.0 0.20-1.00 40-440 0.0-0.10 Female: 0.0-20.0 Male: 0.0-10.0	Calculated Calculated Calculated Calculated Calculated Westergren

: 2511230040

UHID

## Peripheral Smear Examination-Whole Blood EDTA

Method: (Microscopy-Manual)

RBC'S : Normocytic Normochromic.

WBC'S : Are normal in total number, morphology and distribution.

Platelets : Are adequate; a few giant platelets are seen.

No abnormal cells or hemoparasites are present.

Impression: Normocytic Normochromic Blood picture.



Printed By

d By : spectrum

Printed On : 25 Nov, 2023 04:43 pm

Rjam Mu.

Dr.Thejaswini M U, MD, Consultant Pathologist

Page 2 of 12







Age / Gender : 44 Years / Male

: Dr. APOLO CLINIC Ref. By Dr. : 2511230040 Reg. No.

: Apollo Clinic C/o

: 25-Nov-2023 09:41 AM **Bill Date** Sample Col. Date: 25-Nov-2023 09:41 AM : 2511230040

: 25-Nov-2023 04:19 PM Result Date

Report Status : Final

Method Reference Value Unit Result **Test Name** Blood Group & Rh Typing-Whole Blood EDTA Slide/Tube 0 **Blood Group** agglutination Slide/Tube Positive Rh Type agglutination

2511230040

UHID

Note: Confirm by tube or gel method.

Comments: ABO blood group system, the classification of human blood based on the inherited properties of red blood cells (erythrocytes) as determined by the presence or absence of the antigens A and B, which are carried on the surface of the red cells. Persons may thus have type A, type B, type O, or type AB blood.




Printed By


: spectrum


Printed On : 25 Nov, 2023 04:43 pm

Dr. Thejaswini M U, MD, Consultant Pathologist

Page 3 of 12











Age / Gender : 44 Years / Male

: Dr. APOLO CLINIC Ref. By Dr.

: 2511230040 Reg. No.

: Apollo Clinic C/o

: 25-Nov-2023 09:41 AM **Bill Date** 

Sample Col. Date: 25-Nov-2023 09:41 AM : 25-Nov-2023 04:19 PM Result Date

: Final

Report Status

Test Name	Result	Unit	Reference Value	Method
Fasting Blood Sugar (FBS)- Plasma	74	mg/dL	60.0-110.0	Hexo Kinase

2511230040

: 2511230040

Comments: Glucose, also called dextrose, one of a group of carbohydrates known as simple sugars (monosaccharides). Glucose has the molecular formula C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>. It is found in fruits and honey and is the major free sugar circulating in the blood of higher animals. It is the source of energy in cell function, and the regulation of its metabolism is of great importance (fermentation; gluconeogenesis). Molecules of starch, the major energy-reserve carbohydrate of plants, consist of thousands of linear glucose units. Another major compound composed of glucose is cellulose, which is also linear. Dextrose is the molecule D-glucose. Blood sugar, or glucose, is the main sugar found in the blood. It comes from the food you eat, and it is body's main source of energy. The blood carries glucose to all of the body's cells to use for energy. Diabetes is a disease in which your blood sugar levels are too high.Usage: Glucose determinations are useful in the detection and management of Diabetes mellitus.

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine & Microalbumin urine

UHID

Comments: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying & brisk glucose absorption.

Probable causes: Early Type II Diabetes / Glucose intolerance, Drugs like Salicylates, Beta blockers, Pentamidine etc., Alcohol , Dietary - Intake of excessive carbohydrates and foods with high glycemic index? Exercise in between samples? Family history of Diabetes, Idiopathic, Partial / Total Gastrectomy.

Post prandial Blood Glucose (PPBS)-Plasma

mg/dL

70-140

Hexo Kinase

Comments: Glucose, also called dextrose, one of a group of carbohydrates known as simple sugars (monosaccharides). Glucose has the molecular formula C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>. It is found in fruits and honey and is the major free sugar circulating in the blood of higher animals. It is the source of energy in cell function, and the regulation of its metabolism is of great importance (fermentation; gluconeogenesis). Molecules of starch, the major energy-reserve carbohydrate of plants, consist of thousands of linear glucose units. Another major compound composed of glucose is cellulose, which is also linear. Dextrose is the molecule D-glucose. Blood sugar, or glucose, is the main sugar found in the blood. It comes from the food you eat, and it is body's main source of energy. The blood carries glucose to all of the body's cells to use for energy. Diabetes is a disease in which your blood sugar levels are too high.Usage: Glucose determinations are useful in the detection and management of Diabetes mellitus.

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine & Microalbumin urine

Comments: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying & brisk glucose absorption.

Probable causes: Early Type II Diabetes / Glucose intolerance, Drugs like Salicylates, Beta blockers, Pentamidine etc., Alcohol , Dietary - Intake of excessive carbohydrates and foods with high glycemic index? Exercise in between samples? Family history of Diabetes, Idiopathic, Partial / Total Gastrectomy.

Post Prandial Urine Sugar

**Fasting Urine Glucose-Urine** 

Negative

80

Negative


Dipstick/Benedicts(Manual


Negative Negative


Dipstick/Benedicts

(Manual)

Page 4 of 12













Age / Gender : 44 Years / Male

: Dr. APOLO CLINIC Ref. By Dr. : 2511230040

Reg. No. : Apollo Clinic C/o

: 25-Nov-2023 09:41 AM Bill Date

Sample Col. Date: 25-Nov-2023 09:41 AM : 25-Nov-2023 04:19 PM **Result Date** 

: Final Report Status

Method Reference Value Unit Result **Test Name** 

UHID

: 2511230040

2511230040



Printed By

: spectrum

Printed On


: 25 Nov, 2023 04:43 pm


Dr. Thejaswini M U, MD, Consultant Pathologist

Page 5 of 12



+91 77604 97644 | 080 2337 1555









Age / Gender : 44 Years / Male : Dr. APOLO CLINIC Ref. By Dr.

: 2511230040 Reg. No.

: Apollo Clinic C/o

: 25-Nov-2023 09:41 AM **Bill Date** 

Sample Col. Date: 25-Nov-2023 09:41 AM : 25-Nov-2023 04:19 PM **Result Date** 

: Final Report Status

Test Name	Result	Unit	Reference Value	Method
Glycosylated Haemoglobin (HbA1c)-Whole Blood EDTA Glycosylated Haemoglobin (HbA1c)	4.50	%	Non diabetic adults:<5.7 At risk (Prediabetes): 5.7 - 6.4 Diagnosing Diabetes:>= 6.5 Diabetes Excellent Control: 6-7 Fair to good Control: 7-8 Unsatisfactory Control: 8-10 Poor Control:>10	HPLC
Estimated Average Glucose(eAG)	82.45	mg/dL		Calculated

: 2511230040

UHID

Note: 1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled.

2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

Comments: HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.



Printed By

: spectrum

: 25 Nov, 2023 04:43 pm Printed On

Dr. Thejaswini M U, MD, Consultant Pathologist

Page 6 of 12







Age / Gender : 44 Years / Male

: Dr. APOLO CLINIC Ref. By Dr.

: 2511230040 Reg. No. : Apollo Clinic C/o

: 2511230040 UHID 

: 25-Nov-2023 09:41 AM **Bill Date** 

Sample Col. Date: 25-Nov-2023 09:41 AM : 25-Nov-2023 04:19 PM **Result Date** 

Report Status : Fin
---------------------

Test Name	Result	Unit	Reference Value	Method
LFT-Liver Function Test -Serum				
Bilirubin Total-Serum	2.09	mg/dL	0.2-1.0	Caffeine Benzoate
Bilirubin Direct-Serum	0.34	mg/dL	0.0-0.2	Diazotised Sulphanilic Acid
Bilirubin Indirect-Serum	1.75	mg/dL	0.0-1.10	Direct Measure
Aspartate Aminotransferase (AST/SGOT)-Serum	22.00	U/L	15.0-37.0	UV with Pyridoxal - 5 - Phosphate
Alanine Aminotransferase (ALT/SGPT)-Serum	19.00	U/L	Male:16.0-63.0 Female:14.0-59.0	UV with Pyridoxal - 5 - Phosphate
Alkaline Phosphatase (ALP)- Serum	88.00	U/L	Adult: 45.0-117.0 Children: 48.0-445.0 Infants: 81.90-350.30	PNPP,AMP- Buffer
Protein, Total-Serum	6.89	g/dL	6.40-8.20	Biuret/Endpoint- With Blank
Albumin-Serum	4.54	g/dL	3.40-5.00	Bromocresol Purple
Globulin-Serum	2.35	g/dL	2.0-3.50	Calculated
Albumin/Globulin Ratio-Serum	1.93	Ratio	0.80-1.20	Calculated
Gamma-Glutamyl Transferase (GGT)-Serum	73.00	U/L	Male: 15.0-85.0 Female: 5.0-55.0	Other g-Glut-3- carboxy-4 nitro

Comments: Gamma-glutamyltransferase (GGT) is primarily present in kidney, liver, and pancreatic cells. Small amounts are present in other tissues. Even though renal tissue has the highest level of GGT, the enzyme present in the serum appears to originate primarily from the hepatobiliary system, and GGT activity is elevated in any and all forms of liver disease. It is highest in cases of intra- or posthepatic biliary obstruction, reaching levels some 5 to 30 times normal. GGT is more sensitive than alkaline phosphatase (ALP), leucine aminopeptidase, aspartate transaminase, and alanine aminotransferase in detecting obstructive jaundice, cholangitis, and cholecystitis; its rise occurs earlier than with these other enzymes and persists longer. Only modest elevations (2-5 times normal) occur in infectious hepatitis, and in this condition, GGT determinations are less useful diagnostically than are measurements of the transaminases. High elevations of GGT are also observed in patients with either primary or secondary (metastatic) neoplasms. Elevated levels of GGT are noted not only in the sera of patients with alcoholic cirrhosis but also in the majority of sera from persons who are heavy drinkers. Studies have emphasized the value of serum GGT levels in detecting alcohol-induced liver disease. Elevated serum seen in patients receiving drugs such as phenytoin and phenobarbital, and thing thought to reflect induction of new enzyme activity.

Printed By

: spectrum

Printed On

: 25 Nov, 2023 04:43 pm

Dr. Thejaswini M U, MD, Consultant Pathologist

Page 7 of 12

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 560010 www.spectrumdiagnostics.org +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org







: 44 Years / Male Age / Gender

: Dr. APOLO CLINIC Ref. By Dr.

: 2511230040 Reg. No. C/o : Apollo Clinic

: 25-Nov-2023 09:41 AM **Bill Date** 

Sample Col. Date: 25-Nov-2023 09:41 AM : 25-Nov-2023 04:19 PM **Result Date** 

: Final Report Status

Result	Unit	Reference Value	Method
228.00	mg/dL	Male: 0.0 - 200	Cholesterol Oxidase/Peroxidase
88.00	mg/dL	Male: 0.0 - 150	Lipase/Glycerol Dehydrogenase
45.00	mg/dL	Male: 40.0 - 60.0	Accelerator/Selective Detergent
183	mg/dL	Male: 0.0 - 130	Calculated
155.00	mg/dL	Male: 0.0 - 100.0	Cholesterol esterase and cholesterol oxidase
18	mg/dL	Male: 0.0 - 40	Calculated
5.07	Ratio	Male: 0.0 - 5.0	Calculated
	228.00 88.00 45.00 183 155.00	228.00 mg/dL 88.00 mg/dL 45.00 mg/dL 183 mg/dL 155.00 mg/dL	228.00 mg/dL Male: 0.0 - 200  88.00 mg/dL Male: 0.0 - 150  45.00 mg/dL Male: 40.0 - 60.0  183 mg/dL Male: 0.0 - 130  155.00 mg/dL Male: 0.0 - 100.0  18 mg/dL Male: 0.0 - 40

: 2511230040

2511230040

UHID

#### Interpretation:

Parameter	Desirable	Borderline High	High	Very High
Total Cholesterol	<200	200-239	>240	
Triglycerides	<150	150-199	200-499	>500
Non-HDL cholesterol	<130	160-189	190-219	>220
Low-density lipoprotein (LDL) Cholesterol	<100	100-129	160-189	>190

Comments: As per Lipid Association of India (LAI), for routine screening, overnight fasting preferred but not mandatory. Indians are at very high risk of developing Atherosclerotic Cardiovascular (ASCVD). Among the various risk factors for ASCVD such as dyslipidemia, Diabetes Mellitus, sedentary lifestyle, Hypertension, smoking etc., dyslipidemia has the highest population attributable risk for MI both because of direct association with disease pathogenesis and very high prevalence in Indian population. Hence monitoring lipid profile regularly for effective management of dyslipidemia remains one of the most important healthcare targets for prevention of ASCVD. In addition, estimation of ASCVD risk is an essential, initial step in the management of individuals requiring primary prevention of ASCVD. In the context of lipid management, such a risk estimate forms the basis for several key therapeutic decisions, such as the need for and aggressiveness of statin therapy.




Printed By : spectrum

Printed On : 25 Nov, 2023 04:43 pm


Dr. Thejaswini M U, MD, Consultant Pathologist

Page 8 of 12













Age / Gender : 44 Years / Male

Ref. By Dr. : Dr. APOLO CLINIC

: 2511230040 Reg. No. : Apollo Clinic C/o

: 25-Nov-2023 09:41 AM Bill Date

Sample Col. Date: 25-Nov-2023 09:41 AM : 25-Nov-2023 04:19 PM Result Date

: Final Report Status

Test Name	Result	Unit	Reference Value	Method
KFT ( Kidney Function Test ) Blood Urea Nitrogen (BUN)- Serum	15.00	mg/dL	7.0-18.0	GLDH,Kinetic Assay
Creatinine-Serum	1.23	mg/dL	Male: 0.70-1.30 Female: 0.55-1.02	Modified kinetic Jaffe
Uric Acid-Serum	6.79	mg/dL	Male: 3.50-7.20 Female: 2.60-6.00	Uricase PAP
Sodium (Na+)-Serum	141.5	mmol/L	135.0-145.0	Ion-Selective Electrodes (ISE)
Potassium (K+)-Serum	4.45	mmol/L	3.5 to 5.5	Ion-Selective Electrodes (ISE)
Chloride(Cl-)-Serum	102.70	mmol/L	94.0-110.0	Ion-Selective

: 2511230040

UHID



Printed By : spectrum

Printed On : 25 Nov, 2023 04:43 pm

Dr. Thejaswini M U, MD, Consultant Pathologist


Page 9 of 12

Electrodes (ISE)



Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 560010 +91 77604 97644 | 080 2337 1555









Age / Gender : 44 Years / Male

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 2511230040 : Apollo Clinic C/o

: 25-Nov-2023 09:41 AM **Bill Date** 

Sample Col. Date: 25-Nov-2023 09:41 AM : 25-Nov-2023 04:19 PM Result Date

: Final

Report Status

Test Name	Result	Unit	Reference Value	Method
Calcium,Total- Serum	9.60	mg/dL	8.50-10.10	Spectrophotometry (O- Cresolphthalein complexone)
Prostate-Specific Antigen(F Serum	<b>PSA)-1.00</b>	ng/mL	0.0-4.0	CLIA

: 2511230040

Note: 1. This is a recommended test for detection of prostate cancer along with Digital Rectal Examination (DRE) in males above 50 years of age.

2. False negative / positive results are observed in patients receiving mouse monoclonal antibodies for diagnosis or therapy.

UHID

3. PSA levels may appear consistently elevated / depressed due to the interference by heterophilic antibodies & nonspecific protein binding.

4. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels

5. PSA values regardless of levels should not be interpreted as absolute evidence of the presence or absence of disease. All values should be correlated with

clinical findings and results of other investigations

6. Sites of Non-prostatic PSA production are breast epithelium, salivary glands, periurethral & anal glands, cells of male urethra & breast milk

7. Physiological decrease in PSA level by 18% has been observed in hospitalized /sedentary patients either due to supine position or suspended sexual activity.

Recommended Testing Intervals: Pre-operatively (Baseline), 2-4 days post-operatively, Prior to discharge from hospital, Monthly followup if levels are high or show a rising trend.

Clinical Use: -An aid in the early detection of Prostate cancer when used in conjunction with Digital rectal examination in males more than 50 years of age and in those with two or more affected first degree relatives.

-Followup and management of Prostate cancer patients

-Detect metastatic or persistent disease in patients following surgical or medical treatment of Prostate cancer.

Increased Levels: Prostate cancer, Benign Prostatic Hyperplasia, Prostatitis, Genitourinary infections.



Printed By

: spectrum

Printed On


: 25 Nov, 2023 04:43 pm


Dr. Thejaswini M U, MD, Consultant Pathologist

Page 10 of 12



Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 560010 +91 77604 97644 | 080 2337 1555









: 44 Years / Male Age / Gender

: Dr. APOLO CLINIC Ref. By Dr.

: 2511230040 Reg. No. : Apollo Clinic C/o

: 25-Nov-2023 09:41 AM **Bill Date** 

Sample Col. Date: 25-Nov-2023 09:41 AM : 25-Nov-2023 04:19 PM **Result Date** 

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Thyroid function tests (TF7)	Γ)-			
Tri-Iodo Thyronine (T3)-So	erum 0.81	ng/mL	Male: 0.60 - 1.81	Chemiluminescence Immunoassay (CLIA)
Thyroxine (T4)-Serum	7.9	μg/dL	Male: 5.50 - 12.10	Chemiluminescence Immunoassay (CLIA)
Thyroid Stimulating Horm (TSH)-Serum	one 2.11	μIU/mL	Male: 0.35 - 5.50	Chemiluminescence Immunoassay (CLIA)

: 2511230040

UHID

Comments: Triiodothyronine (T3) assay is a useful test for hyperthyroidism in patients with low TSH and normal T4 levels. It is also used for the diagnosis of T3 toxicosis. It is not a reliable marker for Hypothyroidism. This test is not recommended for general screening of the population without a clinical suspicion of hyperthyroidism.

Reference range: Cord: (37 Weeks): 0.5-1.41, Children:1-3 Days: 1.0-7.40,1-11 Months: 1.05-2.45,1-5 Years: 1.05-2.69,6-10 Years: 0.94-2.41,11-15

Years: 0.82-2.13, Adolescents (16-20 Years): 0.80-2.10

Reference range: Adults: 20-50 Years: 0.70-2.04, 50-90 Years: 0.40-1.81,

Reference range in Pregnancy: First Trimester: 0.81-1.90, Second Trimester: 1.0-2.60

Increased Levels: Pregnancy, Graves disease, T3 thyrotoxicosis, TSH dependent Hyperthyroidism, increased Thyroid-binding globulin (TBG). Decreased Levels: Nonthyroidal illness, hypothyroidism, nutritional deficiency, systemic illness, decreased Thyroid-binding globulin (TBG).

Comments: Total T4 levels offer a good index of thyroid function when TBG is normal and non-thyroidal illness is not present. This assay is useful for monitoring treatment with synthetic hormones (synthetic T3 will cause low total T4). It also helps to monitor treatment of Hyperthyroidism with Thiouracil or other anti-thyroid drugs.

Reference Range: Males: 4.6-10.5, Females: 5.5-11.0, 60 Years: 5.0-10.70, Cord: 7.40-13.10, Children: 1-3 Days: 11.80-22.60, 1-2 Weeks: 9.90-16.60,1-4 Months: 7.20-14.40,1-5 Years: 7.30-15.0,5-10 Years: 6.4-13.3

1-15 Years: 5.60-11.70, Newborn Screen: 1-5 Days: >7.5,6 Days :>6.5

Increased Levels: Hyperthyroidism, increased TBG, familial dysalbuminemic hyperthyroxinemia, Increased transthyretin, estrogen therapy, pregnancy. Decreased Levels: Primary hypothyroidism, pituitary TSH deficiency, hypothalamic TRH deficiency, non thyroidal illness, decreased TBG.

Comments: TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH is a labile hormone & is secreted in a pulsatile manner throughout the day and is subject to several non-thyroidal pituitary influences. Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, caloric intake, medication & circulating antibodies. It is important to confirm any TSH abnormality in a fresh specimen drawn after ~ 3 weeks before assigning a diagnosis, as the cause of an isolated TSH abnormality.

Reference range in Pregnancy: I- trimester:0.1-2.5; II -trimester:0.2-3.0; III- trimester:0.3-3.0

Reference range in Newborns: 0-4 days: 1.0-39.0; 2-20 Weeks:1.7-9.1

Increased Levels: Primary hypothyroidism, Subclinical hypothyroidism, TSH dependent Hyperthyroidism and Thyroid hormone resistance. Decreased Levels: Graves disease, Autonomous thyroid hormone secretion, TSH deficiency.



Printed By : spectrum

Printed On : 25 Nov, 2023 04:43 pm

Dr. Thejaswini M U, MD, Consultant Pathologist

Page 11 of 12







Age / Gender : 44 Years / Male Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 2511230040

: Apollo Clinic C/o

**Bill Date** : 25-Nov-2023 09:41 AM

Sample Col. Date: 25-Nov-2023 09:41 AM **Result Date** : 25-Nov-2023 04:19 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Urine Routine Examination-	Urine			
Physical Examination	24			
Colour	Pale Yellow		Pale Yellow	Visual
Appearance	Clear		Clear	Visual
Reaction (pH)	5.5		5.0-7.5	Dipstick
Specific Gravity	1.025		1.000-1.030	Dipstick
<b>Biochemical Examination</b>				1600 (1 € 1600 (1600 170)
Albumin	Negative		Negative	Dipstick/Precipitation
Glucose	Negative		Negative	Dipstick/Benedicts
Bilirubin	Negative		Negative	Dipstick/Fouchets
Ketone Bodies	Negative		Negative	Dipstick/Rotheras
Urobilinogen	Normal		Normal	Dipstick/Ehrlichs
Nitrite	Negative		Negative	Dipstick
Microscopic Examination			<del>.</del>	•
Pus Cells	2-3	hpf	0.0-5.0	Microscopy
Epithelial Cells	1-2	hpf	0.0-10.0	Microscopy
RBCs	Absent	hpf	Absent	Microscopy
Casts	Absent	65	Absent	Microscopy
Crystals	Absent		Absent	Microscopy
Others	Absent		Absent	Microscopy

: 2511230040

UHID

Comments: The kidneys help infiltration of the blood by eliminating waste out of the body through urine. They also regulate water in the body by conserving electrolytes, proteins, and other compounds. But due to some conditions and abnormalities in kidney function, the urine may encompass some abnormal constituents, which are not normally present. A complete urine examination helps in detecting such abnormal constituents in urine. Several disorders can be detected byidentifying and measuring the levels of such substances. Blood cells, bilirubin, bacteria, pus cells, epithelial cells may be present in urine due to kidney disease or infection. Routine urine examination helps to diagnose kidney diseases, urinary tract infections, diabetes and other metabolic disorders.



Printed By

: spectrum

Printed On

: 25 Nov, 2023 04:43 pm

Dr. Thejaswini M U, MD, Consultant Pathologist

Page 12 of 12



