



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:48
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 09/Nov/2024 09:35:03
UHID/MR NO	: IDCD.0000234228	Received	: 09/Nov/2024 11:29:59
Visit ID	: IDCD0404092425	Reported	: 09/Nov/2024 13:14:40
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF HAEM ATOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY/ TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY/ TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood	,			
Haemoglobin	11.60	g/ dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRICMETHOD (CYANIDE-FREE REAGENT)
TLC (WBC) DLC	9,600.00	/Qumm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils )	61.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	33.00	%	20-40	FLOW CYTOMETRY
Monocytes	4.00	%	2-10	FLOW CYTOMETRY
Eosinophils	2.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	<1-2	FLOW CYTOMETRY
Observed	24.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	



Chandan 24x7 App

Page 1 of 13







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

ON: U85110UP2003PLC193493

Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:48
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 09/Nov/2024 09:35:03
UHID/MR NO	: IDCD.0000234228	Received	: 09/Nov/2024 11:29:59
	: IDCD0404092425	Reported	: 09/Nov/2024 13:14:40
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF HAEM ATOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	12.00	Mm for 1st hr.	<20	
PCV (HCT)	36.00	%	40-54	
Platelet count				
Platelet Count	2.50	LACS' cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.10	fL	9-17	ELECTRONIC IMPEDANCE
P-LOR (Platelet Large Cell Patio)	44.40	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.27	%	0.108-0.282	<b>ELECTRONIC IM PEDANCE</b>
MPV (Mean Platelet Volume)	12.60	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBCCount				
RBC Count	3.98	Mill./cumm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	90.00	fl	80-100	CALCULATED PARAMETER
МСН	29.10	pg	27-32	CALCULATED PARAMETER
МОНС	32.30	%	30-38	CALCULATED PARAMETER
RDW-CV	12.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	41.00	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5,856.00	/cumm	3000-7000	
Absolute Eosinophils Count (AEC)	192.00	/cu mm	40-440	

Linth

#### DR.KIRITI KANAUJIA MBBS MD(PATH)











Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:49
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 09/Nov/2024 16:34:57
UHID/MR NO	: IDCD.0000234228	Received	: 09/Nov/2024 17:19:08
Visit ID	: IDCD0404092425	Reported	: 09/Nov/2024 17:38:38
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING, Plasma Glucose Fasting	100.70	mg/ dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

**CLINICAL SIGNIFICANCE:-** Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	139.90	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

Dr. Anupam Singh (MBBS MD Pathology)



Page 3 of 13







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:49
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 09/Nov/2024 09:35:03
UHID/MR NO	: IDCD.0000234228	Received	: 09/Nov/2024 11:36:20
Visit ID	: IDCD0404092425	Reported	: 09/Nov/2024 14:47:30
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

-	-		
Result	Unit	Bio. Ref. Interval	Method
DTA BLOOD			
5.50	%NGSP		HPLC (NGSP)
37.00	mmol/mol/IFCC	;	
111	mg/ dl		
	DTA BLOOD 5.50 37.00	DTA BLOOD 5.50 %NGSP 37.00 mmol/mol/IFCC	DTA BLOOD 5.50 %NGSP 37.00 mmol/mol/IFCC

#### Interpretation:

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level



Page 4 of 13







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:49
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 09/Nov/2024 09:35:03
UHID/MR NO	: IDCD.0000234228	Received	: 09/Nov/2024 11:36:20
Visit ID	: IDCD0404092425	Reported	: 09/Nov/2024 14:47:30
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd. -	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

rest name result Unit Bio. ref. interval ivietnoo	Test Name	Result	Unit	Bio. Ref. Interval	Method	
---	-----------	--------	------	--------------------	--------	--

declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

#### Dr. Anupam Singh (MBBS MD Pathology)





**Home Sample Collection** 08069366666





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

DEPARTMENT OF BLOCHEMISTRY				
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd. -	Status	: Final Report	
Visit ID	: IDCD0404092425	Reported	: 09/Nov/2024 14:09:14	
UHID/MR NO	: IDCD.0000234228	Received	: 09/Nov/2024 11:59:30	
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 09/Nov/2024 09:35:03	
Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:49	

#### MEDIWHEEL BANK OF BARODA FEM ALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	al Method
<b>BUN (Blood Urea Nitrogen)</b> Sample:Serum	8.05	mg/dL	7.0-23.0	CALCULATED
Interpretation: Note: Elevated BUN levels can be seen in	n the following:			
High-protein diet, Dehydration, Aging, Certa	in medications, Burns	s, Gastrointestin	nal (GI) bleeding.	
Low BUN levels can be seen in the follow	ving:			
Low-protein diet, overhydration, Liver disea	se.			
<b>Creatinine</b> Sample:Serum	0.78	mg/dl	0.5-1.20	MODIFIED JAFFES
Interpretation: The significance of single creatinine value mu mass will have a higher creatinine concentration absolute creatinine concentration. Serum creatic could be affected mildly and may result in and lipemic.	on. The trend of seru atinine concentrations	m creatinine con s may increase v	ncentrations over ti when an ACE inhib	me is more important than bitor (ACE) is taken. The assay
<b>Uric Acid</b> Sample:Serum	3.01	mg/dl	2.5-6.0	URICASE
Interpretation: Note:- Elevated uric acid levels can be seen in th	he following:			
Drugs, Diet (high-protein diet, alcohol), Chro	onic kidney disease, H	Hypertension, O	besity.	
LFT (WITH GAMMA GT), Serum				
SGOT / Aspartate Aminotransferase (AST)	30.00	U/L	<35	IFCC WITHOUT P5P
				Page 6 of 13











Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

_				
Pa	atient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:49
A	ge/Gender	: 27 Y 2 M 24 D / F	Collected	: 09/Nov/2024 09:35:03
U	HID/MR NO	: IDCD.0000234228	Received	: 09/Nov/2024 11:59:30
V		: IDCD0404092425		: 09/Nov/2024 14:09:14
R	ef Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
SGPT / Alanine Aminotransferase (ALT)	14.60	U/L	<40	IFCC WITHOUT P5P
Gamma GT (GGT)	16.40	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.18	gm/ dl	6.2-8.0	BIURET
Albumin	4.60	gm/dl	3.4-5.4	B.C.G.
Globulin	2.58	gm/ dl	1.8-3.6	CALCULATED
A:G Patio	1.78		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	46.00	U/L	42.0-165.0	PNP/ AMP KINETIC
Bilirubin (Total)	0.40	mg/ dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.16	mg/ dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.24	mg/dl	<0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	221.00	mg/ dl	<200 Desirable 200-239 Borderline Higł > 240 High	OHOD-PAP า
HDL Cholesterol (Good Cholesterol)	58.20	mg/ dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	132	mg/dl	< 100 Optimal 100-129 Nr. Optimal/ Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	30.80	mg/ dl	10-33	CALCULATED
Triglycerides	154.00	mg/ dl	< 150 Normal 150-199 Borderline Higł 200-499 High >500 Very High	GPO-PAP 1

#### Dr. Anupam Singh (MBBS MD Pathology)



Page 7 of 13





 $\odot$ 

Home Sample Collection 08069366666





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

ON: U85110UP2003PLC193493

Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:49
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 09/Nov/2024 17:22:26
UHID/MR NO	: IDCD.0000234228	Received	: 09/Nov/2024 17:25:34
Visit ID	: IDCD0404092425	Reported	: 09/Nov/2024 17:36:00
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Urine				
Color	PALEYELOW			
Specific Gravity	1.015			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	<10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++) 200-500 (+++)	
			>500 (++++)	
Sugar	ABSENT	gms%	<0.5 (+)	DIPSTICK
		ge,e	0.5-1.0 (++)	
			1-2 (+++)	
			>2(++++)	
Ketone	ABSENT	mg/dl	Serum-0.1-3.0	BIOCHEMISTRY
			Urine-0.0-14.0	
Bile Salts	ABSENT			
Bile Pigments Bilirubin	ABSENT ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			Dironak
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial œlls	0-1/h.p.f			MICROSCOPIC
	0 1/ 11.p.i			EXAMINATION
Pusœlls	0-1/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Orystals	ABSENT			MICROSCOPIC
Othere				EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		



View Reports on

Chandan 24x7 App







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:49
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 09/Nov/2024 17:22:26
UHID/MR NO	: IDCD.0000234228	Received	: 09/Nov/2024 17:25:34
	: IDCD0404092425	Reported	: 09/Nov/2024 17:36:00
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

#### **Interpretation:**

< 0.5 (+) (++)0.5-1.0 (+++) 1-2 (++++) > 2

#### SUGAR, PP STAGE, Urine

Sugar, PP Stage

ABSENT

#### **Interpretation:**

(+)< 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%




#### DR.KIRITI KANAUJIA MBBS MD(PATH)







 $\odot$ 







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

QN: U85110UP2003PLC193493

Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:49
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 09/Nov/2024 09:35:03
UHID/MR NO	: IDCD.0000234228	Received	: 09/Nov/2024 11:05:06
Visit ID	: IDCD0404092425	Reported	: 09/Nov/2024 13:12:53
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL** , Serum				
T3, Total (tri-iodothyronine)	115.22	ng/ dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	10.30	ug/dl	3.2-12.6	ALD
TSH (Thyroid Stimulating Hormone)	2.730	μlU/mL	0.27 - 5.5	CLIA
Interpretation:				
-		0.3-4.5 μIU/m	L First Trimester	
		0.5-4.6 μIU/m	L Second Trimeste	r
		0.8-5.2 μIU/m	L Third Trimester	
		0.5-8.9 μIU/m	nL Adults 55	-87 Years
		0.7-27 μIU/m	nL Premature 2	28-36 Week
		2.3-13.2 μIU/m	L Cord Blood	> 37Week
		0.7-64 μIU/m	L Child(21 wk - 20	Yrs.)
		1-39 μIU/	mL Child 0-4	4 Days
		1.7 <b>-</b> 9.1 μIU/m	nL Child 2-2	20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

**5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

**6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Anupam Singh (MBBS MD Pathology)











Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:50
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 2024-11-09 14:27:27
UHID/MR NO	: IDCD.0000234228	Received	: 2024-11-09 14:27:27
	: IDCD0404092425	Reported	: 09/Nov/2024 14:46:48
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF X-RAY


### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

#### X-RAY DIGITAL CHEST PA

(300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Both hilar shadows and broncho-vascular markings are prominent.
- Pulmonary parenchyma did not reveal any significant lesion.
- **IMPRESSION :** BRONCHITIS.

**Dr. Anoop Agarwal** MBBS, MD(Radiology)









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:50
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 2024-11-09 13:48:11
UHID/MR NO	: IDCD.0000234228	Received	: 2024-11-09 13:48:11
Visit ID	: IDCD0404092425	Reported	: 09/Nov/2024 17:21:11
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF ULTRASOUND

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

#### ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER)

#### **LIVER**

• The liver is normal in size and has a normal homogenous echotexture. No focal lesion is seen.

#### **PORTAL SYSTEM**

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

#### **BILIARY SYSTEM**

- The intra-hepatic biliary radicles are normal.
- Common duct are normal at the porta.
- The gall bladder is normal in size and has regular walls. Wall thickness is normal. Lumen of the gall bladder is anechoic.

#### **PANCREAS**

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

#### **RIGHT KIDNEY**

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

#### **LEFT KIDNEY**

- Left kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

#### **SPLEEN**









# 33

# CHANDAN DIAGNOSTIC CENTRE

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SANIA BHASIN	Registered On	: 09/Nov/2024 09:08:50
Age/Gender	: 27 Y 2 M 24 D / F	Collected	: 2024-11-09 13:48:11
UHID/MR NO	: IDCD.0000234228	Received	: 2024-11-09 13:48:11
Visit ID	: IDCD0404092425	Reported	: 09/Nov/2024 17:21:11
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF ULTRASOUND

## MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

• The spleen is normal in size and has a homogenous echotexture. No focal lesion is seen.

#### **ILIAC FOSSA**

• Scan over the iliac fossae does not reveal any fluid collection or mass.

#### URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and regular.

#### **UTERUS**

- The uterus is anteverted and anteflexed position.
- It has a homogenous myometrial echotexture.
- The endometrium is seen in midline.
- Cervix is normal.

#### ADNEXA & OVARIES

- Adnexa on both sides are normal.
- Right ovary is normal in size, shape & has a normal echotexture.
- Left ovary is mildly enlarged & hypoechoic. It measures 39.0 x 39.1 x 24.7 mms, volume ~ 19.75 ml.

#### CUL-DE-SAC

• Pouch of Douglas is clear.

#### **IMPRESSION**

• Mildly enlarged left ovary(?) inflammatory .

#### ADV:- Clinicopathological correlation / follow up.

	*** End Of Report ***	
Γ(**) Γ	Test Performed at Chandan Speciality Lab.	
ST STATES EXAMINATION, ECG / EKG, Tread M	ill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINA	TION
		Dr. Anoop Agarwal MBBS MD(Reciplogy
This report is not for medico legal purpose. If clini	cal correlation is not established, kindly repeat the test at no additional cost within	n seven days.
	1	
565 Days Open	" <i>T</i> uc	Page 13 of 13
		w Reports on