Name	: Mr. SANTHOSH ANJANEY RAJU B	A
PID No.	: MED120799545	Register On : 12/02/2022 9:23 AM
SID No.	: 522208502	Collection On : 12/02/2022 10:38 AM
Age / Sex	: 35 Year(s) / Male	Report On : 13/02/2022 11:10 AM
Туре	: OP	Printed On : 08/03/2022 5:57 PM
Ref. Dr	: MediWheel	

Investigation HAEMATOLOGY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	15.6	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	47.9	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	5.67	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	85.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	27.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	32.6	g/dL	32 - 36
RDW-CV (Derived from Impedance)	13.5	%	11.5 - 16.0
RDW-SD (Derived from Impedance)	40.16	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	7800	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	70.07	%	40 - 75

19.11

1.82

%

%



Lymphocytes

Eosinophils

VERIFIED BY



APPROVED BY

20 - 45

01 - 06

The results pertain to sample tested.

(Blood/Impedance Variation & Flow Cytometry)

(Blood/Impedance Variation & Flow Cytometry)

Name	: Mr. SANTHOSH ANJANEY RAJU B	A
PID No.	: MED120799545	Register On : 12/02/2022 9:23 AM
SID No.	: 522208502	Collection On : 12/02/2022 10:38 AM
Age / Sex	: 35 Year(s) / Male	Report On : 13/02/2022 11:10 AM
Туре	: OP	Printed On : 08/03/2022 5:57 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Monocytes (Blood/Impedance Variation & Flow Cytometry)	8.64	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.36	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	5.47	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.49	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.14	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood'Impedance Variation & Flow Cytometry)	0.67	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.03	10^3 / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	209.0	10^3 / µl	150 - 450
MPV (Blood/Derived from Impedance)	9.72	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/ <i>Modified Westergren</i>)	2	mm/hr	< 15





APPROVED BY

Name	Mr. SANTHOSH ANJANEYA RAJU B	
PID No.	MED120799545 Register On : 12/02/2022 9:23	AM
SID No.	522208502 Collection On : 12/02/2022 10:3	38 AM
Age / Sex	35 Year(s) / Male Report On : 13/02/2022 11:	10 AM
Туре	OP Printed On : 08/03/2022 5:57	7 PM
Ref. Dr	MediWheel	

Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.9	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.3	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.6	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.1	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.9	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.2	g/dL	2.3 - 3.5
A : G Ratio (Serum/Derived)	2.2		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	18	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	36	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	66	U/L	53 - 128
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	61	U/L	< 55





APPROVED BY

Name	: Mr. SANTHOSH ANJANEY RAJU B	A
PID No.	: MED120799545	Register On : 12/02/2022 9:23 AM
SID No.	: 522208502	Collection On : 12/02/2022 10:38 AM
Age / Sex	: 35 Year(s) / Male	Report On : 13/02/2022 11:10 AM
Туре	: OP	Printed On : 08/03/2022 5:57 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Lipid Profile			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	189	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	61	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	57	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/ <i>Calculated</i>)	119.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/ <i>Calculated</i>)	12.2	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	132.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



APPROVED BY

• • • • • • • • • • • • • • • • • • • •	(A	
RAJU B		
: MED120799545	Register On : 12/02/2022 9:23	3 AM
: 522208502	Collection On : 12/02/2022 10:	38 AM
: 35 Year(s) / Male	Report On : 13/02/2022 11:	10 AM
: OP	Printed On : 08/03/2022 5:5	7 PM
: MediWheel		
<u>ation</u>	<u>Observed</u> <u>Unit</u> <u>Value</u>	Biological Reference Interval
sum of all potentially atherogenic	proteins including LDL, IDL, VLDL and	
holesterol/HDL Cholesterol Ra	tio 3.3	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
eride/HDL Cholesterol Ratio DL) ^(alculated)	1.1	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
DL Cholesterol Ratio	2.1	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
	 RAJU B MED120799545 522208502 35 Year(s) / Male OP MediWheel ation RETATION: 1.Non-HDL Cholested sum of all potentially atherogenic pry target for cholesterol lowering the nolesterol/HDL Cholesterol Ratio eride/HDL Cholesterol Ratio DL Cholesterol Ratio	MED 120799545 Register On : 12/02/2022 9:23 522208502 Collection On : 12/02/2022 10:3 35 Year(s) / Male Report On : 13/02/2022 11: OP Printed On : 08/03/2022 5:5 MediWheel ation <u>Observed Unit Value</u> RETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovas sum of all potentially atherogenic proteins including LDL, IDL, VLDL and or y target for cholesterol lowering therapy. nolesterol/HDL Cholesterol Ratio alculated) DL Cholesterol Ratio 2.1



DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

Name	:	Mr. SANTHOSH ANJANEYA RAJU B	N			
PID No.	:	MED120799545	Register On	: 12/02/2022	2 9:23 AM	
SID No.	:	522208502	Collection On	: 12/02/202	2 10:38 AM	
Age / Sex	:	35 Year(s) / Male	Report On	: 13/02/202	22 11:10 AM	
Туре	:	OP	Printed On	: 08/03/202	2 5:57 PM	
Ref. Dr	:	MediWheel				
<u>Investiga</u> <u>Glycosyl</u>		on ed Haemoglobin (HbA1c)		<u>served</u> alue	<u>Unit</u>	Biological Reference Interval
HbA1C (Whole Blo	200	V/HPLC)		5.7	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERPI	RE	TATION: If Diabetes - Good con	trol : 6.1 - 7.0 % ,	Fair control : 7	.1 - 8.0 % , Poor control >=	= 8.1 %

Estimated Average Glucose	116.89	mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name	: Mr. SANTHOSH ANJANEYA RAJU B	A Contraction of the second seco				
PID No.	: MED120799545	Register On :	12/02/202	2 9:23 AM		
SID No.						
Age / Sex	: 35 Year(s) / Male	-		22 11:10 AM		
Туре	: OP	Printed On :		22 5:57 PM		
Ref. Dr	: MediWheel					
Investiga	ation JNOASSAY	<u>Obser</u> Valu		<u>Unit</u>	Biological Reference Interval	
	D PROFILE / TFT odothyronine) - Total	0.8	49	ng/mL	0.7 - 2.04	
INTERPH Comment Total T3 v	RETATION:	n like pregnancy, dr	ugs, nephros	sis etc. In such cases, Free T	3 is recommended as it is	
T4 (Thyr (Serum/ <i>CM</i>	roxine) - Total MA)	4.2	27	µg/dL	4.2 - 12.0	
Comment Total T4 v	RETATION: : ariation can be seen in other conditionally active.	n like pregnancy, dr	ugs, nephros	sis etc. In such cases, Free T	4 is recommended as it is	
(Serum/Ch	yroid Stimulating Hormone) emiluminescent Microparticle say(CMIA))	0.5	99	µIU/mL	0.35 - 5.50	
Reference 1 st trimes 2 nd trimes 3 rd trimes (Indian Th Comment 1.TSH refe 2.TSH Lev	RETATION: range for cord blood - upto 20 ter: 0.1-2.5 ster 0.2-3.0 ster : 0.3-3.0 syroid Society Guidelines) : erence range during pregnancy depen yels are subject to circadian variation or of 50% hence time of the day here i	, reaching peak level	ls between 2	-4am and at a minimum bet		

of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations. 3.Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



Name	Mr. SANTHOSH ANJANEYA RAJU B	
PID No.	MED120799545 Register On : 12/02/2022	9:23 AM
SID No.	522208502 Collection On : 12/02/2022	10:38 AM
Age / Sex	35 Year(s) / Male Report On : 13/02/2022	11:10 AM
Туре	OP Printed On : 08/03/2022	5:57 PM
Ref. Dr	MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
CLINICAL PATHOLOGY			
PHYSICAL EXAMINATION			
Colour (Urine)	Pale yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	
<u>CHEMICAL EXAMINATION(Automated-</u> <u>Urineanalyser)</u>			
pH (Urine/ <i>AUTOMATED URINANALYSER)</i>	5.0		4.5 - 8.0
Specific Gravity (Urine)	1.025		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative





APPROVED BY

Name	Mr. SANTHOSH ANJANEYA RAJU B	
PID No.	MED120799545 Register On : 12/02/2022	9:23 AM
SID No.	522208502 Collection On : 12/02/2022	10:38 AM
Age / Sex	35 Year(s) / Male Report On : 13/02/2022	11:10 AM
Туре	OP Printed On : 08/03/2022	5:57 PM
Ref. Dr	MediWheel	

Investigation Glucose	<u>Observed</u> <u>Value</u> Negative	<u>Unit</u>	Biological Reference Interval Negative
(Urine)	reguire		riegurie
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	1-2	/hpf	3-5
Epithelial Cells (Urine)	2-3	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	2-3
Others (Urine)	Nil		Nil





APPROVED BY

Name	: Mr. SANTHOSH ANJANEYA RAJU B	
PID No.	: MED120799545 Regis	ster On : 12/02/2022 9:23 AM
SID No.	: 522208502 Colle	ction On : 12/02/2022 10:38 AM
Age / Sex	: 35 Year(s) / Male Repo	ort On : 13/02/2022 11:10 AM
Туре	: OP Print	ed On : 08/03/2022 5:57 PM
Ref. Dr	: MediWheel	

Investigation

Observed Value <u>Unit</u>

Biological Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

'A' 'Positive'

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.



VERIFIED BY



APPROVED BY

Name	:	Mr. SANTHOSH ANJANEYA RAJU B	L.		
PID No.	:	MED120799545	Register On	:	12/02/2022 9:23 AM
SID No.	:	522208502	Collection On	:	12/02/2022 10:38 AM
Age / Sex	:	35 Year(s) / Male	Report On	:	13/02/2022 11:10 AM
Туре	:	OP	Printed On	:	08/03/2022 5:57 PM
Ref. Dr	:	MediWheel			

Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BUN / Creatinine Ratio	11.1		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	89	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	95	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	10	mg/dL	7.0 - 21
Creatinine	0.9	mg/dL	0.9 - 1.3

(Serum/Jaffe Kinetic)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	7.2	mg/dL	3.5 - 7.2
(Serum/Uricase/Peroxidase)			



VERIFIED BY



APPROVED BY

-- End of Report --

Name	MR.SANTHOSH ANJANEYA RAJU B	ID	MED120799545
Age & Gender	35Y/MALE	Visit Date	12 Feb 2022
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (13.3cm) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size (11.8cm) and echopattern.

No demonstrable Para-aortic lymphadenopathy.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

-	Bipolar length (cm)	Parenchymal thickness (cm)
Right Kidney	9.8	2.0
Left Kidney	10.6	2.1

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 2.5 x 3.8 x 2.3cm volume: 12cc.

No evidence of ascites.

IMPRESSION:

• No significant abnormality detected.

DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE CONSULTANT RADIOLOGISTS

Vk/ra

Name	MR.SANTHOSH ANJANEYA RAJU B	ID	MED120799545
Age & Gender	35Y/MALE	Visit Date	12 Feb 2022
Ref Doctor Name	MediWheel		

Name	MR.SANTHOSH ANJANEYA RAJU B	ID	MED120799545
Age & Gender	35Y/MALE	Visit Date	12 Feb 2022
Ref Doctor Name	MediWheel	-	

2D ECHOCARDIOGRAPHIC STUDY

M-mode measurement:

AORTA	:	2.16	cms.
LEFT ATRIUM	:	2.62	cms.
AVS LEFT VENTRICLE	:	1.47	cms.
(DIASTOLE)	:	4.12	cms.
(SYSTOLE)	:	2.57	cms.
VENTRICULAR SEPTUM	:		
(DIASTOLE)	:	1.18	cms.
(SYSTOLE)	:	1.34	cms.
POSTERIOR WALL	:		
(DIASTOLE)	:	1.08	cms.
(SYSTOLE)	:	1.49	cms.
EDV	:	73	ml.
ESV	:	23	ml.
FRACTIONAL SHORTENING	:	30	%
EJECTION FRACTION	:	60	%
EPSS	:		cms.
RVID	:	1.80	cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE:	E - 0.6 m/s	A - 0.7 m/s	NO MR.
AORTIC VALVE:	1.0 m/s		NO AR.
TRICUSPID VALVE: E -	0.3 m/s A - 0	0.4 m/s	NO TR.
PULMONARY VALVE:	0.8 m/s		NO PR.

Name	MR.SANTHOSH ANJANEYA RAJU B	ID	MED120799545
Age & Gender	35Y/MALE	Visit Date	12 Feb 2022
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle:Normal size, Normal systolic function.:No regional wall motion abnormalities.

Left Atrium		:	Normal.
Right Ventricle	:	Norma	al.
Right Atrium		:	Normal.
Mitral Valve		:	Normal. No mitral valve prolapsed.
Aortic Valve		:	Normal.Trileaflet.
Tricuspid Valve		:	Normal.
Pulmonary Valve		:	Normal.
IAS		:	Intact.
IVS		:	Intact.
Pericardium		:	No pericardial effusion.

IMPRESSION:

• NORMAL SIZED CARDIAC CHAMBERS.

• NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.

• NO REGIONAL WALL MOTION ABNORMALITIES.

- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. ANAND KUMAR M, MD DM CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	MR.SANTHOSH ANJANEYA RAJU B	ID	MED120799545
Age & Gender	35Y/MALE	Visit Date	12 Feb 2022
Ref Doctor Name	MediWheel		



Name	SANTHOSH ANJANEYA RAJU B	ID	MED120799545
Age & Gender	35Y/M	Visit Date	Feb 12 2022 9:21AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

• No significant abnormality detected.

Course.

DR. H.K. ANAND DR. VARSHA KALE DR. LOHITH H.P CONSULTANT RADIOLOGISTS

DR. C.R. RAMACHANDRA