



(A Complete Diagnostic Pathology Laboratory)

RAIBARELI ROAD, TELIBAGH, LUCKNOW

E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

Collected At : JAVITRI

Name : MRS. RITA SINGH

Ref/Reg No : 107008 / TPPC\JAV-

Ref By

: Dr. MEDI WHEEL

Sample

Sample(s)

: Blood, Urine

: Plain, EDTA, Urine, FBS, PPP

Registered

: 44 Yrs.

Gender : Female

Age

: 11-3-2023 03:25 PM

Collected

Received

: 11-3-2023 03:25 PM

Reported

: 12-3-2023 04:46 PM

Investigation	Observed Values	Units	Biological Ref Interval
HEMOGRAM			
(Method: Electrical impedance, Flowcytometry, S	epctrophotometry)		
Haemoglobin [Method: SLS]	10.4	g/dL	11.5 - 15
HCT/PCV (Hematocrit/Packed Cell Volume) Method: Derived1	32	ml %	36 - 46
BC Count Method: Electrical Impedence]	3.71	10^6/µl	3.8 - 4.8
MCV (Mean Corpuscular Volume) Method: Calculated]	86.3	fL.	83 - 101
Method: Calculated] MCH (Mean Corpuscular Haemoglobin) Method: Calculated]	28.0	pg	27 - 32
MCHOd: Calculated) MCHC (Mean Corpuscular Hb Concentration) Method: Calculated)	32.4	g/dL	31.5 - 34.5
Method: Calculated] LC (Total Leucocyte Count) Method: Flow Cytometry/Microscopic] LC (Differential Leucocyte Count):	5.7	10^3/μΙ	4.0 - 10.0
Method: Flow Cytometry/Microscopic]			
olymorphs	78	%	40.0 - 80.0
ymphocytes	18	%	20.0 - 40.0
osinophils	02	%	1.0 - 6.0
lonocytes	02	%	2.0 - 10.0
atelet Count <u>Method: Electrical impedence/Microscopic</u>]	135	10^3/µl	150 - 400

[Method: Wintrobe Method] *Observed Reading	26	mm for 1 hr	0-20	
* ABO Typing	" O "			
* Rh (Anti - D)	Positive			

Positive

DR. MINAKSHI KAR "The results generated here is subjected to the sample submitted." (MD PATH & BACT)

Page 1 of 3





(A Complete Diagnostic Pathology Laboratory)

DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW

E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

Collected At : JAVITRI

Name : MRS. RITA SINGH

Ref/Reg No : 107008 / TPPC\JAV-

Ref By : Dr. MEDI WHEEL Sample : Blood, Urine

Sample(s): Plain, EDTA, Urine, FBS, PPP

Collected At : JAVITRI

Registered : 11-3-2023 03:25 PM

Collected :.

Received : 11-3-2023 03:25 PM

Reported : 12-3-2023 04:46 PM

Investigation	Observed Values	Units	Biological Ref. Interval
Plasma Glucose Fasting	92	mg/dL	70 - 110
Plasma Glucose PP (2 Hrs after meal) [Method: Hexokinase]	104	mg/dL.	110-170
Glycosylated Hemoglobin (HbA1C) (Hplc method)	6.2	%	0 - 6
Mean Blood Glucose (MBG)	131	mg/dl	

Age

: 44 Yrs.

Gender : Female

SUMMARY

< 6 % : Non Diebetic Level

6-7 % : Goal

> 8 % : Action suggested

If HbAlc is >8% which causes high risk of developing long term complications like retinopathy, Nephropathy, Cardiopathy and Neuropathy. In diabetes mellitus sugar (glucose) accumulates in blood stream beyond normal level. Measurement of blood / plasma glucose level (in fasting, "after meal" i.e. PP or random condition) reflect acute changes related to immediate past condition of the patient which may be affected by factor like duration of fasting or time of intake of food before fasting, dosages of anti diabetic drugs, mental conditions like stress, anxiety etc. it does not indicate the long-term aspects of diabetic control.

Glucose combines with hemoglobin (Hb) continuously and nearly irreversibly during life span of RBC (120 days), thus glycosylated Hb is proportional to mean plasma glucose level during the previous 2-3 months. HBA1C, a glycosylated Hb comprising 3% - 6% of the total Hb in healthy may double of even triple in diabetes mellitus depending on the level of hyperglycemia (high blood glucose level), thus correlating with lack of control by monitoring diabetic patients compliance with therapeutic regimen used and long term blood glucose level control. Added advantage is its ability to predict progression of diabetic complications. HbA1c value is no way concerned with the blood sugar on the day of testing and dietary preparation of fasting is unnecessary.

Checked by

----- End of report -----

DR. MINAKSHI KAR

"The results generated here is subjected to the sample submitted."

(MD PATH & BACT)

Page 1 of





RAIBARELI ROAD, TELIBAGH, LUCKNOW

E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

(A Complete Diagnostic Pathology Laboratory)

Collected At : JAVITRI

Name : MRS. RITA SINGH

Ref/Reg No : 107008 / TPPC\JAV-

Ref By

: Dr. MEDI WHEEL

Sample(s) : Plain, EDTA, Urine, FBS, PPP

Sample

: Blood, Urine

: 44 Yrs. Age Gender : Female

Registered Collected

: 11-3-2023 03:25 PM

Received

: 11-3-2023 03:25 PM

Reported

: 12-3-2023 04:46 PM

Investigation	Observed Values	Units	Biological Ref Interval
LIVER FUNCTION TEST			
Serum Bilirubin (Total)	0.26	mg/dl.	0.0 - 1.2
* Serum Bilirubin (Direct)	0.10	mg/dl.	0-0.4
* Serum Bilirubin (Indirect)	0.16	mg/dl.	0.2-0.7
Serum Alkaline Phosphatase	99	IU/L	35-104
[Method:4-Nitrophenyl phosphate (pNPP)] SGPT	13.0	IU/L	10-50
[Method: IFCC (UV without pyridoxal-5-phosphate] SGOT	15.4	IU/L	10-50
[Method: IFCC (UV without pyridoxal-5-phosphate] * Gamma-Glutamyl Transferase (GGT)	15.5	IU/L	Less than 38
Serum Protein	6.3	gm/dL	6.2 - 7.8
[Method: Biuret) Serum Albumin	4.35	gm/dL.	3.5 - 5.2
Method: BCG) Serum Globulin	1.95	gm/dL.	2.5-5.0
[Method: Calculated] A.G. Ratio	2.23:1	_	
Method: Calculated]			

KIDNEY FUNCTION TEST			
Serum Urea	27.7	mg/dL.	10-45
Blood Urea Nitrogen (BUN)	13.5	mg/dL.	6 - 21
Serum Creatinine [Method: Jaffes Method/Enzymatic]	0.43	mg/dL.	0.40 - 1.00
Serum Sodium (Na+)	136	mmol/L	135 - 150
Serum Potassium (K+) [Method: Ion selective electrode direct]	4.0	mmol/L	3.5 - 5.5
Serum Uric Acid	4.3	mg/dL.	2.4 - 5.7
[Method for Uric Acid: Enzymatic-URICASE] * Serum Calcium (Total)	9.5	mg/dl.	8.2 - 10.2

----- End of report -----

DR. MINAKSHI KAR

"The results generated here is subjected to the sample submitted."

(MD PATH & BACT)

Page 1 of 1

Facilities Available: • CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available





DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW

E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

(A Complete Diagnostic Pathology Laboratory)

Collected At : JAVITRI

Name : MRS. RITA SINGH Age : 44 Yrs. Registered : 11-3-2023 03:25 PM

Ref/Reg No : 107008 / TPPC\JAV-Gender : Female Collected

Ref By : Dr. MEDI WHEEL Received : 11-3-2023 03:25 PM Sample

: Blood, Urine Reported : 12-3-2023 04:46 PM Sample(s) : Plain, EDTA, Urine, FBS, PPP

Investigation Observed Values Units Biological Ref.

Interval LIPID PROFILE Serum Cholesterol 144 mg/dL. <200 Serum Triglycerides 74 mg/dL. <150 **HDL Cholesterol** 48 mg/dL >55 LDL Cholesterol 81 mg/dL. <130 VLDL Cholesterol 15 mg/dL. 10 - 40 CHOL/HDL 3 LDL/HDL 1.69

INTERPRETATION:

National Cholestrol Education program Expert Panel (NCEP) for Cholestrol:

Desirable : < 200 mg/dlBorderline High : 200-239 mg/dl

High : = >240 mg/dl

National Cholestrol Education program Expert Panel (NCEP) for Triglycerides:

Desirable : < 150 mg/dl : 150-199 mg/dl Borderline High

High : 200-499 mg/dl Very High : >500 mg/dl

National Cholestrol Education program Expert Panel (NCEP) for HDL-Cholestrol: <40 mg/dl: Low HDL-Cholestrol [Major risk factor for CHD]

=>60 mg/dl: Hight HDL-Cholestrol [Negative risk factor for CHD]

National Cholestrol Education program Expert Panel (NCEP) for LDL-Cholestrol:

Optimal : < 100 mg/dL

Near optimal/above optimal: 100-129 mg/dL

Borderline High : 130-159 mg/dl High : 160-189 mg/dL

Very High : 190 mg/dL

[Method for Cholestrol Total: Enzymatic (CHOD/POD)]

[Method for Triglycerides: Enzymatic (Lipase/GK/GPO/POD)]

[Method for HDL Cholestrol: Homogenous Enzymatic (PEG Cholestrol esterase)] [Method for LDL Cholestrol: Homogenous Enzymatic (PEG Cholestrol esterase)]

[Method for VLDL Cholestrol: Friedewald equation] [Method for CHOL/HDL ratio: Calculated]

[Method for LDL/HDL ratio: Calculated]

DR. MINAKSHI KAR "The results generated here is subjected to the sample submitted." (MD PATH & BACT)

Page 2 of 3

Facilities Available: • CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO Ambulance Available



(A Complete Diagnostic Pathology Laboratory)

RAIBARELI ROAD, TELIBAGH, LUCKNOW E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

Collected At : JAVITRI

Name : MRS. RITA SINGH

Ref/Reg No : 107008 / TPPC\JAV-

Ref By Sample

: Dr. MEDI WHEEL : Blood, Urine

Sample(s)

: Plain, EDTA, Urine, FBS, PPP

Age : 44 Yrs Gender : Female

Registered

Collected

: 11-3-2023 03:25 PM

Received

: 11-3-2023 03:25 PM

Reported

: 12-3-2023 04:46 PM

Investigation	Observed Values	Units	Biological Ref. Interval
T3, T4, TSH (ECLIA METHOD)			
Serum T3	1.26	ng/dl	0.84 - 2.02

Serum T4 Serum Thyroid Stimulating Harmone (T.S.H.)

8.34 1.96

ng/dl ug/dl 0.84 - 2.02

5.13 - 14.6 uIU/ml 0.39 - 5.60

[Method: Electro Chemiluminescence Immunoassay (ECLIA)]

SUMMARY OF THE TEST

1) Primary hyperthyroidism is accompanied by elevated serum T3 and T4 values along with depressed TSH levels.

2) primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels.

3) Normal T4 levels accompanied by high T3 levels are seen in patients with T3 thyrotoxicosis.

4) Slightly elevated T3 levels may be found in pregnancy and esterogen therapy, while depressed levels maybe encountered in severe illness, malnutrition, renalfailure and during therapy with drugs like propanlol and propylthiouracil.

5) Elevated TSH levels may also be indicative of TSH secreting pituitary tumour.

Chart of normal thyroid TSH levels during first, second and third trimester of pregnancy

Stage Normal TSH Level

First Trimester 0.1-2.5 ulU/mlSecond Trimester 0.2-3.0 ulU/mlThird Trimester 0.3-3.5 ulU/ml

----- End of report -----DR. MINAKSHI KAR "The results generated here is subjected to the sample submitted." (MD PATH & BACT)

Page 1 of 1

Facilities Available: • CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available





DIAGNOSTII

RAIBARELI ROAD, TELIBAGH, LUCKNOW

E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

Collected At : JAVITRI

Name

: MRS. RITA SINGH

: 44 Yrs. Age

Registered

: 11-3-2023 03:25 PM

Ref By

Ref/Reg No : 107008 / TPPC\JAV-

Gender : Female

Collected

: 11-3-2023 03:25 PM

Sample

: Dr. MEDI WHEEL

Received

: Blood, Urine

Reported

: 12-3-2023 04:46 PM

Sample(s)

Investigation

: Plain, EDTA, Urine, FBS, PPP

Observed Values

Units

Biological Ref. Interval

URINE EXAMINATION ROUTINE

PHYSICAL EXAMINATION

CHEMICAL EXAMINATION

Color Volume

Absent

Absent

Absent

Absent

Absent

Absent

Absent

Absent

6.0

1.015

Absent

Absent

Absent

Absent

Absent

Absent

Absent

Absent

Absent

Absent

1-2

mL

Blood

Bilirubin

Urobilinogen

Chyle [Method: Ether] Ketones

Nitrites

Proteins Glucose

pН Specific Gravity

Leucocytes

MICROSCOPIC EXAMINATION Red Blood cells

Pus cells **Epithelial Cells**

Casts Crystals Amorphous deposit

Yeast cells Bacteria

Parasites

Spermatozoa

Light Yellow

10

RBC/µl

Absent Absent Absent

Absent Absent

> Absent Absent

Absent 5.0 - 9.0

Absent

1.010 - 1.030

WBC/µL

/HPF

Absent

0-3

Absent/Few Absent

Absent Absent Absent

Absent **Absent**

Absent

- End of report DR. MINAKSHI KAR "The results generated here is subjected to the sample submitted." (MD PATH & BACT)

Page 3 of 3

Facilities Available: • CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available



DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

NAME: - MS. RITA SINGH

DATE: -11.03.2023

<u>RFF.BY</u>: -MEDIWHEEL

AGE: - 42Y/F

USG - WHOLE ABDOMEN

Liver appears normal in size (measures~ 123mm), shape and echopattern. No focal parenchymal lesion identified. No evidence of intra/ extrahepatic biliary tree dilatation noted. Portal vein appears to be of normal size.

Gall Bladder moderately distended. No definite calculi identified. No evidence of abnormal wall thickening noted.

Epleen appears normal in size (measures ~85mm), shape and echopattern No focal parenchymal identified.

Pancreas appears normal in size, shape and echopattern. No definite calcification or ductal dilatation noted.

Right kidney measures ~109x43mm; Left kidney measures ~106x47mm. Both kidneys appear normal in size, shape and echopattern. Corticomedullary differentiation appears maintained. No evidence of calculus or hydronephrosis on either side.

Urinary bladder appears well distended with no calculus or mass within.

Uterus anteverted appears normal in size measuring ~81x35mm. Myometrial echoes appears normal. The endometrial lining appears intact. Endometrial thickness measures ~ 4.6mm.

Right ovary measures~ 34x12mm; Left ovary measures ~ 40x17mm. Both ovaries appear normal in size, shape and echopattern

No evidence of ascites or pleural effusion seen. No significant retroperitoneal lymphadenopathy noted.

IMPRESSION:

• USG study of the abdomen shows no definite abnormality.
-Suggested clinical correlation

Dr. Sarvesh Chandra Mishra

M.D., DNB Radio-diagnosis
PDCC Neuroradiology (SGPGI, LKO)
Ex- senior Resident (SGPGI, LKO)
European Diploma in radiology EDiR, DICRI

MBBS, DMRD
DNB Radio Diagnosis
Ex- Senior Resident Apollo Hospital Bengaluru

Ex- Resident JIPMER, Pondicherry

Dr. Sweta Kumari

Reports are subjected to human errors and not liable for medicolegal purpose.

Reported by: RoliVishvakarma



DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

NAME:-MRS.RITA SINGH

DATE:-11/03/2023

REF.BY:-MEDI-WHEEL

AGE:-44Y/F

X-RAY CHEST (P.A. View)

- Lung fields are clear.
- No focal parenchymal lesion is noted.
- Mediastinum is central.
- Cardiac size is normal.
- C.P. angles are normally visualized.
- Domes of diaphragm are normal.
- Pulmonary hila appear normal.
- Soft tissue and bones are normal.

OPINION:

• No significant abnormality detected.

-Suggested clinical correlation.

Dr. Sarvesh Chandra Mishra

M.D., D.N.B. Radio-diagnosis PDCC Neuroradiology (SGPGIMS, LKO) Ex- senior Resident (SGPGIMS, LKO) European Diploma in radiology EDIR, DICRI Dr. Sweta Kumari

M.B.B.S., D.M.R.D., D.N.B. Radio-diagnosis

Ex- Senior Resident (Apollo Hospital, Bangalore)

Ex- Resident JIPMER, Pondicherry

Reports are subjected to human errors and not liable for medicolegal purpose.