



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.UPASANA CHAUDHARY-172405	Registered On	: 28/Sep/2024 08:51:32
Age/Gender	: 37 Y 3 M 16 D /F	Collected	: 28/Sep/2024 08:53:09
UHID/MR NO	: ALDP.0000150331	Received	: 28/Sep/2024 10:18:02
Visit ID	: ALDP0237892425	Reported	: 28/Sep/2024 13:22:20
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Test name	Result	Unit	DIO. REI. IIItei vai	Method
Blood Group (ABO & Rh typing) , Blood				
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood				
Haemoglobin	13.80	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>	7,600.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	74.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	20.00	%	20-40	FLOW CYTOMETRY
Monocytes	3.00	%	2-10	FLOW CYTOMETRY
Eosinophils	3.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	6.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	



Page 1 of 11







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.UPASANA CHAUDHARY-172405	Registered On	: 28/Sep/2024 08:51:32
Age/Gender	: 37 Y 3 M 16 D /F	Collected	: 28/Sep/2024 08:53:09
UHID/MR NO	: ALDP.0000150331	Received	: 28/Sep/2024 10:18:02
Visit ID	: ALDP0237892425	Reported	: 28/Sep/2024 13:22:20
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95	
Corrected		Mm for 1st hr.	if anaemic)	
PCV (HCT)	- 41.00	1VIIIIIOF ISTIII. %	< 20 40-54	
Platelet count	41.00	70	40-34	
Platelet Count	2.07	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.20	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.23	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.90	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.76	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	88.00	fl	80-100	CALCULATED PARAMETER
MCH	29.00	pg	27-32	CALCULATED PARAMETER
MCHC	32.90	%	30-38	CALCULATED PARAMETER
RDW-CV	14.00	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	46.50	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5,624.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	228.00	/cu mm	40-440	

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)

Page 2 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.UPASANA CHAUDHARY-172405	Registered On	: 28/Sep/2024 08:51:32
Age/Gender	: 37 Y 3 M 16 D /F	Collected	: 28/Sep/2024 08:53:09
UHID/MR NO	: ALDP.0000150331	Received	: 28/Sep/2024 10:18:02
Visit ID	: ALDP0237892425	Reported	: 28/Sep/2024 13:08:50
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	al Method
GLUCOSE FASTING , <i>Plasma</i> Glucose Fasting	69.50	1	< 100 Normal 100-125 Pre-diabetes 2 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	90.50	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.70	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	27.40	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	87	mg/dl	

Interpretation:

NOTE:-

• eAG is directly related to A1c.



Page 3 of 11





T



CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.UPASANA CHAUDHARY-172405	Registered On	: 28/Sep/2024 08:51:32
Age/Gender	: 37 Y 3 M 16 D /F	Collected	: 28/Sep/2024 08:53:09
UHID/MR NO	: ALDP.0000150331	Received	: 28/Sep/2024 10:18:02
Visit ID	: ALDP0237892425	Reported	: 28/Sep/2024 13:08:50
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Res	sult Unit	Bio. Ref. Interval	Method
---------------	-----------	--------------------	--------

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B. : Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen)	7.20	mg/dL	7.0-23.0	CALCULATED
Sample:Serum				



View Reports on

Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Age/Gender UHID/MR NO	: Mrs.UPASANA CHAUDH : 37 Y 3 M 16 D /F : ALDP.0000150331	IARY-172405	Registered Collected Received	:	28/Sep/2024 08 28/Sep/2024 08 28/Sep/2024 10	3:53:09	
Visit ID	: ALDP0237892425		Reported		28/Sep/2024 13		
Ref Doctor	: Dr. MEDIWHEEL-ARCO CARE LTD -	FEMI HEALTH	Status	:	Final Report		
		DEPARTMEN	IT OF BIOCH	EMISTRY	,		
	MEDIWHE	EL BANK OF E					
Test Name		Result	U	nit B	io. Ref. Interval	Method	
	UN levels can be seen in th	_					
High-protein diet, I	Dehydration, Aging, Certain m	edications, Burns	s, Gastrointestin	nal (GI) blee	eding.		
Low BUN levels	can be seen in the following	;:					
Low-protein diet, o	overhydration, Liver disease.						
reatinine ample:Serum		0.85	mg/dl	0.5-1.20		IODIFIED JAFFES	
Interpretation: Interpretation: The significance of mass will have a hi absolute creatinine could be affected n	single creatinine value must be gher creatinine concentration. concentration. Serum creatinin hildly and may result in anomal	e interpreted in lig The trend of serun ne concentrations	ght of the patien m creatinine con may increase v	ts muscle m ncentrations when an AC	nass. A patient with s over time is more CE inhibitor (ACE)	n a greater muscle important than) is taken. The assay	
ample:Serum Interpretation: The significance of mass will have a hi absolute creatinine could be affected m lipemic. ric Acid	gher creatinine concentration. ' concentration. Serum creatinin	e interpreted in lig The trend of serun ne concentrations	ght of the patien m creatinine con may increase v	ts muscle m ncentrations when an AC	nass. A patient with s over time is more CE inhibitor (ACE) lic antibodies, hem	n a greater muscle important than) is taken. The assay	
ample:Serum Interpretation: The significance of mass will have a hi absolute creatinine could be affected m lipemic. ric Acid ample:Serum	gher creatinine concentration.' concentration. Serum creatining	e interpreted in lig The trend of seru ne concentrations lous values if seru	ght of the patien m creatinine con may increase v im samples hav	ats muscle m ncentrations when an AC re heterophi	nass. A patient with s over time is more CE inhibitor (ACE) lic antibodies, hem	n a greater muscle important than) is taken. The assay polyzed, icteric or	
ample:Serum Interpretation: The significance of mass will have a hi absolute creatinine could be affected n lipemic. ric Acid ample:Serum Interpretation: Note:-	gher creatinine concentration.' concentration. Serum creatining	e interpreted in lig The trend of serun ne concentrations lous values if seru 4.98	ght of the patien m creatinine con may increase v im samples hav	ats muscle m ncentrations when an AC re heterophi	nass. A patient with s over time is more CE inhibitor (ACE) lic antibodies, hem	n a greater muscle important than) is taken. The assay polyzed, icteric or	
Interpretation: Interpretation: The significance of mass will have a hi absolute creatinine could be affected m lipemic. ric Acid ample:Serum Interpretation: Note:- Elevated uric aci	gher creatinine concentration. concentration. Serum creatinin hildly and may result in anomal	e interpreted in lig The trend of serun ne concentrations lous values if seru 4.98 bllowing:	ght of the patien m creatinine con may increase v im samples hav mg/dl	ats muscle m ncentrations when an AC re heterophil 2.5-6.0	nass. A patient with s over time is more CE inhibitor (ACE) lic antibodies, hem	n a greater muscle important than) is taken. The assay polyzed, icteric or	
ample:Serum Interpretation: The significance of mass will have a hi absolute creatinine could be affected n lipemic. ric Acid ample:Serum Interpretation: Note:- Elevated uric aci Drugs, Diet (high-p	gher creatinine concentration. concentration. Serum creatinin hildly and may result in anomat d levels can be seen in the fe protein diet, alcohol), Chronic	e interpreted in lig The trend of serun ne concentrations lous values if seru 4.98 bllowing:	ght of the patien m creatinine con may increase v im samples hav mg/dl	ats muscle m ncentrations when an AC re heterophil 2.5-6.0	nass. A patient with s over time is more CE inhibitor (ACE) lic antibodies, hem	n a greater muscle important than) is taken. The assay polyzed, icteric or	
Interpretation: Interpretation: The significance of mass will have a hi absolute creatinine could be affected m ipemic. ric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMIN	gher creatinine concentration. ' concentration. Serum creatinin hildly and may result in anomat d levels can be seen in the for protein diet, alcohol), Chronic IA GT) , Serum	e interpreted in lig The trend of serun ne concentrations lous values if seru 4.98 bllowing:	ght of the patien m creatinine con may increase v im samples hav mg/dl	ats muscle m ncentrations when an AC re heterophil 2.5-6.0	nass. A patient with s over time is more CE inhibitor (ACE) lic antibodies, hem UI	n a greater muscle e important than) is taken. The assay iolyzed, icteric or RICASE	
Imple:Serum Interpretation: The significance of nass will have a hi absolute creatinine could be affected m ipemic. ric Acid Imple:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMIN SGOT / Aspartate	gher creatinine concentration. concentration. Serum creatinin hildly and may result in anomat d levels can be seen in the fe protein diet, alcohol), Chronic	e interpreted in lig The trend of serun ne concentrations lous values if seru 4.98 ollowing: kidney disease, H	ght of the patien m creatinine con may increase v im samples hav mg/dl	tts muscle m ncentrations when an AC re heterophil 2.5-6.0	nass. A patient with s over time is more CE inhibitor (ACE) lic antibodies, hem UI	n a greater muscle important than) is taken. The assay polyzed, icteric or	
Interpretation: Interpretation: The significance of nass will have a hi absolute creatinine could be affected n ipemic. ric Acid Imple:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMIN SGOT / Aspartate SGPT / Alanine An	gher creatinine concentration. ' concentration. Serum creatinin hildly and may result in anomat d levels can be seen in the for protein diet, alcohol), Chronic IA GT) , <i>Serum</i> Aminotransferase (AST)	e interpreted in lig The trend of serun ne concentrations lous values if seru 4.98 ollowing: kidney disease, F 40.00	ght of the patien m creatinine con may increase v im samples hav mg/dl Hypertension, O	tts muscle m ncentrations when an AC re heterophil 2.5-6.0 Desity.	nass. A patient with s over time is more CE inhibitor (ACE) lic antibodies, hem UI	n a greater muscle e important than) is taken. The assay iolyzed, icteric or RICASE	
Interpretation: The significance of mass will have a hi absolute creatinine could be affected m ipemic. ric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMIN SGOT / Aspartate SGPT / Alanine An Gamma GT (GGT) Protein	gher creatinine concentration. ' concentration. Serum creatinin hildly and may result in anomat d levels can be seen in the for protein diet, alcohol), Chronic IA GT) , <i>Serum</i> Aminotransferase (AST)	e interpreted in lig The trend of serun ne concentrations lous values if seru 4.98 ollowing: kidney disease, H 40.00 79.60 29.90 6.65	ght of the patien m creatinine con may increase v im samples hav mg/dl Hypertension, O U/L U/L	tts muscle m ncentrations when an AC re heterophil 2.5-6.0 Desity. < 35 < 40 11-50 6.2-8.0	nass. A patient with s over time is more CE inhibitor (ACE) lic antibodies, hem UI UI II UI IFI IFI OI BI	n a greater muscle e important than) is taken. The assay iolyzed, icteric or RICASE CC WITHOUT P5P CC WITHOUT P5P PTIMIZED SZAZING URET	
ample:Serum Interpretation: The significance of mass will have a hi absolute creatinine could be affected n lipemic. ric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMIN SGOT / Aspartate SGPT / Alanine An Gamma GT (GGT) Protein Albumin	gher creatinine concentration. ' concentration. Serum creatinin hildly and may result in anomat d levels can be seen in the for protein diet, alcohol), Chronic IA GT) , <i>Serum</i> Aminotransferase (AST)	e interpreted in lig The trend of serun ne concentrations lous values if seru 4.98 ollowing: kidney disease, H 40.00 79.60 29.90 6.65 4.02	ght of the patien m creatinine con may increase v im samples hav mg/dl Hypertension, O U/L U/L U/L IU/L gm/dl gm/dl	the muscle musc	nass. A patient with s over time is more CE inhibitor (ACE) lic antibodies, hem UI II II II II II II II II II II II II	a greater muscle important than) is taken. The assay iolyzed, icteric or RICASE CC WITHOUT P5P CC WITHOUT P5P PTIMIZED SZAZING URET C.G.	
ample:Serum Interpretation: The significance of mass will have a hi absolute creatinine could be affected n lipemic. Interpretation: Note:- Elevated uric acie Drugs, Diet (high-provide) FT (WITH GAMIN SGOT / Aspartate	gher creatinine concentration. ' concentration. Serum creatinin hildly and may result in anomat d levels can be seen in the for protein diet, alcohol), Chronic IA GT) , <i>Serum</i> Aminotransferase (AST)	e interpreted in lig The trend of serun ne concentrations lous values if seru 4.98 ollowing: kidney disease, H 40.00 79.60 29.90 6.65	ght of the patien m creatinine cou may increase v im samples hav mg/dl Hypertension, O U/L U/L U/L IU/L gm/dl	tts muscle m ncentrations when an AC re heterophil 2.5-6.0 Desity. < 35 < 40 11-50 6.2-8.0	nass. A patient with s over time is more CE inhibitor (ACE) lic antibodies, hem UI II IFI IFI OI BI B. C/	n a greater muscle e important than) is taken. The assay iolyzed, icteric or RICASE CC WITHOUT P5P CC WITHOUT P5P PTIMIZED SZAZING URET	









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.UPASANA CHAUDHARY-172405	Registered On	: 28/Sep/2024 08:51:32
Age/Gender	: 37 Y 3 M 16 D /F	Collected	: 28/Sep/2024 08:53:09
UHID/MR NO	: ALDP.0000150331	Received	: 28/Sep/2024 10:18:02
Visit ID	: ALDP0237892425	Reported	: 28/Sep/2024 13:08:50
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inte	erval Method
Alkaline Phosphatase (Total)	72.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.43	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.13	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.30	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	141.00	mg/dl	<200 Desirable 200-239 Borderline H > 240 High	CHOD-PAP ligh
HDL Cholesterol (Good Cholesterol)	46.30	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	37	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Opti 130-159 Borderline H 160-189 High > 190 Very High	
VLDL	57.68	mg/dl	10-33	CALCULATED
Triglycerides	288.40	mg/dl	< 150 Normal 150-199 Borderline H 200-499 High >500 Very High	GPO-PAP ligh

AS

Dr.Akanksha Singh (MD Pathology)

View Reports on

Chandan 24x7 App









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.UPASANA CHAUDHARY-172405	Registered On	: 28/Sep/2024 08:51:32
Age/Gender	: 37 Y 3 M 16 D /F	Collected	: 28/Sep/2024 10:48:36
UHID/MR NO	: ALDP.0000150331	Received	: 28/Sep/2024 11:14:53
Visit ID	: ALDP0237892425	Reported	: 28/Sep/2024 13:30:25
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Result	Unit	Bio. Ref. Interval	Method
<u>i</u>			
PALE YELLOW			
1.010			
Acidic (5.0)			DIPSTICK
CLEAR			
ABSENT	mg %	< 10 Absent	DIPSTICK
ARSENT	%ams	. ,	DIPSTICK
ABOLINI	ginaro		Dirottok
		1-2 (+++)	
		>2 (++++)	
ABSENT	mg/dl		BIOCHEMISTRY
ABSENT			
ABSENT			
ABSENT			DIPSTICK
ABSENT			DIPSTICK
ABSENT			
ABSENT			DIPSTICK
ABSENT			DIPSTICK
20-25/h.p.f			MICROSCOPIC
			EXAMINATION
18-20/h.p.f			
ABSENT			MICROSCOPIC
			EXAMINATION
ABSENT			MICROSCOPIC EXAMINATION
ABSENT			
	PALE YELLOW 1.010 Acidic (5.0) CLEAR ABSENT	PALE YELLOW 1.010 Acidic (5.0) CLEAR ABSENT mg % ABSENT gms% ABSENT mg/dl ABSENT	PALE YELLOW 1.010 Acidic (5.0) CLEAR ABSENT mg % <10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) >500 (++++) >500 (++++) >500 (++++) >500 (++++) 20-50 (+++) >2 (+++) ABSENT gms% <0.5 (+) 0.5-1.0 (++) 1-2 (+++) 2 (+++) ABSENT mg/dl Serum-0.1-3.0 Urine-0.0-14.0 ABSENT

Urine Microscopy is done on centrifuged urine sediment.



Page 7 of 11







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.UPASANA CHAUDHARY-172405	Registered On	: 28/Sep/2024 08:51:32
Age/Gender	: 37 Y 3 M 16 D /F	Collected	: 28/Sep/2024 10:48:36
UHID/MR NO	: ALDP.0000150331	Received	: 28/Sep/2024 11:14:53
Visit ID	: ALDP0237892425	Reported	: 28/Sep/2024 13:30:25
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				

(++++) > 2

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)

Page 8 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.UPASANA CHAUDHARY-172405	Registered On	: 28/Sep/2024 08:51:32
Age/Gender	: 37 Y 3 M 16 D /F	Collected	: 28/Sep/2024 08:53:09
UHID/MR NO	: ALDP.0000150331	Received	: 28/Sep/2024 10:18:02
Visit ID	: ALDP0237892425	Reported	: 28/Sep/2024 16:02:26
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine) T4, Total (Thyroxine) TSH (Thyroid Stimulating Hormone)	210.00 14.90 2.670	ug/dl	84.61–201.7 3.2-12.6 0.27 - 5.5	CLIA CLIA CLIA
Interpretation:		0.3-4.5 µIU/mI 0.5-4.6 µIU/mI 0.8-5.2 µIU/mI 0.5-8.9 µIU/mI 0.7-27 µIU/mI 0.7-64 µIU/mI 1-39 µIU/mI 1.7-9.1 µIU/mI	 Second Trim Third Trimes Adults Premature Cord Blood Child(21 wk nL Child 	ester ter 55-87 Years 28-36 Week > 37Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)



Page 9 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.UPASANA CHAUDHARY-172405	Registered On	: 28/Sep/2024 08:51:33
Age/Gender	: 37 Y 3 M 16 D /F	Collected	: 2024-09-28 09:22:06
UHID/MR NO	: ALDP.0000150331	Received	: 2024-09-28 09:22:06
Visit ID	: ALDP0237892425	Reported	: 28/Sep/2024 09:22:15
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Dr. Aishwarya Neha (MD Radiodiagnosis



View Reports on Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.UPASANA CHAUDHARY-172405	Registered On	: 28/Sep/2024 08:51:33
Age/Gender	: 37 Y 3 M 16 D /F	Collected	: 2024-09-28 10:43:10
UHID/MR NO	: ALDP.0000150331	Received	: 2024-09-28 10:43:10
Visit ID	: ALDP0237892425	Reported	: 28/Sep/2024 10:46:21
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: - Enlaregd in size (19.0 cm), with normal shape and shows diffusely raised echotexture. A tiny calcified granuloma is seen in the right lobe of liver measuring ~ 5.4 mm in size. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER :- Is not visualized (Post op).

CBD :- Normal in calibre measuring ~ 5.7 mm at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (9.2 cm), shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Is partially distended. Patient unable to hold urine further.

HIGH RESOLUTION :- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION : Gross hepatomegaly with grade II fatty changes.

Please correlate clinically.

*** End Of Report ***

Result/s to Follow: STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG, Tread Mill Test (TMT)





Dr. Aishwarya Neha (MD Radiodiagnosis

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days. Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing,Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * 365 Days Open *Facilities Available at Select Location

*Facilities Available at Select Location Page 11 of 11



Home Sample Collection 08069366666







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206

Patient Name: Mrs.UPASANA CHAUDHARY-172405Registered On: 28/Sep/2024 08:51AMAge/Gender: 37 Y 3 M 16 D /FCollected: 28/Sep/2024 10:53AMUHID/MR NO: ALDP.0000150331Received: 28/Sep/2024 11:15AMVisit ID: ALDP0237892425Reported: 28/Sep/2024 07:47PMRef Doctor: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -Status: Final ReportContract By: MEDIWHEEL - ARCOFEMI HEALTH CARE LTD. [52610]CREDIT				
Age/Gender : 37 Y 3 M 16 D /F Collected : 28/Sep/2024 10:53AM UHID/MR NO : ALDP.0000150331 Received : 28/Sep/2024 11:15AM Visit ID : ALDP0237892425 Reported : 28/Sep/2024 07:47PM Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report			Contract By	
Age/Gender : 37 Y 3 M 16 D /F Collected : 28/Sep/2024 10:53AM UHID/MR NO : ALDP.0000150331 Received : 28/Sep/2024 11:15AM	Ref Doctor		Status	: Final Report
Age/Gender : 37 Y 3 M 16 D /F Collected : 28/Sep/2024 10:53AM	Visit ID	: ALDP0237892425	Reported	: 28/Sep/2024 07:47PM
5	UHID/MR NO	: ALDP.0000150331	Received	: 28/Sep/2024 11:15AM
Patient Name : Mrs.UPASANA CHAUDHARY-172405 Registered On : 28/Sep/2024 08:51AM	Age/Gender	: 37 Y 3 M 16 D /F	Collected	: 28/Sep/2024 10:53AM
	Patient Name	: Mrs.UPASANA CHAUDHARY-172405	Registered On	: 28/Sep/2024 08:51AM

DEPARTMENT OF CYTOLOGY

SPECIMEN:	PAP SMEAR
CYTOLOGY NO:	335/24-25
GROSS:	2 Slides.
MICROSCOPIC:	Adequate for evaluation. Cellular smears show superficial and intermediate squamous cells of unremarkable cytology. Endocervical cells are not seen.
IMPRESSION:	Negative for intraepithelial lesion or malignancy.

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG, Tread Mill Test (TMT)

Dr.Akanksha Singh (MD Pathology)

This report is not for medico legal purpose. If clinical correlation is not established kindly repeate the test at no additional cost within seven days. Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing,Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * 365 Days Open *Facilities Available at Selected Location

 \odot





Page 1 of 1

