

Name : MR.PIYUSH SHARMA

Age / Gender : 36 Years / Male

Consulting Dr. :-

Reg. Location : J B Nagar, Andheri East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:25-Nov-2021 / 18:28

:25-Nov-2021 / 20:32

# **ARCOFEMI HEALTHCARE- BLOOD TEST**

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>	
<b>RBC PARAMETERS</b>				
Haemoglobin	15.2	13.0-17.0 g/dL	Spectrophotometric	
RBC	4.75	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	44.3	40-50 %	Measured	
MCV	93.4	80-100 fl	Calculated	
MCH	32.0	27-32 pg	Calculated	
MCHC	34.3	31.5-34.5 g/dL	Calculated	
RDW	14.3	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	8400	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS			
Lymphocytes	33.9	20-40 %		
Absolute Lymphocytes	2830	1000-3000 /cmm	Calculated	
Monocytes	9.7	2-10 %		
Absolute Monocytes	820	200-1000 /cmm	Calculated	
Neutrophils	54.5	40-80 %		
Absolute Neutrophils	4560	2000-7000 /cmm	Calculated	
Eosinophils	1.3	1-6 %		
Absolute Eosinophils	110	20-500 /cmm	Calculated	
Basophils	0.6	0.1-2 %		
Absolute Basophils	50	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

# **PLATELET PARAMETERS**

Platelet Count	230000	150000-400000 /cmm	Elect. Impedance
MPV	9.9	6-11 fl	Calculated
PDW	16.9	11-18 %	Calculated

# **RBC MORPHOLOGY**

Hypochromia	-
Microcytosis	-
Macrocytosis	-

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 1 of 9



Name : MR.PIYUSH SHARMA

Age / Gender : 36 Years / Male

Consulting Dr. : - Collected : 25-Nov-2021 / 18:28

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :25-Nov-2021 / 21:27

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 6 2-15 mm at 1 hr. Westergren

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
\*\*\* End Of Report \*\*\*







Dr. AMAR DASGUPTA, MD,PhD
Consultant Hematopathologist
Director - Medical Services

Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 9



Name : MR.PIYUSH SHARMA

Age / Gender : 36 Years / Male

Consulting Dr. : -

**Reg. Location** : J B Nagar, Andheri East (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:25-Nov-2021 / 18:28

**Reported** :26-Nov-2021 / 14:37

Collected

# ARCOFEMI HEALTHCARE- BLOOD TEST

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>	
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	82.1	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase	
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	85.5	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase	
TOTAL PROTEINS, Serum	7.9	6.4-8.3 g/dL	Biuret	
ALBUMIN, Serum	5.0	3.5-5.2 g/dL	BCG	
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated	
A/G RATIO, Serum	1.7	1 - 2	Calculated	
BLOOD UREA, Serum	13.6	12.8-42.8 mg/dl	Kinetic	
BUN, Serum	6.4	6-20 mg/dl	Calculated	
CREATININE, Serum	0.84	0.67-1.17 mg/dl	Enzymatic	
eGFR, Serum	110	>60 ml/min/1.73sqm	Calculated	
URIC ACID, Serum	3.9	3.5-7.2 mg/dl	Enzymatic	
Urine Sugar (Fasting)	Absent	Absent		
Urine Ketones (Fasting)	Absent	Absent		
*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West				







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

\*\*\* End Of Report \*\*\*

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 3 of 9



Name : MR.PIYUSH SHARMA

Age / Gender : 36 Years / Male

Consulting Dr. : - Collected : 25-Nov-2021 / 18:28

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :25-Nov-2021 / 21:29

# ARCOFEMI HEALTHCARE- BLOOD TEST GLYCOSYLATED HEMOGLOBIN (HbA1c)

## PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobin 5.8 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Estimated Average Glucose 119.8 mg/dl Calculated

(eAG), EDTA WB - CC

#### Intended use:

• In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

• In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

• For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

#### Clinical Significance:

• HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

 The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

### Test Interpretation:

• The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.

- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- · Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

#### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

**Decreased in:** Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
\*\*\* End Of Report \*\*\*







Dr.SHASHIKANT DIGHADE M.D. (PATH) Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 9



CID : 2132924638

Name : MR. PIYUSH SHARMA

: 36 Years / Male Age / Gender

Consulting Dr. Collected Reported

Reg. Location : J B Nagar, Andheri East (Main Centre)



Use a OR Code Scanner Application To Scan the Code

:25-Nov-2021 / 18:28

:26-Nov-2021 / 12:07

# **ARCOFEMI HEALTHCARE- BLOOD TEST** LIDINE EVAMINATION DEDODT

URINE EXAMINATION REPORT				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
PHYSICAL EXAMINATION				
Color	Pale yellow	Pale Yellow	-	
Reaction (pH)	6.5	4.5 - 8.0	Chemical Indicator	
Specific Gravity	1.015	1.001-1.030	Chemical Indicator	
Transparency	Slight hazy	Clear	-	
Volume (ml)	20	-	-	
CHEMICAL EXAMINATION				
Proteins	Absent	Absent	pH Indicator	
Glucose	Absent	Absent	GOD-POD	
Ketones	Absent	Absent	Legals Test	
Blood	Trace	Absent	Peroxidase	
Bilirubin	Absent	Absent	Diazonium Salt	
Urobilinogen	Normal	Normal	Diazonium Salt	
Nitrite	Present	Absent	Griess Test	
MICROSCOPIC EXAMINATION				
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf		

Red Blood Cells / hpf 0-2/hpf Occasional

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf Less than 20/hpf +++

Others







Dr.ANUPA DIXIT M.D.(PATH) **Pathologist** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West \*\*\* End Of Report \*\*



Name : MR.PIYUSH SHARMA

Age / Gender : 36 Years / Male

Consulting Dr. : - Collected : 25-Nov-2021 / 18:28

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :25-Nov-2021 / 21:59

# ARCOFEMI HEALTHCARE- BLOOD TEST BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

#### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

#### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

#### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
\*\*\* End Of Report \*\*\*







Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 6 of 9



Name : MR.PIYUSH SHARMA

Age / Gender : 36 Years / Male

Consulting Dr. : - Collected : 25-Nov-2021 / 18:28

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :25-Nov-2021 / 21:29

Authenticity Check

Use a QR Code Scanner
Application To Scan the Code

Application To Scan the Code

NOV-2021 / 18:28 Nov-2021 / 21:29

# ARCOFEMI HEALTHCARE- BLOOD TEST LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	246.6	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	134.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	50.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	195.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	169.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	26.7	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.8	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.3	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West  $^{***}$  End Of Report  $^{***}$ 







Dr.SHASHIKANT DIGHADE M.D. (PATH) Pathologist

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 7 of 9



CID : 2132924638

Name : MR. PIYUSH SHARMA

Age / Gender : 36 Years / Male

Consulting Dr. Collected : 25-Nov-2021 / 18:28

:25-Nov-2021 / 20:42 : J B Nagar, Andheri East (Main Centre) Reported Reg. Location



Use a OR Code Scanner

Application To Scan the Code

# **ARCOFEMI HEALTHCARE- BLOOD TEST THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.6	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.3	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	2.89	0.35-5.5 microIU/ml	ECLIA

#### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

#### Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

### Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West \*\*\* End Of Report \*\*\*







Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Name : MR.PIYUSH SHARMA

Age / Gender : 36 Years / Male

Consulting Dr. : - Collected : 25-Nov-20

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :25-Nov-2021 / 21:29

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:25-Nov-2021 / 18:28

ARCOFEMI HEALTHCARE- BLOOD TEST
LIVER FUNCTION TESTS

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.69	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.26	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.43	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	5.0	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	48.1	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	40.9	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	54.1	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	80.0	40-130 U/L	Colorimetric

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
\*\*\* End Of Report \*\*\*







Dr.SHASHIKANT DIGHADE M.D. (PATH) Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 9 of 9