

LABORATORY REPORTName: Mrs. Pinal PrajapatiReg. No: 301101173Sex/Age: Female/35 YearsReg. Date: 28-Jan-2023 09:17 AMRef. By: Collected On:

Report Date

28-Jan-2023 02:54 PM

Medical Summary

GENERAL EXAMINATION

Mediwheel

Height (cms): 148

Client Name

Weight (kgs): 40.2

Blood Pressure: 108/68 mmHg

Pulse: 59/Min

No Clubbing/Cynosis/Pallor/Pedel Oedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly


Epilepsy - N/A

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 3 of 4



Dr. Jay Soni M.D. (General Medicine) Reg. No.: G-23899

A STATE OF THE STA







: 301101173

Ref Id

Collected On

: 28-Jan-2023 09:17 AM

Reg. No Name

: Mrs. Pinal Prajapati

/ Female

Reg. Date

: 28-Jan-2023 09:17 AM

Age/Sex

: 35 Years

Pass. No.

TEST REPORT

Tele No.

: 9904526196

Ref. By

,

ass. No.

Dispatch At

: EDTA Whole Blood

Location

Parameter

: CHPL

Sample Type :

Results Unit Biological Ref. Interval

COMPLETE BLOOD COUNT (CBC)
Specimen: EDTA blood

Hemoglobin	14.2	g/dL	12.5 - 16.0
Hematrocrit (Calculated)	41.20	%	37 - 47
RBC Count	4.91	million/cmm	4.2 ~ 5.4
MCV	84.0	fl	78 ~ 100
MCH (Calculated)	28.8	Pg	27 - 31
MCHC (Calculated)	34.3	%	31 - 35
RDW (Calculated)	12.8	⁰⁄₀	11.5 - 14.0
WBC Count	6600	/cmm	4000 - 10500
MPV (Calculated)	9.8	ſL.	7.4 ~ 10.4

DIFFERENTIAL WBC COUNT	[%]		EXPECTED VALUES	[Abs]		EXPECTED VALUES
Neutrophils (%)	55	%	42.02 - 75.2	3630	/cmm	2000 - 7000
Lymphocytes (%)	39	%	20 - 45	2574	/cmm	1000 - 3000
Eosinophils (%)	02	%	0 - 6	264	/cmm	200 - 1000
Monocytes (%)	04	%	2 - 10	132	/cmm	20 - 500
Basophils (%)	00	%	0 - 1	0	/cmm	0 - 100

PERIPHERAL SMEAR STUDY

RBC Morphology Normocytic and Normochromic.

WBC Morphology Normal

PLATELET COUNTS

Platelet Count (Volumetric 339000 /cmm 150000 - 450000 Impedance)

Platelets are adequate with normal morphology.

Parasites Malarial parasite is not detected.

Comment -

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M B.DCP

Generated On : 28-Jan-2023 05:42 PM

Approved On:

28-Jan-2023 04:17 PM

Page 1 of 11







: 301101173

Ref ld

Collected On

: 28-Jan-2023 09:17 AM

Reg. No Name

: Mrs. Pinal Prajapati

Reg. Date

: 28-Jan-2023 09:17 AM

Age/Sex

: 35 Years 1 Female

Pass. No.

Tele No.

: 9904526196

Ref. By

Dispatch At Sample Type

: EDTA Whole Blood

Location

: CHPL

Parameter

Result

Unit

Biological Ref. Interval

HEMATOLOGY

TEST REPORT

BLOOD GROUP & RH

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO

"O"

Rh (D)

Positive

Note

ERYTHROCYTE SEDIMANTATION RATE [ESR]

ESR 1 hour

Intra red measurement

07

mm/hr

ESR AT 1 hour: 3-12

ERYTHRO SEDIMENTION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in prenancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (o-1mm) in polycythaemia, hypofibrinogenemia or or congestive cardiac failure and when there are abnormalities or the red cells such as poikilocytosis, spherocytosis or sickle cells.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On : 28-Jan-2023 05:42 PM

Approved On:

28-Jan-2023 03:56 PM

Page 2 of 11







: 301101173

Ref Id

TEST REPORT

Collected On

: 28-Jan-2023 09:17 AM

Reg. No Name

: Mrs. Pinal Prajapati

/ Female

Reg. Date

: 28-Jan-2023 09:17 AM

Age/Sex

: 35 Years

Pass. No.

Tele No.

: 9904526196

Ref. By

;

Dispatch At Sample Type

: Flouride F.Flouride PP

Location Parameter

: CHPL

Unit

Biological Ref. Interval

FASTING PLASMA GLUCOSE Specimen: Flouride plasma

Result

Fasting Blood Sugar (FBS)

96.90

mg/dl_

70 - 110

GOD-POD Method

Criteria for the diagnosis of diabetes

1. HbA1c >/≈ 6.5 *

Οr

£ Pasting plasma glucose ≥126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

- 3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.
- 4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.
- *In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

 American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

POST PRANDIAL PLASMA GLUCOSE

Specimen: Flouride plasma

Post Prandial Blood Sugar (PPBS)

85.1

mq/dL

70 - 140

GOD POD Mathod

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On : 28-Jan-2023 05:42 PM

Approved On:

28-Jan-2023 03:56 PM

Page 3 of 11







Reg. No : 301101173

: Mrs. Pinal Prajapati

Name Age/Sex

Ref. By

: 35 Years / Female Ref Id

Pass, No. :

Collected On

: 28-Jan-2023 09:17 AM

Reg. Date

: 28-Jan-2023 09:17 AM

Tele No.

: 9904526196

Dispatch At

Location : CHPL		Sample Type	: Serum
Parameter	Result	Unit	Biological Ref. Interval
	Lipid Profile		
Cholesteroi	208.00	mg/dt.	Desirable: < 200 Boderline High: 200 - 239 High: > 240
Enzymatic, colonimatric mothod			
Triglyceride	86.70	mg/dL	Normat: < 150 Boderline High: 150 - 199 High: 200 - 499 Very High: > 500
Enzymatic, coloumotric method			, ,,
HDL Cholesterol	64.10	mg/dL	High Risk : < 40 Low Risk : ≈ 60
Accelerator selective detergent method			
LDL	126.56	mg/dL	Optimal: < 100.0 Near / above optimal: 100-129 Borderline High: 130-159 High: 160-189 Very High: >190.0
Calculatud			
VLDL	17.34	mg/dL	15 - 35
Calculated			
LDL / HDL RATIO Calculated	1.97		0 - 3.5
Cholesterol /HDL Ratio	3.24		0 - 5.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On : 28-Jan-2023 05:42 PM

Approved On:

28-Jan-2023 03:56 PM

Page 4 of 11







(10 111 1 1111010 2	IDEA BASE DA			· · · · · · · · · · · · · · · · · · ·		
				REPORT		
Reg. No	: 301101173		Ref Id	;	Collected On	: 28-Jan-2023 09:17 AM
Name	: Mrs. Pinal F				Reg. Date	: 28-Jan-2023 09:17 AM
Age/Sex	: 35 Years	/ Female	Pass. No.	1	Tele No.	: 9904526196
Ref. By	:				Dispatch At	1
Location	: CHPL				Sample Type	: Serum
Parameter				Result	Unit	Biological Ref. Interval
			BIO -	CHEMISTRY		
				LFT\	WITH GGT	
Total Protein Builot Reaction				7.36	gm/dL	6.3 - 8.2
Albumin By Bromocrosot Gre	rett			4.93	g/dL	0 - 4 days; 2.8 - 4.4 4 days - 14 yrs; 3.8 - 5.4 14 - 19 yrs; 3.2 - 4.5 20 - 60 yrs; 3.5 - 5.2 60 - 90 yrs; 3.2 - 4.6 > 90 yrs; 2.9 - 4.5
Globulin Calculated				2.43	g/dL	2.3 - 3.5
A/G Ratio Calculated				2.03		0.8 - 2.0
SGOT UV without P5P				24.90	U/L	0 - 40
SGPT UV without P5P				12.20	U/L	0 - 40
Alakaline Pho				46.1	U/L	42 - 98
Total Bilirubi Vanadato Oxidation				0.41	mg/dL	0 - 1.2
Conjugated E	Bilirubin			0.10	mg/dL	0.0 - 0.4
Unconjugate Calculated	d Bilirubin			0.31	mg/dL	0.0 - 1.1

This is an electronically authenticated report.

Generated On : 28-Jan-2023 05:42 PM

* This test has been out sourced.

GGT

SZASZ Method

Approved By:

mg/dL

Dr.Keyur Patel

M.B.DCP

15 - 73

Approved On:

28-Jan-2023 03:56 PM

Page 5 of 11

CUROVIS HEALTHCARE PVT. LTD.

14.80







Reg. No

: 301101173

Ref Id

Collected On

: 28-Jan-2023 09:17 AM

Name

: Mrs. Pinal Prajapati

Reg. Date

: 28-Jan-2023 09:17 AM

Age/Sex

: 35 Years

: CHPL

1 Female

Pass. No.

Tele No.

: 9904526196

Ref. By Location

Dispatch At

Sample Type

: Serum

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 05:42 PM

Approved On:

28-Jan-2023 03:56 PM

Page 6 of 11







Reg. No : 301101173

: Mrs. Pinal Prajapati

Name : Mrs. Pina Age/Sex : 35 Years

: CHPL

Ref. By Location : 35 Years / Female

Pass. No.

Ref Id

Collected On

: 28-Jan-2023 09:17 AM

Reg. Date

: 28-Jan-2023 09:17 AM

Tele No.

: 9904526196

Dispatch At

Sample Type : Serum

Parameter Result Unit Biological Ref. Interval

BIO - CHEMISTRY

 Uric Acid
 3.20
 mg/dL
 Adult : 2.5 - 6.5

 Enzymatic, colonmotric method
 Child : 2.5 - 5.5

 Creatinine
 0.61
 mg/dl.
 Adult : 0.55 - 1.02

 Enzymatic Mothod
 Child : 0.5 - 1.0

BUN 8.70 mg/dL Adult : 7.0 - 17.0 UV Method Child : 5.0 - 18.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Approved On:

28-Jan-2023 03:56 PM

Page 7 of 11

CUROVIS HEALTHCARE PVT. LTD.

Generated On: 28-Jan-2023 05:42 PM





Reg. No : 301101173 Name

: CHPL

: Mrs. Pinal Prajapati

Age/Sex

: 35 Years

/ Female

Pass. No.

Ref Id

Reg. Date

: 28-Jan-2023 09:17 AM : 28-Jan-2023 09:17 AM

Tele No.

: 9904526196

Dispatch At

Collected On

Sample Type

: EDTA Whole Blood

Parameter Result Unit Biological Ref. Interval

HEMOGLOBIN A1 C ESTIMATION

Specimen: Blood EDTA

*Hb A1C

Ref. By

Location

5.3

% of Total Hb

Normal: < 5.7 %

Pre-Diabetes: 5.7 % -

64%

Diabetes: 6.5 % or

higher

Boronate Affinity with Fluorescent Quenching

Mean Blood Glucose

105.41

mg/dL

Calculated

Degree of Glucose Control Normal Range:

Poor Control > 7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

- * High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.
- * Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area. **EXPLANATION:-**

*Total haemoglobin A1 c is continuously synthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

'It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures. HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

This is an electronically authenticated report.

Generated On: 28-Jan-2023 05:42 PM

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Approved On:

28-Jan-2023 04:17 PM

Page 8 of 11







Reg. No

: 301101173

Ref Id

Collected On

: 28-Jan-2023 09:17 AM

Name

: Mrs. Pinal Prajapati

Reg. Date

: 28-Jan-2023 09:17 AM

Age/Sex

: 35 Years

: CHPL

Pass. No.

Tele No.

: 9904526196

Ref. By

Dispatch At

Sample Type

: Urine Spot

Location Test

Result

Unit

Biological Ref. Interval

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

Quantity

20 cc

Colour

Pale Yellow

Clarity

Clear

Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)

1 Female

pН

4.6 - 8.0

Sp. Gravity

1.005

1.001 - 1.035

Protein

Nil

Nil

Glucose

Nil

Nil

Ketone Bodies

Nil

Nil

Urobilinogen

Nil

Nil

Bilirubin

Nil Nil

Nil

Nitrite Blood

Nil

Nil

MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells)

1 - 2/hpf

Absent

Erythrocytes (Red Cells)

Nil

Absent

Epithelial Cells

1 - 2/hpf

Absent

Crystals

Absent

Absent

Casts

Absent

Absent

Amorphous Material

Absent

Absent

Bacteria Remarks Absent

Absent

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 05:42 PM

Approved On:

28-Jan-2023 03:04 PM

Page 9 of 11





Ref Id

Collected On

: 28-Jan-2023 09:17 AM

Reg. No Name

: 301101173

Age/Sex

: Mrs. Pinal Prajapati

Reg. Date

: 28-Jan-2023 09:17 AM

: 35 Years i Female Tele No.

: 9904526196

Ref. By

Pass, No.

Dispatch At

Location

: CHPL

Sample Type

: Serum

Parameter

Result

Unit

Biological Ref. Interval

IMMUNOLOGY

THYROID FUNCTION TEST

T3 (Triiodothyronine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

0.82

ng/ml.

0.86 - 1.92

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

T4 (Thyroxine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

8.70

μg/dL

3.2 - 12.6

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99,95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total 14 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

- 1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding
- 2.F T4 values may be decreased in patients taking carbamazepine.
- 3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 05:42 PM

Approved On:

28-Jan-2023 03:55 PM

Page 10 of 1





Name : Mrs. Pinal Prajapati Reg. Date : 28-Jan-2023 09:17 AM

 Age/Sex
 : 35 Years
 / Female
 Pass. No.
 : 9904526196

Ref. By : Dispatch At :

Location : CHPL Sample Type : Serum

TSH 2.680 µIU/ml 0.55 - 4.78

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy: First Trimester: 0.1 to 2.5 µIU/mL Second Trimester: 0.2 to 3.0 µIU/mL Third trimester: 0.3 to 3.0 µIU/mL

Referance: Carl A.Burtis, Edward R.Ashwood, David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular

Diagnostics. 5th Eddition. Philadelphia: WB Sounders, 2012:2170

..... End Of Roport

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 05:42 PM Approve

Approved On:

28-Jan-2023 03:55 PM

Page 11 of 1



#A13 FORM## Print (White Add of Anti-benefit Anti-benefi			LABORATORY REPORT			
Name	:	Mrs. Pinal Prajapati		Reg. No	;	301101173
Sex/Age	:	Female/35 Years	·	Reg. Date	:	28-Jan-2023 09:17 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	28-Jan-2023 02:17 PM

Electrocardiogram

Findings

Sinus Bradycardia.


Rest Within Normal Limit.

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 1 of 4





province about tools to the state of the second state and second state of the second s	The and the second second		LABORATORY REPORT	·	arded the control of	en bernevel	
Name	:	Mrs. Pinal Prajapati			Reg. No	:	301101173
Sex/Age	:	Female/35 Years			Reg. Date	:	28-Jan-2023 09:17 AM
Ref. By	:			,	Collected On	:	
Client Name	:	Mediwheel			Report Date	:	28-Jan-2023 02:17 PM

2D Echo Colour Doppler

OBSERVATION:

- 2 D Echo and color flow studies were done in long and short axis, apical and Sub coastal views.
- 1. Normal LV size. No RWMA at rest.
- 2. Normal RV and RA, No Concentric LVH.
- 3. All Four valves are structurally normal.
- Good LV systolic function. LVEF = 60%.
- Normal LV Compliance.
- 6. Trivial TR. Mild MR. No AR.
- Mild PAH. RVSP = 38 mmHG.
- 8. Intact IAS and IVS.
- 9. No Clot, No Vegetation.
- 10. No portcardial effusion.

CONCLUSION

- 1. Normal LV size with Good LV systolic function.
- 2. No Concentric LVH . Normal LV Compliance
- 3. Trivial TR with No PAH, Mild MR, No AR
- 4. No RWMA at rest.

This echo doesn't rule out any kind of congenital cardiac anomalies.

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 2 of 4



|--|--|

LABORATORY REPORT

Name

Mrs. Pinal Prajapati

Sex/Age

Female/35 Years

Ref. By

Client Name

Mediwheel

Reg. No

301101173

Reg. Date

28-Jan-2023 09:17 AM

Collected On

Report Date

28-Jan-2023 03:07 PM

X RAY CHEST PA

Both lung fields appear clea	Both	lung	fields	арреан	riclear
------------------------------	------	------	--------	--------	---------

No evidence of any active infiltrations or consolidation.

Cardiac size appears within normal limits.

Both costo-phrenic angles appear free of fluid.

Both domes of diaphragm appear normal.

Bony thorax appears normal.

Dorsal spine scoliosis noted with convexity towards right side.

This is an electronically authenticated report

DR DHAVAL PATEL Consultant Radiologist MB, DMRE Reg No:0494



Page 2 of 3



		MANAGEMENT OF THE PROPERTY OF	LABORATORY REPORT			
Name	:	Mrs. Pinal Prajapati		Reg. No	:	301101173
Sex/Age	:	Female/35 Years		Reg. Date	:	28-Jan-2023 09:17 AM
Ref. By	;			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	28-Jan-2023 03:06 PM

USG ABDOMEN

Liver appears normal in size & in echogenicity. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic billiary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

Pancreas Visualized portion appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & echopattern.

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urinary bladder is partially distended. No evidence of calculus or mass lesion.

Uterus appears normal. No adnexal mass is seen.

No evidence of ascites.

No evidence of lymph adenopathy.

No evidence of dilated small bowel loops.

COMMENTS:

NO SIGNIFICANT ABNORMALITY DETECTED.

This is an electronically authenticated report

DR DHAVAL PATEL

Consultant Radiologist
MB,DMRE
Reg No:0494



Page 1 of 3



VANCES AND AND ADDRESS AND ADD	***********		LABORATORY REPORT			
Name	:	Mrs. Pinal Prajapati		Reg. No	:	301101173
Sex/Age	:	Female/35 Years		Reg. Date	;	28-Jan-2023 09:17 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	;	28-Jan-2023 02:56 PM

Eye Check - Up

No Eye Complaints

RIGHT EYE

SP: ±0.25

CY: -0.25

AX: 162

LEFT EYE

SP: ±0.25

CY: -0.75

AX:10

Ileanna and a second	A CONTRACTOR OF THE PROPERTY O	postania de la composició de la composic
	Without Glasses	With Glasses
040000000000000000000000000000000000000		CONTRACTOR OF THE PROPERTY OF
Right Eye	6/5	N.A
CONTRACTOR OF THE PROPERTY OF		entercompromoporation (contraction of the contraction of the contracti
Left Eye	6/5	N.A

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

ColorVision: Normal

Comments: Normal

----- End Of Report

This is an electronically authenticated report

Dr Kejal Patel MB,DO(Ophth)

Page 4 of 4




NAME:- PINAL PRAJAPATI.

ID NO:-

AGE:- 35Y/F

Date: 28/01/2023

AUDIOGRAM



MODE EAR			Bone Conduction		1			
	Masked	tinVaskod	Masked	UnWasked	CORE	Threshold In dB	RIGHT	LEFT
		×		>	111 4	AIR CONDUCTION	10.5	11
R(0,0)	Δ	()	C.	<		BONE CONDUCTION		
NO RESPONSE: Add 4 below the respective symbols						SPEECH		

Comments:-

Bilateral Hearing Sensitivity Within Normal Limits.

And Andrews