Req.No : 455177 Referred By

Name : Ms. LAKSHMI SHARANYA [SPOUSE]

R/O : ---

Req Date/Time : 25/09/2021 /09:36
Sampling Date/Time : 25/9/2021 /10:57
Sample : EDTA Whole Blood
Centre : MEDIWHEEL

: SELF

HAEMATOLOGY				
HAEMOGRAM WITH ESR				BIOLOGICAL
TEST(Methodology)		RESULT	UNITS	REFERENCE INTERVAL
HAEMOGLOBIN		14.0	g/dL	12.0 - 15.0
ERYTHROCYTE COUNT(RBC)		4.3	10^6/μL	3.8 - 4.8
PACKED CELL VOLUME (PCV)		41	%	36 - 46
MCV		95	fL	83 - 101
MCH	Н	32.2	pg	27 - 32
MCHC		34.0	gm/dL	31.5 - 34.5
RDW		12.8	%	11.6 - 14.0
TOTAL WBC COUNT	/I = =	6.3 DIWHEEL FEMALE 30 T	10^3/μL	4 - 10
DIFFERENTIAL LEUCOCYTE COUNT	/I 🗆 L	JIVVHEEL FEIVIALE 30 I	U 45 1 K5	
NEUTROPHILS		53	%	40 - 80
LYMPHOCYTES	Н	44	%	20 - 40
MONOCYTES		2	%	2 - 10
EOSINOPHILS		1	%	1 - 6
BASOPHILS		0	%	0 - 2
PLATELET COUNT		340	10^3/μL	150 - 400
PERIPHERAL SMEAR				
RBC		Normocytic and Normoc	hromic	
W.B.C		Lymphocytosis.No abnor	mal cells seen.	
PLATELETS.		Discrete and adequate.Normal in morphology		
ESR I HOUR		18	mm/hr	0 - 20
Method: Cell Counter (Photometry, Impedance, Light scattering, Calculation), Microscopy.				

**** End of Report ****

Req.No : 455177

Name : Ms. LAKSHMI SHARANYA [SPOUSE]

R/O :--

Age / Sex : 31 Years / Female

Bar Code :

Referred By : SELF

Req Date/Time : 25/09/2021/09:36
Sampling Date/Time : 25/09/2021/10:57
Sample : EDTA Whole Blood

Centre : MEDIWHEEL

HAEMATOLOGY

TEST(Methodology) RESULT

Method: Agglutination

BLOOD GROUPING & RH TYPING O POSITIVE

Note: Reconfirm the Blood Group and Rh Type & Cross-match before blood transfusion.

**** END OF REPORT ****

MEDIWHEEL FEMALE 30 TO 45 YRS

Reported on : 25/09/2021/ 13:16 Printed on : 27/09/2021/ 11:00 DR. JYOTHI KIRANMAI MD PATHOLOGY

Page 2 of 11

Req.No Referred By : 455177 : SELF

Registration Name : Ms. LAKSHMI SHARANYA [SPOUSE] : 25/09/2021 /09:36

R/o

Sampling Date/Time : 25/09/2021 / 15:01 Age / Sex : 31 Years / Female Sample : Fluoride Plasma **Bar Code** : MEDIWHEEL Centre

BIOCHEMISTRY				
TEST(Methodology)	RESULT	UNITS	BIOLOGICAL REFERENCE INTERVAL	
BLOOD GLUCOSE FASTING Method: GOD-PAP	98	mg/dL	<100 : Normal 100 - 125 : Impaired fasting glucose >125 : Diabetic	
BLOOD GLUCOSE POST PRANDIAL Method: GOD-PAP	125	mg/dL	90-140 : Normal 141-199 : Impaired glucose tolerance >=200 : Diabetic	

MEDIWHEEL FEWALE 30 TO 45 YRS

Reported on : 25/09/2021/16:59 Printed on : 27/09/2021/11:00 DR KHUSHBOO GHANSHYANI MD PATHOLOGY

 Name
 : Ms. LAKSHMI SHARANYA [SPOUSE]
 Req Date/Time
 : 25/09/2021 /09:36

 R/O
 : -- Sampling Date/Time
 : 25/09/2021 /15:01

Age / Sex : 31 Years / Female : Urine

Bar Code : MEDIWHEEL : MEDIWHEEL

CLINICAL PATHOLOGY

BIOLOGICAL RESULT REFERENCE INTERVAL

Method: Reagent strip/Reflectance photometry

TEST(Methodology)

URINE SUGAR (F)* Nil NIL

URINE SUGAR (PP)* Nil NIL

**** End of Report ****

Reported on : 25/09/2021 /16:59 Printed on : 27/09/2021 /11:00 DR KHUSHBOO GHANSHYANI MD PATHOLOGY

 Name
 : Ms. LAKSHMI SHARANYA [SPOUSE]
 Req Date/Time
 : 25/09/2021 /09:36

 R/O
 : -- Sampling Date/Time
 : 25/09/2021 /10:57

Age / Sex : 31 Years / Female Sample : Serum

Bar Code : : MEDIWHEEL

1100 111 01101 01101 1101 1101 1101 1101 1101					
BIOCHEMISTRY					
LIPID PROFILE [FASTING SAMPLE]			BIOLOGICAL		
TEST(Methodology)	RESULT	UNITS	REFERENCE INTERVAL		
CHOLESTEROL					
TOTAL CHOLESTEROL Method: CHOD-PAP	169	mg/dL	Desirable Level: < 200 Borderline : 200 - 239 High : > 240		
HDL CHOLESTEROL Method: Enzymatic Reaction	36	mg/dL	<40:Major risk factor for heart disease 40-59:The higher,the better >/=60:Considered protective against heart disease.		
LDL CHOLESTEROL	96	mg/dL	<100		
Method: Calculated VLDL CHOLESTEROL Method: Calculated	37 EMAL	mg/dL	10-55 45 YRS		
TRIGLYCERIDES H Method: GPO-POD	185	mg/dL	Normal:<150 Borderline:150-199 High:200-499 Very High:>/=500		
CHOL:HDL RATIO Method: Calculated	4.69		Normal : <4 Low risk : 4 - 6 High risk : >6		
LDL:HDL RATIO. Method: Calculated	2.67				

**** End of Report ****

Reported on : 25/09/2021 /13:14 Printed on : 27/09/2021 /11:00

 Name
 : Ms. LAKSHMI SHARANYA [SPOUSE]
 Req Date/Time
 : 25/09/2021 /09:36

 R/O
 : -- Sampling Date/Time
 : 25/09/2021 /10:57

Age / Sex : 31 Years / Female : Serum

Bar Code : MEDIWHEEL : MEDIWHEEL

BIOCHEMISTRY				
LIVER FUNCTION TEST 16 YEARS And ABOVE BIOLOGICAL				
TEST(Methodology)	RESULT	UNITS	REFERENCE INTERVAL	
BILIRUBIN				
BILIRUBIN TOTAL Method: Diazo with Sulphanilic acid	0.38	mg/dL	0.3 - 1.2	
DIRECT BILIRUBIN Method: Diazo with sulphanilic acid	0.14	mg/dL	0.0 - 0.40	
INDIRECT BILIRUBIN Method: Calculated	0.24	mg/dL		
SERUM SGPT(ALT) Method: IFCC without P5P	28	U/L	10 - 40	
SERUM SGOT(AST) Method: IFCC without P5P SERUM ALKALINE PHOSPHATASE Method: AMP-IFCC PROTEINS	FEMAL	E _{U/L} 30 T	10-40 Q 45 YRS	
Total Proteins Method: Biuret	7.58	g/dL	6.0 - 8.0	
ALBUMIN Method: Bromocresol Green (BCG)	4.39	G/dL	3.5 - 4.8	
SERUM GLOBULIN Method: Calculated	3.19	g/dL	2.3 - 3.5	
A/G RATIO Method: Calculated	1.38		0.8 - 2.0	
SERUM GAMMA GT Method: IFCC-Enzymatic	23	U/L	7.0 - 50.0	

**** End of Report ****

Reported on : 25/09/2021 /13:08 Printed on : 27/09/2021 /11:00

Req.No : 455177 Referred By

 Name
 : Ms. LAKSHMI SHARANYA [SPOUSE]
 Registration
 : 25/09/2021 /09:36

 R/o
 : - Sampling Date/Time
 : 25/09/2021 / 10:57

Age / Sex : 31 Years / Female : -

Bar Code : : MEDIWHEEL

BIOCHEMISTRY					
TEST(Methodology)	RESULT	UNITS	BIOLOGICAL REFERENCE INTERVAL		
BLOOD UREA NITROGEN (B.U.N)* Method: Calculated	7.8	mg/dL	7 - 23		
SERUM CREATININE Method: Alkaline picrate method	0.82	mg/dL	0.50 - 1.20		
SERUM URIC ACID Method: Uricase(Peroxidase)	6.00	mg/dL	1.9 - 7.5		

**** End of Report ****

MEDIWHEEL FEMALE 30 TO 45 YRS

Reported on : 25/09/2021 / 13:08 Printed on : 27/09/2021 / 11:00 DR. JYOTHI KIRANMAI MD PATHOLOGY

: SELF

Req.No : 455177 Referred By

 Name
 : Ms. LAKSHMI SHARANYA [SPOUSE]
 Registration
 : 25/09/2021 /09:36

 R/o
 : - Sampling Date/Time
 : 25/09/2021 /10:57

Age / Sex : 31 Years / Female : -

Bar Code : MEDIWHEEL

BIOCHEMISTRY				
TEST(Methodology)	RESULT	UNITS	BIOLOGICAL REFERENCE INTERVAL	
BLOOD UREA NITROGEN (B.U.N)* Method: Calculated	7.8	mg/dL	7 - 23	
SERUM CREATININE Method: Alkaline picrate method	0.82	mg/dL	0.50 - 1.20	
SERUM URIC ACID Method: Uricase(Peroxidase)	6.00	mg/dL	1.9 - 7.5	

**** End of Report ****

MEDIWHEEL FEMALE 30 TO 45 YRS

Reported on : 25/09/2021/13:08 Printed on : 25/09/2021/15:32 DR. JYOTHI KIRANMAI MD PATHOLOGY

: SELF

Name : Ms. LAKSHMI SHARANYA [SPOUSE] Registration : 25/09/2021 / 09:36

R/o : ---

Age / Sex : 31 Years / Female : EDTA Whole Blood

Sampling Date/Time

: 25/09/2021 / 15:01

Bar Code : : MEDIWHEEL

BIOCHEMISTRY				
TEST(Methodology)	RESULT	UNITS	BIOLOGICAL REFERENCE INTERVAL	
Glycosylated Haemoglobin (Hb A1c)* Method: High Performance Liquid Chromatography (HPLC)	4.7	%	< 5.7% : Normal 5.7% - 6.4% : Prediabetes > 6.4% : Diabetes	
MEAN PLASMA GLUCOSE (MPG) ESTIMATE* Method: Derived from HBA1c	88	mg/dL	Excellent control: 90 to 120 Good control: 121 to 150 Average control: 151 to 180 Panic value: > 211	

Note:Mean Plasma Glucose is calucated from HBA1c value and it indicates Average Blood Sugar level over the past three months.

MEDIWHEEL FEMALE 30 TO 45 YRS

INTERPRETATION:

- 1.Glycated hemoglobin(glycohemoglobin /HbA1c) is a form ofhemoglobin(Hb) that is chemically linked to a sugar.
- 2.A1c is measured primarily to determine the three-month averageblood sugar leveland can be used as a diagnostic test fordiabetes mellitusand as an assessment test for glycemic control in people with diabetes.
- 3.In diabetes, higher amounts of glycated hemoglobin, indicating poorer control of blood glucose levels, have been associated withcardiovascular disease,nephropathy,neuropathy, andretinopathy.
- 4. American diabetes Association (ADA) recommends an A1C goal for many non pregnant adults of < 7% (without significant hypoglycemia). On the basis of provider judgment and patient preference, achievement of lower A1C levels than the goal of 7% may be acceptable, and even beneficial, if it can be achieved safely without significant hypoglycemia or other adverse effects of treatment. Less stringent A1C goals (such as < 8%) may be appropriate for patients with severe hypoglycemia, extensive co morbid conditions etc, or where the harms of treatment are greater than the benefits.
- 5. Glycemic goals for some older adults might reasonably be relaxed as part of individualized care, but hyperglycemia leading to symptoms or risk of acute hyperglycemia complications should be avoided in all patients.

**** End of Report ****

Reported on : 25/09/2021 / 15:26 Printed on : 27/09/2021 / 11:00

Req.No : 455177

Name : Ms. LAKSHMI SHARANYA [SPOUSE]

R/O : --

URINE ANALYSIS

Age / Sex : 31 Years / Female

Bar Code :

Referred By : SELF

Req Date/Time : 25/09/2021 /09:36 **Sampling Date/Time** : 25/09/2021 /10:57

Sample : Urine

Centre : MEDIWHEEL

CLINICAL PATHOLOGY

TECT/M-41-1-1	DECH T	UNITS	BIOLOGICAL
TEST(Methodology)	RESULT	UNITS	REFERENCE INTERVAL
Metho Physical examination			
COLOUR	Light yellow		LIGHT YELLOW
APPEARANCE	Clear		CLEAR
SP GRAVITY	1.010		1.003 - 1.030
pН	6.0		5.0 - 8.0
PROTEIN	Negative		NEGATIVE
GLUCOSE	Negative		NEGATIVE
UROBILINOGEN	Negative		0.2 - 1.0 mg% (Normal)
KETONE	Negative		NEGATIVE
BLOOD.	Negative		NEGATIVE
BILE SALT	Negative		NEGATIVE
BILE PIGMENT	Negative		NEGATIVE
MICROSCOPIC EXAMINATION			
PUS CELLS.	1 - 2	/hpf	0 - 5
RBCs	Nil	/hpf	0 - 2
EPITHELIAL CELLS	2 - 3	/hpf	0 - 8
CRYSTALS	Nil	/lpf	Nil
CASTS*	Nil	/lpf	Nil
OTHERS	Nil		Nil

**** END OF REPORT ****

Reported on : 25/09/20 / 13:36 Printed on : 27/09/20 / 11:00

Req.No : 455177

Name : Ms. LAKSHMI SHARANYA [SPOUSE]

R/O :---

Age / Sex : 31 Years / Female

Bar Code :

Referred By : SELF

Req Date/Time : 25/09/2021 /09:36 **Sampling Date/Time** : 25/09/2021 /10:57

Sample : Serum

Centre : MEDIWHEEL

IMMUNOASSAYS

THYROID FUNCTION TEST (TOTAL)*		DIOLOGICAL	
TEST(Methodology)	RESULT	UNITS	BIOLOGICAL
			REFERENCE INTERVAL
Metho Enhanced chemiluminescence			
T3 (TRI - IODOTHYRONINE)*	1.40	ng/mL	0.970 - 1.69
T4 (THYROXINE)*	9.21	μg/dL	5.53 - 11.0
TSH (THYROID STIMULATING HORMONE)*	2.96	μIU/mL	0.465 - 4.68

Note: Change in method and reference range

NOTE:

TSH - Reference ranges during pregnancy:*

1st Trimester : 0.10 - 2.50 2nd Trimester : 0.20 - 3.00 3dr Trimester : 0.30 - 3.00

- *As per the Guidelines of American Thyroid Association for the diagnosis and management of thyroid disease during pregnancy and post partum.
- 1. Primary Hyperthyroidism is accompanied by elevated T3 & T4 values along with depressed TSH level.
- 2.Primary Hypothyroidism is accompanied by depressed T3 & T4 levels and elevated TSH levels.
- 3. Normal T4 levels accompanied by high T3 levels are seen in patients with T3 Thyrotoxicosis.
- 4.Slightly elevated T3 levels may be found in pregnancy and estrogen therapy, while depressed levels may be encountered in severe illness, malnutrition, renal failure and during therapy with drugs like propanolol and propylthiouracil.
- 5. Although elevated TSH levels are nearly always indicative of primary hypothyroidism, rarely they can result form TSH secreting pituitary tumors(secondary).

**** END OF REPORT ****

Reported on : 25/09/20 / 13:13 Printed on : 27/09/20 / 11:00