PID No.
 : MED121636467
 Register On
 : 28/01/2023 9:22 AM

 SID No.
 : 522301414
 Collection On
 : 28/01/2023 11:19 AM

 Age / Sex
 : 40 Year(s) / Male
 Report On
 : 28/01/2023 6:22 PM

 Type
 Printed On
 : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

Investigation  HAEMATOLOGY	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	15.1	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	43.7	%	42 - 52
RBC Count (EDTA Blood)	5.19	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	84.2	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	29.2	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	34.6	g/dL	32 - 36
RDW-CV	13.4	%	11.5 - 16.0
RDW-SD	40.3	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	4700	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	44.1	%	40 - 75
Lymphocytes (Blood)	46.6	%	20 - 45
Eosinophils (Blood)	1.2	%	01 - 06
Monocytes (Blood)	8.0	%	01 - 10



 PID No.
 : MED121636467
 Register On
 : 28/01/2023 9:22 AM

 SID No.
 : 522301414
 Collection On
 : 28/01/2023 11:19 AM

 Age / Sex
 : 40 Year(s) / Male
 Report On
 : 28/01/2023 6:22 PM

 Type
 : OP
 Printed On
 : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils	0.1	%	00 - 02
(Blood)			
INTERPRETATION: Tests done on Automated Five P	Part cell counter. All a	abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	2.1	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.2	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.1	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.4	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.0	10^3 / μl	< 0.2
Platelet Count (EDTA Blood)	170	10^3 / μl	150 - 450
MPV (Blood)	11.0	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.187	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	2	mm/hr	< 15



 PID No.
 : MED121636467
 Register On
 : 28/01/2023 9:22 AM

 SID No.
 : 522301414
 Collection On
 : 28/01/2023 11:19 AM

 Age / Sex
 : 40 Year(s) / Male
 Report On
 : 28/01/2023 6:22 PM

 Type
 : OP
 Printed On
 : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.58	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.21	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.37	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i> )	29.46	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	37.10	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	27.78	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	116.0	U/L	53 - 128
Total Protein (Serum/Biuret)	7.72	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.92	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.80	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.76		1.1 - 2.2



 PID No.
 : MED121636467
 Register On
 : 28/01/2023 9:22 AM

 SID No.
 : 522301414
 Collection On
 : 28/01/2023 11:19 AM

 Age / Sex
 : 40 Year(s) / Male
 Report On
 : 28/01/2023 6:22 PM

 Type
 : OP
 Printed On
 : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	195.71	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	209.33	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual\_circulating level of triglycerides during most part of the day.

Part of any			
HDL Cholesterol (Serum/Immunoinhibition)	36.92	mg/dL	Optimal(Negative Risk Factor): >= 60  Borderline: 40 - 59  High Risk: < 40
LDL Cholesterol (Serum/Calculated)	116.9	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	41.9	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	158.8	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



PID No. : MED121636467 Register On : 28/01/2023 9:22 AM : 522301414 SID No. Collection On : 28/01/2023 11:19 AM Age / Sex : 40 Year(s) / Male Report On 28/01/2023 6:22 PM **Type** : OP **Printed On** : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

Investigation <u>Observed</u> **Unit Biological** <u>Value</u> Reference Interval

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio 5.3 Optimal: < 3.3Low Risk: 3.4 - 4.4 (Serum/Calculated)

Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio 5.7 Optimal: < 2.5

Mild to moderate risk: 2.5 - 5.0 (TG/HDL)

High Risk: > 5.0(Serum/Calculated)

LDL/HDL Cholesterol Ratio 3.2 Optimal: 0.5 - 3.0 (Serum/Calculated)

Borderline: 3.1 - 6.0 High Risk: > 6.0



**APPROVED BY** 

Page 5 of 12

 PID No.
 : MED121636467
 Register On
 : 28/01/2023 9:22 AM

 SID No.
 : 522301414
 Collection On
 : 28/01/2023 11:19 AM

 Age / Sex
 : 40 Year(s) / Male
 Report On
 : 28/01/2023 6:22 PM

 Type
 : OP
 Printed On
 : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	5.9	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 122.63 mg/dL

(Whole Blood)

### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.



 PID No.
 : MED121636467
 Register On
 : 28/01/2023 9:22 AM

 SID No.
 : 522301414
 Collection On
 : 28/01/2023 11:19 AM

 Age / Sex
 : 40 Year(s) / Male
 Report On
 : 28/01/2023 6:22 PM

 Type
 : OP
 Printed On
 : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

# **IMMUNOASSAY**

### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.35 ng/ml 0.7 - 2.04

(Serum/ECLIA)

## INTERPRETATION:

#### **Comment:**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total 8.20 μg/dl 4.2 - 12.0

(Serum/ECLIA)

### INTERPRETATION:

#### **Comment:**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 1.97 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

#### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

### **Comment:**

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED121636467
 Register On
 : 28/01/2023 9:22 AM

 SID No.
 : 522301414
 Collection On
 : 28/01/2023 11:19 AM

 Age / Sex
 : 40 Year(s) / Male
 Report On
 : 28/01/2023 6:22 PM

 Type
 : OP
 Printed On
 : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

# **CLINICAL PATHOLOGY**

# PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Pale yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 15

(Urine)

# CHEMICAL EXAMINATION (URINE

<u>COMPLETE</u>)

pH 6.0 4.5 - 8.0

(Urine)

Specific Gravity 1.003 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)



 PID No.
 : MED121636467
 Register On
 : 28/01/2023 9:22 AM

 SID No.
 : 522301414
 Collection On
 : 28/01/2023 11:19 AM

 Age / Sex
 : 40 Year(s) / Male
 Report On
 : 28/01/2023 6:22 PM

 Type
 : OP
 Printed On
 : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
MICROSCOPIC EXAMINATION (URINE COMPLETE)			
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.



 PID No.
 : MED121636467
 Register On
 : 28/01/2023 9:22 AM

 SID No.
 : 522301414
 Collection On
 : 28/01/2023 11:19 AM

 Age / Sex
 : 40 Year(s) / Male
 Report On
 : 28/01/2023 6:22 PM

Type : OP Printed On : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING 'O' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674

 PID No.
 : MED121636467
 Register On
 : 28/01/2023 9:22 AM

 SID No.
 : 522301414
 Collection On
 : 28/01/2023 11:19 AM

 Age / Sex
 : 40 Year(s) / Male
 Report On
 : 28/01/2023 6:22 PM

 Type
 : OP
 Printed On
 : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	7.9		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	82.46	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative		Negative
(Urine - F/GOD - POD)			
Glucose Postprandial (PPBS)	82.48	mg/dL	70 - 140
(Plasma - PP/GOD-PAP)			

**INTERPRETATION:** 

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	7.9	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	1.00	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid 7.07 mg/dL 3.5 - 7.2 (Serum/*Enzymatic*)



 PID No.
 : MED121636467
 Register On
 : 28/01/2023 9:22 AM

 SID No.
 : 522301414
 Collection On
 : 28/01/2023 11:19 AM

 Age / Sex
 : 40 Year(s) / Male
 Report On
 : 28/01/2023 6:22 PM


 Type
 : OP
 Printed On
 : 30/01/2023 7:54 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>IMMUNOASSAY</b>			
Prostate specific antigen - Total(PSA) (Serum/Manometric method)	0.447	ng/ml	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0



-- End of Report --





Patient Name	Auil Kumar Pand	Date	28/1/23
Age	28404	Visit Number	
Sex	Male	Corporate	

## MEDICAL EXAMINATION REPORT

Height :

172

cms

Weight:

cms

BMI:

28,1

Healthy BMI range: 18.5 kg/m<sup>2</sup> - 25 kg/m<sup>2</sup>

Healthy weight for the height: 58.0 kgs - 78.3 kgs

Lose 8.4 kgs to reach a BMI of 25 kg/m<sup>2</sup>.

Ponderal Index: 15.6 kg/m<sup>3</sup>

Blood Pressure :

135/90

mm of Hg

Pulse :

68 per mt

Chest - Exhale : Loo

cms

Inhale : 10 U

cms

Abdomen : 91

cms

Eyes:

No-smal.

Ears:

Nornal

Throat:

Noney

Neck Nodes: Not Palpalp

CVS:

5,5,7

PA: MAD

RS:

NVBS

CNS: NAY

Smoker / Alcoholic:

NO

Weight loss / cough:

H/O Piles / Fever:

NO

Any surgery:

Medication for DM / HT/ Heart disease:

ND

1c. R-S- Mary Dr. SHANKA Physician signature

Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.

Name	MR.ANIL KUMAR PANDEY	ID	MED121636467
Age & Gender	40Y/MALE	Visit Date	28 Jan 2023
Ref Doctor Name	MediWheel		

## ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

## GALL BLADDER is not clearly visualized - post prandial status.

CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size and echopattern.

No demonstrable Para-aortic lymphadenopathy.

## **BOTH KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	11.2	1.6
Left Kidney	10.6	1.7

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**PROSTATE** shows normal shape, size and echopattern. It measures 3.3 x 2.9 x 4.7cms and vol: 23cc.

No evidence of ascites.

## **IMPRESSION:**

• No significant abnormality detected in the Abdomen & Pelvis.

DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST

Name	MR.ANIL KUMAR PANDEY	ID	MED121636467
Age & Gender	40Y/MALE	Visit Date	28 Jan 2023
Ref Doctor Name	MediWheel		

# Hn/an

Name	MR.ANIL KUMAR PANDEY	ID	MED121636467
Age & Gender	40Y/MALE	Visit Date	28 Jan 2023
Ref Doctor Name	MediWheel		

# ECHO CARDIOGRAPHIC STUDY

M-Mode							
AORTA						mm	
LEFT ARTIUM		35		mm			
RIGHT VENTRICLE				27		mm	
LEFT VENTRICLE (Diastol	e)			46		mm	
LEFT VENTRICLE (Systole	)			28		mm	
VENTRICULAR SEPTUM	(Diastole)			10	1	mm	
POSTERIOR WALL (Diasto	ole)			10		mm	
END DIASTOLIC VOLUM	Е			96		ml	
END SYSTOLIC VOLUME				28		ml	
STROKE VOLUME				68		ml	
FRACTIONAL SHORTENI	NG			40	1	%	
EJECTION FRACTION				71		%	
	DOP	PLER / (	COL	OU	R FLOW		
MITRAL VALVE	E- 0.8	A -0.6	m/s	se	NO MR		
			c				
AORTIC VALVE	AORTIC VALVE 1.1 - m/s			se	NO AR		
c							
TRICUSPID VALVE m/s			se	NO TR			
c							
PULMONARY VALVE	0.8	-	m/s	se	NO PR		
			c				

Name	MR.ANIL KUMAR PANDEY	ID	MED121636467
Age & Gender	40Y/MALE	Visit Date	28 Jan 2023
Ref Doctor Name	MediWheel		

**FINDINGS** 

	THULLION				
LEFT VENTRICLE	SIZE	NORMAL			
	THICKNESS	NORMAL			
LV FUNCTION	REGIONAL WALL MOTION	ABSENT			
	ABNORMALITY				
LEFT ATRIUM	NORMAL				
RIGHT VENTRICLE	NORMAL				
RIGHT ATRIUM	NORMAL				
MITRAL VALVE	NORMAL				
AORTIC VALVE	NORMAL				
PULMONARY VALVE	NORMAL				
TRICUSPID VALVE	NORMAL				
INTER ATRIAL SEPTUM	INTACT				
INTER VENTRICULAR SEPTUM	INTACT				
PERICARDIUM	NORMAL, NO EFFUSION				
GREAT VESSELS	AORTA - NORMAL PULMONARY ARTERY - I	NORMAL			

# **CONCLUSION:**

- NORMAL CHAMBER DIMENSIONS.
- NORMAL VALVES
- NO REGIONAL WALL MOTION ABNORMALITIES
- NORMAL LV SYSTOLIC FUNCTION.LVEF- 71 %
- NO CLOTS / VEGETATION / PE.

DR NAGESH M B
CONSULTANT
CARDIOLOGIST
(PLEASE CORRELATE WITH ECG & CLINICAL FINDINGS)

## **OPTICAL STORE**

Unique Collection

Ph: 9611444957

Vyalikaval Main road No. 12 Lakshmi Nilaya, Ground Floor.
- 2nd Main Road, Vyalikaval, Bengaluru Karnataka - 560003

Name Anil Kuman Age 40/m

Ph No. 9 9 866 0668 2

CHIEF COMPLAINTS

RE / LE / BE

DOV / Biurring / Eyeache / Burning Itching / Pricking / Redness

Visual Activity

	B	E_		ųE .	1_
Distance/ Near	61	40	16	160	0
With PH	Vi		-		
With Glasses/CL					1

Color Vision: TE E= Normal

			RE				LE	
	SPH	O	AXIS	Ϋ́N	SPH	CYL	AXIS	_ y⊌
Distance	_	4	ono	616		Plan	0	RIO
Near						4 0		UV

Advise Constant Use / Near Use / Distance Only

Mr. Ravikumar H 28 Lot 23

(Consultant Optometrist)

Name	ANIL KUMAR PANDEY	Customer ID	MED121636467
Age & Gender	40Y/M	Visit Date	Jan 28 2023 9:21AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Rotation is seen.

Bilateral perihilar bronchovascular markings are prominent.

Rest of the lung fields appear normal.

Cardiac size is within normal limits.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

# **IMPRESSION:**

No obvious lung opacity.

DR.HEMANANDHINI
CONSULTANT RADIOLOGIST

# **VISHNU DENTAL CARE**

MULTISPECIALITY DENTAL CLINIC & IMPLANT CENTRE

Perfecting Smiles Since 2003

Dr. Sriram Prabhu

Consultant Dental Surgeon & Cosmetic Dentist

Reg No.: 11,425-A

28 1 2023

Anil Kumar Ponday (40) (M)

8/8 > Impacted advised xx of impacted teeth.

Catt Stains Ht. C. a. G. 1/2 L. P.

Advised Scaling

ct > # ct

Advised Rentra / Crown

Qr. SRIRAM PRABHU B.D.S., F.A.G.E VISHNU DENTAL CARE #39, Maruthi Complex,

3rd Cross, Swimming Pool Extn. 11th Cross Malleswaram, BANGALOBE - 560 003. Mob: 9880205670



39, MARUTHI COMPLEX, 11TH CROSS, MALLESWARAM, BANGALORE-560003.

> (located above Mahaveer Ayurvedics) 1.: 9880205670, 080 35711514

> > Monday to Saturday

Timings: 10.00 a.m. to 1.30 p.m. & 4.30 p.m. to 8.30 p.m. PLEASE BRING THIS PRESCRIPTION ON YOUR NEXT VISIT