

 $\label{lem:and:eq:and$

CIN: U85196UP1992PLC014075





Patient Name : Mr.MANISH KUMAR TIWRI Registered On : 14/Aug/2021 08:47:58 Age/Gender Collected : 14/Aug/2021 09:04:04 : 51 Y 11 M 9 D /M UHID/MR NO : 14/Aug/2021 09:51:40 : IDCD.0000117287 Received Visit ID : IDCD0218162122 Reported : 14/Aug/2021 16:01:34 Ref Doctor : Final Report : Dr.Mediwheel - Arcofemi Health Care Ltd. Status

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blood				
Blood Group	Α			
Rh (Anti-D)	POSITIVE			
COMPLETE BLOOD COUNT (CBC) * , Blood				
Haemoglobin	13.70	g/dl	13.5-17.5	PHOTOMETRIC
TLC (WBC)	6,000.00	/Cu mm	4000-10000	ELECTRONIC
				IMPEDANCE
DLC				
Polymorphs (Neutrophils)	52.00	%	55-70	ELECTRONIC
Lucrahanda	40.00	0/	25.40	IMPEDANCE
Lymphocytes	40.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC
				IMPEDANCE
Eosin <mark>ophils</mark>	3.00	%	1-6	ELECTRONIC
			1	IMPEDANCE
Basophils	0.00	%	< 1	ELECTRONIC - IMPEDANCE
ESR				IIVIFEDANCE
Observed	10.00	Mm for 1st hr.		
Corrected	2.00	Mm for 1st hr.	< 9	
PCV (HCT)	41.00	cc %	40-54	
Platelet count				
Platelet Count	1.50	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE
PDW (Platelet Distribution width)	17.20	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	53.60	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.16	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.20	fL	6.5-12.0	ELECTRONIC



RBC Count



IMPEDANCE

ELECTRONIC IMPEDANCE

4.05

Mill./cu mm 4.2-5.5



 $\label{lem:add:eq:add:eq:add:eq:add:eq} Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644$

CIN: U85196UP1992PLC014075





Patient Name : Mr.MANISH KUMAR TIWRI Registered On : 14/Aug/2021 08:47:58 Age/Gender : 51 Y 11 M 9 D /M Collected : 14/Aug/2021 09:04:04 UHID/MR NO : 14/Aug/2021 09:51:40 : IDCD.0000117287 Received Visit ID : IDCD0218162122 Reported : 14/Aug/2021 16:01:34 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	103.30	fl	80-100	CALCULATED PARAMETER
MCH	33.80	pg	28-35	CALCULATED PARAMETER
MCHC	32.70	<u>,</u> %	30-38	CALCULATED PARAMETER
RDW-CV	13.80	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	50.80	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count Absolute Eosinophils Count (AEC)	3,120.00 180.00	/cu mm /cu mm	3000-7000 40-440	









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075





Patient Name : Mr.MANISH KUMAR TIWRI : 14/Aug/2021 08:47:59 Registered On Age/Gender : 51 Y 11 M 9 D /M Collected : 14/Aug/2021 13:36:51 UHID/MR NO : IDCD.0000117287 Received : 14/Aug/2021 15:25:11 Visit ID : IDCD0218162122 Reported : 14/Aug/2021 15:56:38 Ref Doctor

: Final Report : Dr.Mediwheel - Arcofemi Health Care Ltd. Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Glucose Fasting Sample:Plasma	80.90	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP Sample:Plasma After Meal	89.30	mg/dl	<140 Normal 140-199 Pre-diabetes	GOD POD
		18 1	>200 Diabetes	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075





Patient Name : Mr.MANISH KUMAR TIWRI : 14/Aug/2021 08:48:00 Registered On Age/Gender : 14/Aug/2021 09:04:04 : 51 Y 11 M 9 D /M Collected UHID/MR NO : IDCD.0000117287 Received : 14/Aug/2021 11:32:34 Visit ID : IDCD0218162122 Reported : 14/Aug/2021 12:44:17 : Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method		
GLYCOSYLATED HAEMOGLOBIN (HBA1C) ** , EDTA BLOOD						
Glycosylated Haemoglobin (HbA1c)	5.00	% NGSP		HPLC (NGSP)		

mmol/mol/IFCC

mg/dl

Interpretation:

NOTE:-

Glycosylated Haemoglobin (Hb-A1c)

Estimated Average Glucose (eAG)

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.

31.00

96

 eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



UHID/MR NO

Ref Doctor

Visit ID

INDRA DIAGNOSTIC CENTRE

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075





Patient Name : Mr.MANISH KUMAR TIWRI Age/Gender : 51 Y 11 M 9 D /M

> : IDCD.0000117287 : IDCD0218162122

Received Reported

Collected

Registered On

: 14/Aug/2021 09:04:04 : 14/Aug/2021 11:32:34 : 14/Aug/2021 12:44:17

: 14/Aug/2021 08:48:00

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY


MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.











 ${\it Add: Indra\ Deep\ Complex, Sanjay\ Gandhi\ Puram, Faizabad\ Road, Indira\ Nagar\ Ph:\ 7706041643,7706041644}$

CIN: U85196UP1992PLC014075





Patient Name : Mr.MANISH KUMAR TIWRI Registered On : 14/Aug/2021 08:48:00 Age/Gender Collected : 14/Aug/2021 09:04:04 : 51 Y 11 M 9 D /M UHID/MR NO : 14/Aug/2021 10:39:03 : IDCD.0000117287 Received Visit ID : IDCD0218162122 Reported : 14/Aug/2021 11:30:24 Ref Doctor : Final Report : Dr.Mediwheel - Arcofemi Health Care Ltd. Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) *	8.73	mg/dL	7.0-23.0	CALCULATED
Sample:Serum		3		
Creatinine Sample:Serum	0.80	mg/dl	0.7-1.3	MODIFIED JAFFES
e-GFR (Estimated Glomerular Filtration Rate) Sample:Serum	101.90	ml/min/1.73m2	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid	6.56	mg/dl	3.4-7.0	URICASE
Sample:Serum				
L.F.T.(WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	35.20	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	28.00	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	15.90	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.53	gm/dl	6.2-8.0	BIRUET
Albumin	4.38	gm/dl	3.8-5.4	B.C.G.
Globulin	2.15	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.04		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	105.60	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.01	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.46	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.55	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	207.00	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	32.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	160	mg/dl	< 100 Optimal	CALCULATED
		-	100-129 Nr.	
			Optimal/Above Optima	
			130-159 Borderline Hig	n
			160-189 High > 190 Very High	
VLDL	15.50	mg/dl	10-33	CALCULATED
Triglycerides	77.50	mg/dl	< 150 Normal	GPO-PAP
33 · · · · · ·			150-199 Borderline Hig	
			3	







 $\label{lem:add:eq:add:eq:add:eq:add:eq} Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644$

CIN: U85196UP1992PLC014075





Patient Name

: Mr.MANISH KUMAR TIWRI

Registered On

: 14/Aug/2021 08:48:00

Age/Gender

: 51 Y 11 M 9 D /M

Collected Received : 14/Aug/2021 09:04:04 : 14/Aug/2021 10:39:03

UHID/MR NO Visit ID

: IDCD.0000117287 : IDCD0218162122

Reported

: 14/Aug/2021 11:30:24

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

200-499 High >500 Very High











 $\label{lem:add:eq:add:eq:add:eq:add:eq} Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644$

CIN: U85196UP1992PLC014075





Patient Name : Mr.MANISH KUMAR TIWRI Registered On : 14/Aug/2021 08:48:00 Age/Gender Collected : 14/Aug/2021 13:14:30 : 51 Y 11 M 9 D /M UHID/MR NO : 14/Aug/2021 13:18:38 : IDCD.0000117287 Received Visit ID Reported : 14/Aug/2021 13:36:53 : IDCD0218162122

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE	* , Urine			
Color	CLEAR			
Specific Gravity	1.015			
Reaction PH	Neutral (7.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		, 3	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++) 1-2 (+++)	
			> 2 (+++)	
Ketone	ABSENT		22(1111)	DIPSTICK
Bile Salts	ABSENT			and the same of th
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
	The state of the s			EXAMINATION
Pus cells ·	ABSENT			MICROSCOPIC
				EXAMINATION
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
Others	ABSENT			EXAMINATION
STOOL, ROUTINE EXAMINATION	* , Stool			
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic (6.0)			
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075





Patient Name : Mr.MANISH KUMAR TIWRI Registered On : 14/Aug/2021 08:48:00 Age/Gender Collected : 14/Aug/2021 13:14:30 : 51 Y 11 M 9 D /M UHID/MR NO : 14/Aug/2021 13:18:38 : IDCD.0000117287 Received Visit ID Reported : 14/Aug/2021 13:36:53 : IDCD0218162122

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				

gms%

Interpretation:

Sugar, Fasting stage

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075





Patient Name : 14/Aug/2021 08:48:00 : Mr.MANISH KUMAR TIWRI Registered On Age/Gender : 14/Aug/2021 09:04:04 : 51 Y 11 M 9 D /M Collected UHID/MR NO : IDCD.0000117287 Received : 14/Aug/2021 11:24:14 Visit ID : IDCD0218162122 Reported : 14/Aug/2021 12:57:30 Ref Doctor : Final Report

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.600	ng/mL	< 3.0	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	114.25	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	9.62	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.44	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	$\mu IU/mL$	First Trimest	ter
0.4-4.2	$\mu IU/mL$	Adults	21-54 Years
0.5-4.6	$\mu IU/mL$	Second Trim	ester
0.5-8.9	$\mu IU/mL$	Adults	55-87 Years
0.7-64	$\mu IU/mL$	Child(21 wk	- 20 Yrs.)
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week
0.8 - 5.2	$\mu IU/mL$	Third Trimes	ster
1-39	$\mu IU/mL$	Child	0-4 Days
1.7-9.1	$\mu IU/mL$	Child	2-20 Week
2.3-13.2	μIU/mL	Cord Blood	> 37Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.







UHID/MR NO

Visit ID

INDRA DIAGNOSTIC CENTRE

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



: 14/Aug/2021 08:48:00

: 14/Aug/2021 09:04:04



Patient Name : Mr.MANISH KUMAR TIWRI Age/Gender

: IDCD.0000117287

: IDCD0218162122

Registered On : 51 Y 11 M 9 D /M Collected

> Received : 14/Aug/2021 11:24:14 Reported : 14/Aug/2021 12:57:30

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report


DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.











Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075





Patient Name : Mr.MANISH KUMAR TIWRI Registered On : 14/Aug/2021 08:48:00

 Age/Gender
 : 51 Y 11 M 9 D /M
 Collected
 : N/A

 UHID/MR NO
 : IDCD.0000117287
 Received
 : N/A

Visit ID : IDCD0218162122 Reported : 14/Aug/2021 12: 45: 41

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA * (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

(History of RTA)

- ? Fracture of anterior ends of right sided 3rd, 4th & 5th ribs.
- Bilateral bronchovascular markings appear prominent.
- Bilateral mildly hyperinflated lower lung fields seen.
- Soft tissue shadow appears normal.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary parenchyma did not reveal any significant lesion.
- CORADS-2

Please correlate clinically

Typed by -Vinay/Checked by- Roshan

(This report is a professional opinion & not a diagnosis Kindly intimate us immediately or within 7 days for any reporting / typing error or any query regarding radiological correlation of clinical findings).



Dr. Anil Kumar Verma (MBBS,DMRD)







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075





Patient Name : Mr.MANISH KUMAR TIWRI Registered On : 14/Aug/2021 08:48:01

 Age/Gender
 : 51 Y 11 M 9 D /M
 Collected
 : N/A

 UHID/MR NO
 : IDCD.0000117287
 Received
 : N/A

Visit ID : IDCD0218162122 Reported : 14/Aug/2021 10: 42: 48

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER

- Liver is mildly enlarged in size (~ 153 mm) and has a normal homogenous echo texture.
- No obvious focal lesion is seen. The intra-hepatic biliary radicles are normal.
- Portal vein is normal in caliber.

GALL BLADDER & CBD

- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic. No wall
 thickening or pericholecystic fluid noted.
- Visualised proximal common bile duct is normal in caliber.

PANCREAS

 The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- Both the kidneys are normal in size and echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

SPLEEN

• The spleen is normal in size and has a normal homogenous echo-texture.

LYMPH NODES

• No significant lymph node noted.

URINARY BLADDER

- Urinary bladder is well distended. Bladder wall is normal in thickness and is regular.
- Pre void urine volume is ~ 200 cc.
- Post void residual urine volume is ~ 20 cc.







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075





Patient Name : Mr.MANISH KUMAR TIWRI

Registered On

: 14/Aug/2021 08:48:01

Age/Gender UHID/MR NO : 51 Y 11 M 9 D /M : IDCD.0000117287 Collected Received

: N/A

Visit ID

: IDCD0218162122

Reported Status : 14/Aug/2021 10:42:48

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd.

: Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

PROSTATE

- Prostate is enlarged in size & measures ~ 46 x 36 x 28 mm, weight ~ 22.8 grams.
- No obvious sonological evidence of solid organ injury seen.
- HRS study is unremarkable.

IMPRESSION

Clinical profile:- History of trauma.

- Mild hepatomegaly.
- Prostatomegaly with post void residual urine volume of ~ 20 cc.

Typed by- shanaya

(This report is an expert opinion & not a diagnosis. Kindly intimate us immediately or within 7 days for any reporting / typing error or any query regarding sonographic correlation of clinical findings)

*** End Of Report ***

(*) Test not done under NABL accredited Scope, (**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

ECG / EKG, TREAD MILL TEST



Dr. Anil Kumar Verma (MBBS.DMRD)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





1800-419-0002