



Lab ID 00000211 Registration on: 19/08/2023 10:34:00

Age & Sex: 48 Year | Male Reported on: 16:31:49
Reference: VELOCITY HOSPITAL Sample Type: BLOOD ~ URINE

CBC ESR

Test	Observed Value	Unit	Biological Reference Interval
Haemoglobin	17.6 H	g/dL	13.5 - 17.5
Total RBC	6.39 H	mill./cm	4.50 - 5.90
Total WBC	7080	/cmm	4000 - 11000
Platelet Count	141900 L	/cmm	150000 - 450000
НСТ	56.7 H	%	36.0 - 48.0
MCV	88.7	fL	80.0 - 100.0
MCH	27.5	pg	27.0 - 32.0
MCHC	31.0 L	g/dL	31.5 - 36.0
DIFFERENTIAL COUNT			
Neutrophils	56	%	40 - 70
Lymphocytes	39	%	20 - 40
Eosinophils	02	%	02-05
Monocytes	03	%	01-07
Basophils	00	%	00 - 02
Band Cells	00	%	0.0 - 6.0
ABSOLUTE DIFFERNTIAL COUNT			
Neutrophils	3965	/cumm	2000 - 7000
Lymphocytes	2761	/cumm	1000 - 3000
Eosinophils	142	/cumm	20 - 500
Monocytes	212	/cumm	200 - 1000
Basophils	0	/cumm	0 - 100
GLR / NLR	1.4		
(Neutrophil/Lymphocyte Ratio)			
M ENTZER INDEX	13.9		
RDW-CV	13.4	%	11.1 - 14.1
RDW-SD	47.5	fl	
MPV	12.1	fl	
PCT	0.17	%	







Lab ID 00000211 Registration on: 19/08/2023 10:34:00

Age & Sex: 48 Year | Male Reported on: 16:31:49
Reference: VELOCITY HOSPITAL Sample Type: BLOOD ~ URINE

PDW 19.8 %

PERIPHERAL SM EAR EXAMINATION

RBC Morphology Target cell (FEW)

WBC Morphology Appear normal, Immature cells are not seen .

Platelets in Smear Thrombocytopenia

<u>M alarial Parasites</u> Not Detected.

ESR

AFTER 1 HOUR **25 H** mm/hr 0.0 - 15.0







Name: AMRENDRA KISHORE

Lab ID 00000211

Age & Sex: 48 Year | Male

Reference: VELOCITY HOSPITAL

Ward: opd

Registration on: 19/08/2023 10:34:00

Reported on: 16:31:49

Sample Type: BLOOD ~ URINE

BLOOD GROUP

Test Observed Value Unit Biological Reference Interval

Blood Group "O"

Rh Factor POSITIVE







Name: AMRENDRA KISHORE

Lab ID 00000211

Age & Sex: 48 Year | Male
Reference: VELOCITY HOSPITAL

Ward: opd

Registration on: 19/08/2023 10:34:00

Reported on: 16:31:50

Sample Type: BLOOD ~ URINE

BLOOD GLUCOSE TEST

Test	Observed Value	Unit	Biological Reference Interval
1631	Obscived value	Ollit	biological herefelice litter val

Sample FLOURIDE PLASMA

FASTING (FBS)

Blood Sugar-F 77.49 mg/dL 70.00-110.00







Lab ID 00000211 Registration on: 19/08/2023 10:34:00

Age & Sex: 48 Year | Male Reported on: 16:31:50

Reference: VELOCITY HOSPITAL Sample Type: BLOOD ~ URINE

HEMOGLOBIN A1c TEST

Test	Observed Value	Unit	Biological Reference Interval
HbA1c	4.7	%	> 8 : Action Suggested 7-8 : Good control < 7 : Goal 6.2-7 : Near Normal Glycemia < 6.2 : Non-diabetic Level

Mean Blood Glucose 88.2 mg/dL 70.0 - 140.0

Importance of HbA1c - Glycated Hb. in Diabetes Mellitus

- HbA1c, also known as Glycated Hemoglobin is the most important test for the assessment of long term blood glucose control (also called glycemic control)
- HbA1c reflects mean blood glucose concentration over past 6-8 weeks and provides amuch better indication of long term glycemic control than blood glucose determination
- HbA1c is formed by non-enzymatic reaction between glucose and Hb., this reaction is irreversible and therefore remains unaffected by short term fluctuations in blood glucose levels.
- Long term complications of diabetes such as retinopathy-eye complications, nephropathy-kidney complications and neuropathy-nerve complications, are potentially serious and can lead to blindness, kidney failure etc.
- Glycemic control monitored by HbA1c measurement using HPLC method-(Gold Standard) is considered most important. (Ref. National Glycohemoglobin Standardization Program NGSP).





Lab ID 00000211 Registration on: 19/08/2023 10:34:00

Age & Sex: 48 Year | Male Reported on: 16:31:50

Reference: VELOCITY HOSPITAL Sample Type: BLOOD ~ URINE

LIPID PROFILE

Test	Observed Value	Unit	Biological Reference Interval
Sample	Fasting Blood Se	rum	
Cholesterol	212.0 H	mg/dL	<200 Desirable 200-229 Borderline >240 High
Triglyceride	128.8	mg/dL	<150 Normal 150-199 Borderline 200-499 High >=500 Very High
HDL Cholesterol	50.78	mg/dL	Male : 35-80 Female : 42-88
VLDL	25.76	mg/dL	0.00 - 30.00
LDL Cholesterol	135.46 H	mg/dL	< 130 : Optimal 130 - 159 : Borderline High 160 - 189 : High >= 190 : Very High
LDL Chol. / HDL Chol. Ratio	2.67		1.0 - 3.4
Cholesterol / HDL Chol. Ratio	4.2 H		0 - 3.5
Total Lipid	672.3	mg/dl	400.0 - 1000.0









Lab ID 00000211 Registration on: 19/08/2023 10:34:00

Age & Sex: 48 Year | Male Reported on: 16:31:50

Reference: VELOCITY HOSPITAL Sample Type: BLOOD ~ URINE

RENAL FUNCTION TEST

Test		Unit	
S. Creatinine	0.91	mg/dL	0.5-1.30
Bl. Urea	20.0	mg/dL	10.0 - 40.0
BUN	9.3	mg/dl	6.0 - 22.0
Uric Acid	5.12	mg/dL	3.5 - 7.2
PROTEINS			
Total Protein	7.0	g/dL	6.0 - 8.0
Albumin	3.79	g/dL	3.50 - 5.50
Globulin	3.2	g/dL	2.0 - 4.0
A/G Ratio	1.2		

opd







Lab ID 00000211 Registration on: 19/08/2023 10:34:00

Age & Sex: 48 Year | Male Reported on: 16:31:50

Reference: VELOCITY HOSPITAL Sample Type: BLOOD ~ URINE

LIVER FUNCTION TEST

Test	Observed Value	Unit	Biological Reference Interval
BILIRUBIN			
Total Bilirubin	0.5	mg/dL	0.00 - 1.20
Direct Bilirubin	0.2	mg/dL	0.00 - 0.40
Indirect Bilirubin	0.30	mg/dL	0.00 - 1.00
SGPT(ALT)	33.97	U/L	0.0 - 40.0
SGOT (AST)	30.27	U/L	0.0 - 46.0
Alkaline Phosphatase	198.0	U/L	80.0 - 306.0

opd







Lab ID 00000211 Registration on: 19/08/2023 10:34:00

Age & Sex: 48 Year | Male Reported on: 16:31:50

Reference: VELOCITY HOSPITAL Sample Type: BLOOD ~ URINE

URINE ANALYSIS

Test	Observed Value	Unit	Biological Reference Interval
Sample	Fresh Urine		
PHYSICAL EXAMINATION			
Quantity	10.0	mL	
Colour	Pale-Yellow		
Appearance	Clear		Clear
рН	6.0		
Specific Gravity	1.020		
Sediments	Absent		Absent
CHEMICAL EXAMINATION			
Protein (Albumin)	Absent		Absent
Sugar	Absent		Absent
Bile Salts	Absent		Absent
Bile Pigment	Absent		Absent
Ketone	Absent		Absent
Occult Blood	Absent		Absent
Nitrite	Absent		Absent
Leukocyte Esterase	Absent		Absent
Urobilinogen	Normal		Normal
MICROSCOPIC EXAMINATION			
Pus Cells	Occasional	/hpf	Absent
Red Blood Cells	Absent	/hpf	Absent
Epithelial Cells	Occasional	/hpf	Absent
Crystals	Absent		Absent
Amorphous material	Absent		Absent
Casts	Absent		Absent
Yeast	Absent		Absent
Bacteria	Absent		Absent
	End of Repo	ort	





Scan QR code to check report authenticity

Passport No:	LABORATORY TEST REF	PORT
Patient Information	Sample Information	Client/Location Information
Name : Mr Amrendra Kishor	Lab ld : 082315301343	Client Name : Spectra Diagnostics Lab@Adajan
Sex/Age : Male / 48 Y Ref. ld :	Registration on : 19-Aug-2023 10:59 Collected at : non SAWPL Collected on : 19-Aug-2023 10:59	Location : Approved on : 19-Aug-2023 12:26 Status : Final Printed On : 19-Aug-2023 12:36
Ref. By :	Sample Type : Serum	Process At : 153. Lab SAWPL Gujarat Surat Adajan

Thyroid Function Test

Test	Result	Unit	Biological Ref. Interval
T3 - Triiodothyronine Chemiluminescence	0.91	ng/mL	0.58 - 1.59
T4 - Thyroxine Chemiluminescence	8.12	micro g/dL	4.87 - 11.72
TSH - Thyroid Stimulating Hormone	2.0297	microIU/mL	0.35 - 4.94

Remarks: Collected Sample Received

Interpretation

TSH	T3/FT3	T4/FT4	Suggested Interpretation for the Thyroid Function Tests Pattern
Within Range	Decreased	Within Range	Isolated low T3 often seen in elderly & associated Non-Thyroid illness. In elderly the drop in T3 level can be up to 25%
Raised	Within Range	Within Range	Isolated High TSH Especially in the range of 4.7 to 15 mlU/ml is commonly associated with physiological & Biological TSH Variability. Subclinical Autoimmune Hypothyroidism. Intermediate T4 therapy for hypothyroidism. Recovery phase after Non-Thyroidal illness.
Raised	Decreased	Decreased	Chronic Autoimmune Thyroiditis. Post thyroidectomy, post radioiodine. Hypothyroid phase of transient thyroiditis.
Raised or Within Range	Raised	Raised or Within Range	Interfering antibodies to thyroid hormones (anti-TPO antibodies) Intermediate T4 therapy of T4 overdose. Drug Interference-Amiodarone, Heparin, Beta blocker, steroids, antiepileptics.
Decreased	Raised or Within Range	Raised or Within Range	Isolated Low TSH – Especially in the range of 0.1 to 0.4 often seen in elderly & associated with Non-Thyroidal illness. Subclinical Hypothyroidism. Thyroxine ingestion.
Decreased	Decreased	Decreased	Central Hypothyroidism. Non-Thyroidal illness. Recent treatment for Hypothyroidism (TSH remains suppressed)
Decreased	Raised	Raised	Primary Hyperthyroidism (Graves' disease), Multinodular goitre Toxic nodule. Transient thyroiditis: postpartum, Silent(lymphocytic), Post viral (granulomatous, subacute, DeQuervain'a) Gestational thyrotoxicosis hyperemesis gravidarum.
Decreased or Within Range	Raised	Within Range	T3 toxicosis. Non-Thyroidal illness.

This is an Electronically Authenticated Report.

Page 1 of 2

Dr. Bharat D. Tandel

M.D. Pathology



Scan QR code to check report authenticity

Passport No :	LABORATORY TEST REPORT		
Patient Information	Sample Information	Client/Location Information	
Name : Mr Amrendra Kishor	Lab ld : 082315301343	Client Name: Spectra Diagnostics Lab@Adajan	
Sex/Age : Male / 48 Y	Registration on : 19-Aug-2023 10:59 Collected at : non SAWPL	Location :	
Ref. ld : Ref. By :	Collected at : 1011 SAWPL Collected on : 19-Aug-2023 10:59 Sample Type : Serum	Approved on : 19-Aug-2023 12:26 Status : Final Printed On : 19-Aug-2023 12:36 Process At : 153. Lab SAWPL Gujarat Surat Adajan	

Immunoassay

Test	Result	Unit	Biological Ref. Interval
PSA-Prostate Specific Antigen, Total	0.785	ng/mL	0 - 4

PSA is a glycoprotein that is expresses by both normal and neoplastic prostate tissue and is prostate tissue specific and not prostate cancer specific. PSA is constantly expressed in nearly all prastate cancers, although its level of expression on a percell basis is lower than in normal prostate epithelium. The absolute value of serum PSA is useful for determining the extent of prostate cancer and assessing the response to prostate cancer treatment; its use as a screening method to detect prostate cancer is also common.

Interpretation

Increased in


- Prostate disease (Cancer, Prostatitis, Benign prostatic hyperplasia, Acute urinary retention)
- · Manipulations (Cystoscopy, Needle biopsy, Radiation therapy, Indwelling catheter, Prostatic massage)
- Transurethral resection
- Prostatic ischemia

Decreased in

- Castration
- Prostatectomy
- Radiation therapy
- Ejaculation withi 24 48 hours
- 5-alpha-reductase inhibitor reduces PSA by 50% after 6 months in men without cancer

Limitations

- PSA has been recommended by the American Cancer Society for use in conjunction with a DRE for early detection of prostate cancer starting at the age of 50 years for men with at least 10 year life expectancy
- PSA levels that are measured repeatedly over time may vary because of biologic variability where the true PSA level in a given man is different
 on different measurements.
- A change in PSA of >30% in man with a PSA initially below 2.0 ng/mL was likely to indicate a true change beyond normal random variation.



This is an Electronically Authenticated Report.

Page 2 of 2

Dr. Bharat D. Tandel

M.D. Pathology