

LABORATORY REPORT

Name : Mrs. Manishaben Satish Raval Reg. No : 302101023

Sex/Age : Female/36 Years Reg. Date : 24-Feb-2023 08:56 AM

Ref. By : MEDIWHEEL Collected On :

Medical Summary

GENERAL EXAMINATION

Mediwheel

Height (cms):144

Client Name

Weight (kgs):52.1

Blood Pressure: 108/68mmHg

Pulse: 68/Min

No Clubbing/Cynosis/Pallor/PedelOedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly

Epilepsy – N/A

24-Feb-2023 03:02 PM

Report Date

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 3 of 4

CUROVIS HEALTHCARE PVT. LTD.




หพิชเพิด ลเก็บ ถุเนก Manishaben Satish Raval ชละ ตร์ในเมื่อ8: 21/11/1986 อลิ! FEMALE

8763 9004 3301 किंग्सारी स्थारी स्थारी स्थारी स्थारी स्थारी

mob-4662663586

Dr. Jay Soni M.D. (General Medicine) Reg. No.: G-23899





LETTER OF APPROVAL / RECOMMENDATION

To,

The Coordinator, Mediwheel (Arcofemi Healthcare Limited) Helpline number: 011-41195959

Dear Sir / Madam,

Sub: Annual Health Checkup for the employees of Bank of Baroda

This is to inform you that the following employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS	EMPLOYEE DETAILS
NAME	MRS. RAVAL MANISHABEN SATISH
EC NO.	174333
DESIGNATION	SINGLE WINDOW OPERATOR A
PLACE OF WORK	AHMEDABAD, DRIVE IN ROAD
BIRTHDATE	21-12-1986
PROPOSED DATE OF HEALTH	24-02-2023
CHECKUP	
BOOKING REFERENCE NO.	22M174333100043806E

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from 21-02-2023 till 31-03-2023 The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a cashless facility as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

Chief General Manager HRM Department Bank of Baroda

(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcefemi Healthcare Limited))



: 36 Years

Age/Sex





TEST REPORT

/ Female

Ref Id : PKG10000249 Reg. No : 302101023 Collected On : 24-Feb-2023 08:56 AM

Name : Mrs. Manishaben Satish Raval Reg. Date : 24-Feb-2023 08:56 AM

Tele No. : 9662663586 Ref. By : MEDIWHEEL Dispatch At

Pass. No.

Location : CHPL : EDTA Whole Blood Sample Type

Parameter Results Unit Biological Ref. Interval

COMPLETE BLOOD COUNT (CBC) Specimen: EDTA blood

Hemoglobin	L 12,4	g/dl _~	12.5 - 16.0
Hematrocrit (Calculated)	38,00	%	37 - 47
RBC Count	5.11	million/cmm	4.2 - 5.4
MCV	L 74.4	fl.,	78 - 100
MCH (Calculated)	L 24.2	Pg	27 - 31
MCHC (Calculated)	32.5	%	31 - 35
RDW (Calculated)	12.8	%	11.5 - 14.0
WBC Count	8350	/cmm	4000 - 10500
MPV (Calculated)	9.8	(L.	7.4 - 10.4

DIFFERENTIAL WBC COUNT	[%]		EXPECTED VALUES	[Abs]		EXPECTED VALUES
Neutrophils (%)	58	%	42.02 - 75.2	4843	/cmm	2000 - 7000
Lymphocyles (%)	33	%	20 - 45	2756	/cmm	1000 - 3000
Eosinophils (%)	H 07	%	0 - 6	167	/cmm	200 - 1000
Monocytes (%)	02	%	2 - 10	585	/cmm	20 - 500
Basophils (%)	00	%	0 - 1	0	/cmm	0 - 100

PERIPHERAL SMEAR STUDY

RBC Morphology Mild Microcytle and Hypochromic.

WBC Morphology Mild Eosinophilia.

PLATELET COUNTS

Platelet Count (Volumetric 353000 150000 - 450000 /cmm

Impedance)

Platelets Platelets are adequate with normal morphology.

Parasitos Malarial parasite is not detected.

Comment

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 24-Feb-2023 05:36 PM Approved On:

24-Feb-2023 03:11 PM

Page 1 of 11

CUROVIS HEALTHCARE PVT. LTD.







			TEST	REPORT		
Reg. No	: 302101023	3	Ref Id	: PKG10000249	Collected On	: 24-Feb-2023 08:56 AM
Name	: Mrs. Manis	shaben Satish	Raval		Reg. Date	: 24-Feb-2023 08:56 AM
Age/Sex	: 36 Years	ı Female	Pass. No.	1	Tele No.	: 9662663586
Ref. By	: MEDIWHE	EL			Dispatch At	1
Location	: CHPL				Sample Type	: EDTA Whole Blood
Parameter		***** *********************************		Result	Unit	Biological Ref. Interval

HEMATOLOGY

BLOOD GROUP & RH

Specimen: ED1A and Serum; Method: Forward Reverse Tube Agglutination

ABO

 $^{0}A^{0}$

Rh (D)

Positive

Noto

ERYTHROCYTE SEDIMANTATION RATE [ESR]

ESR 1 hour

Infra rad monsurament

23

mm/hr.

ESR AT 1 hour: 3-12

ERYTHRO SEDIMENTION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in prenancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially fow (o-1mm) in polycythaemia, hypofibrinogenemia or or congestive cardiac failure and when there are abnormalities or the red cells such as poikilocytosis, spherocytosis or sickle cells.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 24-Feb-2023 05:36 PM

Approved On:

24-Feb-2023 02:45 PM

Page 2 of 11

CUROVIS HEALTHCARE PVT. LTD.







Reg. No : 302101023 Ref ld

Pass. No.

: PKG10000249 Collected On : 24-Feb-2023 08:56 AM

Name

: Mrs. Manishaben Satish Raval

Reg. Date

: 24-Feb-2023 08:56 AM

Age/Sex

: 36 Years / Female

Tele No.

: 9662663586

Ref. By

: MEDIWHEEL

Dispatch At

: Flouride F.Flouride PP

Location

: CHPL

Sample Type

Parameter

Result

Unit

Biological Ref. Interval

FASTING PLASMA GLUCOSE Specimen: Flouride plasma

Fasting Blood Sugar (FBS)

102.10

ma/dL

70 - 110

GOD-POD Mothod

GOD-POD Mothod

Criteria for the diagnosis of diabetes

1. HbA1c >/≈ 6.5 *

Or

2. Fasting plasma glucose >126 gm/dL, Fasting is defined as no caloric intake at least for 8 hrs.

3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing. American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

POST PRANDIAL PLASMA GLUCOSE

Specimen: Flouride plasma

Post Prandial Blood Sugar (PPBS)

106.3

mg/dL

70 - 140

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 24-Feb-2023 05:36 PM

Approved On:

24-Feb-2023 02:45 PM

Page 3 of 11

CUROVIS HEALTHCARE PVT. LTD.







THE TREATMENT OF TAXABLE STORY MILE	
	TEST REPORT

J Female

Reg. No

: 302101023

Ref ld

: PKG10000249

Collected On : 24-Feb-2023 08:56 AM

Name

: Mrs. Manishaben Satish Raval

Reg. Date

: 24-Feb-2023 08:56 AM

Age/Sex

: 36 Years

Pass. No.

Tele No.

: 9662663586

Ref. By

: MEDIWHEEL

Dispatch At

Location

: CHPL

Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
	Lipid Profile		
Cholesterol	240.00	mg/dL	Desirable: < 200 Boderline High: 200 - 239 High: > 240
Enzymatic, colorimotric mothod			
Triglyceride	145.10	mg/dL	Normal: < 150 Boderline High: 150 - 199 High: 200 - 499 Very High: > 500
Enzymatic, colorimatric method			
HDL Cholesterol	44.80	mg/dL	High Risk : < 40 Low Risk : = 60
Accelerator selective detergent method			
L.DL	166.18	mg/dL	Optimal : < 100.0 Near / above optimal : 100-129 Borderline High : 130- 159 High : 160-189 Very High : >190.0
Galculated			,, ,,
VLDL	29.02	mg/dL	15 - 35
Calculated		•,	
LDL / HDL RATIO	3.71		0 - 3.5
Cholesterol /HDL Ratio	5.36		0 - 5.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 24-Feb-2023 05:36 PM

Approved On:

24-Feb-2023 02:45 PM

Page 4 of 11

CUROVIS HEALTHCARE PVT. LTD.







	TEST	REPORT	***************************************	***************************************
Reg. No : 302101023	Ref Id	: PKG10000249	Collected On	: 24-Feb-2023 08:56 AM
Name : Mrs. Manishaben Satish Ra	aval		Reg. Date	: 24-Feb-2023 08:56 AM
Age/Sex : 36 Years / Female	Pass. No.	:	Tele No.	9662663586
Ref. By : MEDIWHEEL			Dispatch At	:
Location : CHPL			Sample Type	Serum
Parameter		Result	Unit	Biological Ref. Interval
·	BIO -	CHEMISTRY		
		LET WI	TH GGT	
Total Protein Bluret Reaction		7.54	gm/dL	Premature 1 Day : 3.4 - 5.0 1 Day to 1 Month : 4.6 - 6.8 2 to 12 Months : 4.8 - 7.6 1 Year : 6.0 - 8.0 Adults : 6.6 - 8.7
Albumin By Bromocrosol Graen		5.11	g/dL	0 - 4 days: 2.8 - 4.4 4 days - 14 yrs: 3.8 - 5.4 14 19 yrs: 3.2 4.5 20 - 60 yrs: 3.5 - 5.2 60 - 90 yrs: 3.2 - 4.6 > 90 yrs: 2.9 - 4.5
Globulin Calculated		2.43	g/dL	2.3 - 3.5
A/G Ratio Calculated		2.10		0.8 - 2.0
SGOT UV without P5P		20.30	U/L	0 - 40
SGPT UV without P5P		18.10	U/L	0 - 40
Alakaline Phosphatase P-nitrophonyl phosphatase-AMP Buller, Multiple-point rate		48.5	10/l	42 - 98
Total Bilirubin Vanadalo Oxidation		0.55	mg/dL	0 - 1.2
Conjugated Bilirubin		0.12	mg/dL	0.0 - 0.4
This is an electronically authenticated repo	ort.			()

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 24-Feb-2023 05:36 PM

Approved On:

24-Feb-2023 02:45 PM Page 5 of 11

CUROVIS HEALTHCARE PVT. LTD.



GGT

SZASZ Mothod





TEST REPORT Ref Id : PKG10000249 Reg. No : 302101023 Collected On : 24-Feb-2023 08:56 AM Name : Mrs. Manishaben Satish Raval : 24-Feb-2023 08:56 AM Reg. Date Age/Sex : 36 Years / Female Pass. No. Tele No. : 9662663586 Ref. By : MEDIWHEEL Dispatch At Location : CHPL Sample Type : Serum Unconjugated Bilirubin 0.43 mg/dl_ 0.0 - 1.1Calculated

25.40

mg/dL

< 32

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B,DÇP

Generated On: 24-Feb-2023 05:36 PM

Approved On:

24-Feb-2023 02:45 PM

Page 6 of 11

CUROVIS HEALTHCARE PVT. LTD.



UV Mothod





		TEST	REPORT		
Reg. No	: 302101023	Ref Id	: PKG10000249	Collected On	: 24-Feb-2023 08:56 AM
Name	: Mrs. Manishaben Satish	Raval		Reg. Date	: 24-Feb-2023 08:56 AM
Age/Sex	: 36 Years / Female	Pass. No.	:	Tele No.	: 9662663586
Ref. By	: MEDIWHEEL			Dispatch At	;
Location	: CHPL			Sample Type	: Serum
Parameter			Result	Unit	Biological Ref. Interval
		BIO -	CHEMISTRY		
Uric Acid Enzymatic, color	imotric method		3.62	mg/dL	2.6 - 6.0
Creatinine Enzymalic Mothe	od		0.60	mg/dL	0.6 - 1.1
BUN			6.40	mg/dL	6.0 - 20.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 24-Feb-2023 05:36 PM

Approved On:

24-Feb-2023 02:44 PM

Page 7 of 11

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 302101023

Ref Id

:: PKG10000249 Collected On

: 24-Feb-2023 08:56 AM

Name

: Mrs. Manishaben Satish Raval : 36 Years

Pass. No.

Reg. Date Tele No.

: 24-Feb-2023 08:56 AM

Age/Sex

/ Female

Dispatch At

: 9662663586

Ref. By

: MEDIWHEEL

Sample Type

: EDTA Whole Blood

Location

Parameter

: CHPL

Unit Biological Ref. Interval

HEMOGLOBIN A1 C ESTIMATION Specimen: Blood EDTA

Result

*Hb A1C

5.6

% of Total Hb

Normal: < 5.7 %

Pre-Diabetes: 5.7 % -

6.4 %

Diabetes: 6.5 % or

higher

Boronate Atlinity with Fluorescent Quanching

Mean Blood Glucose

114.02

mg/dL

Calculated

Degree of Glucose Control Normal Range:

Poor Control > 7.0% *

Good Control 6.0 ~ 7.0 %**Non-dlabetic level < 6.0 %

- * High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.
- Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

- *Total haemoglobin A1 c is continuously synthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.
- *The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood
- *The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a botter index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 24-Feb-2023 05:36 PM

Approved On:

24-Feb-2023 03:11 PM

Page 8 of 11

CUROVIS HEALTHCARE PVT. LTD.







TEST REPORT Reg. No Ref Id : PKG10000249 : 302101023 Collected On : 24-Feb-2023 08:56 AM : Mrs. Manishaben Satish Raval Name : 24-Feb-2023 08:56 AM Reg. Date Age/Sex : 36 Years 1 Female Pass. No. Tele No. : 9662663586 Ref. By Dispatch At : MEDIWHEEL Location : CHPL Sample Type : Urine Spot Test Result Unit Biological Ref. Interval URINE ROUTINE EXAMINATION PHYSICAL EXAMINATION 20 cc Quantity Colour Pale Yellow Clarity Clear Clear CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC) pН 4.6 - 8.0 Sp. Gravity 1.000 1.001 - 1.035 Protein ΝÜ Nil Glucoso Nil Nil **Ketone Bodies** Nit Nil Urobilinogen Nil Nil Bilirubln Nil Nltrite Nil MII Blood Nil NII MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY) Loucocytes (Pus Cells) 1 - 2/hpf Absont Erythrocytes (Red Cells) Nil Absent **Epithelial Cells** 1 - 2/hpf Absent Crystals Absent Absent Casts Absent Absent

This is an electronically authenticated report.

* This test has been out sourced.

Amorphous Material

Bacteria

Remarks

Approved By:

Absent

Absent

Dr. Deval Patel

MD (Pathology)

Generated On : 24-Feb-2023 05:36 PM Approved On:

Absent

Absent

24-Feb-2023 05:09 PM Page 9 of 11

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 302101023

Ref Id

.: PKG10000249 Collected On : 24-Feb-2023 08:56 AM

Name

: Mrs. Manishaben Satish Raval

Reg. Date

: 24-Feb-2023 08:56 AM

Age/Sex

: 36 Years J Female Pass. No.

Tele No.

: 9662663586

Ref. By

: MEDIWHEEL

Dispatch At

: Serum

Location

: CHPL

Sample Type

Parameter

Result

Unit

Biological Ref. Interval

IMMUNOLOGY

THYROID FUNCTION TEST

T3 (Triiodothyronine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

1.74

ng/mL

0.86 - 1.92

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels, Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

T4 (Thyroxine)
CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

9.00

µg/dL

3.2 - 12.6

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99,95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when aftered levels of total T4 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

- 1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding
- 2.F T4 values may be decreased in patients taking carbamazepine.

3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 24-Feb-2023 05:36 PM

Approved On:

24-Feb-2023 02:44 PM

Page 10 of 1

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 302101023

Ref Id

: PKG10000249 Collected On

: 24-Feb-2023 08:56 AM

Name

: Mrs. Manishaben Satish Raval

/ Female

Reg. Date

: 24-Feb-2023 08:56 AM

Age/Sex

: 36 Years

Pass, No.

Tele No.

: 9662663586

Ref. By

: MEDIWHEEL

Dispatch At

Location

Sample Type

: Serum

TSH

: CHPL

 $\mu |U/m|$

0.35 - 5.50

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

14.080

TSH levels During Pregnancy: First Trimester :0.1 to 2.5 uIÚ/mL Second Trimester: 0.2 to 3.0 uIU/ml. Third trimester: 0.3 to 3.0 µJU/mL

Reference: Carl A.Burtis, Edward R.Ashwood, David E.Bruns, Tietz Textbook of Clinical Chemistry and Molecular

Diagnostics, 5th Eddition, Philadelphia; WB Sounders, 2012;2170

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 24-Feb-2023 05:36 PM

Approved On:

24-Feb-2023 02:44 PM

Page 11 of 1

CUROVIS HEALTHCARE PVT. LTD.



		NAMES OF THE PROPERTY OF THE P	LABORATORY REPORT			
Name	:	Mrs. Manishaben Satish Raval				
Sex/Age	;	Female/36 Years		Reg. No	:	302101023
Ref. By	:	MEDIWHEEL		Reg. Date	:	24-Feb-2023 08:56 AM
Client Name	;	Mediwheel		Collected On	:	
				Report Date	:	24-Feb-2023 01:42 PM

Electrocardiogram

<u>Findings</u>

Normal Sinus Rhythm.

Within Normal Limit.

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 1 of 4

CUROVIS HEALTHCARE PVT. LTD.

91-1824 lus 1.24	F 58524 <u>-82_282311145:8</u> 1	25 ma/s 25 Hz 750 55f
EUROVIS HEALTHCARE		The state of the s
	1-1-4	
		With the second
· · · · · · · · · · · · · · · · · · ·		
and the second s		
-1111111111.		
	- W	105
The state of the s		
		Very control of the c
The second secon		
UE	107	
The second secon		
· · · · · · · · · · · · · · · · · · ·		
₩ <u></u>		AAP.
man management of the control of the		
	- nearly man and a second man and a seco	
1.00 Hen/HU		
	Sakai. Zisa my	(P375++)
	3 . U . V	1 A
the second secon	S (U1) -8.61 aU	1RS 72
THE REPORT OF THE PROPERTY OF	8.13	/ 52 kg PR 144
man and a second		
The second secon	13.	Te#4
	QRS 43 *	
	P 38 *	
The second secon		MANISHBEN HR 68/min
TO BE A COMMISSION OF THE PARTY		
		American management of the control o



			LABORATORY REPORT			
Name	:	Mrs. Manishaben Satish Raval		Reg. No	:	302101023
Sex/Age	:	Female/36 Years		Reg. Date	:	24-Feb [!] 2023 08:56 AM
Ref. By	;	MEDIWHEEL		Collected On	:	
Client Name	:	Mediwheel		Report Date	:	24-Feb-2023 01:42 PM

2D Echo Colour Doppler

OBSERVATION:

- 2 D Echo and color flow studies were done in long and short axis, apical and Sub coastal views.
- 1. Normal LV size. No RWMA at rest.
- 2. Normal RV and RA, Mild Concentric LVH.
- 3. All Four valves are structurally normal.
- Good LV systolic function. LVEF = 60%.
- 5. Reduced LV Compliance.
- 6. Trivial TR. Mild MR. No AR.
- 7. Mild PAH. RVSP = 38 mmHG.
- 8. Intact IAS and IVS.
- 9. No Clot, No Vegetation.
- 10. No pericardial effusion.

CONCLUSION

- 1. Normal LV size with Good LV systolic function.
- 2. Mild Concentric LVH. Reduced LV Compliance
- 3. Trivial TR with Mild PAH. Mild MR. No AR
- 4. No RWMA at rest.

This echo doesn't rule out any kind of congenital cardiac anomalies.

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 2 of 4

CUROVIS HEALTHCARE PVT. LTD.



			LABORATORY REPORT			
Name	;	Mrs. Manishaben Satish Ravai		Reg. No	:	302101023
Sex/Age	:	Female/36 Years		Reg. Date	:	24-Feb-2023 08:56 AM
Ref. By	:	MEDIWHEEL		Collected On	:	
Client Name		Mediwheel		Report Date	:	24-Feb-2023 04:30 PM
			X RAY CHEST PA			

Cardiac size appears within normal limits.

Both costo-phrenic angles appear free of fluid.

No evidence of any active infiltrations or consolidation.

Both domes of diaphragm appear normal.

COMMENT: No significant abnormality is detected.


----- End Of Report -----

This is an electronically authenticated report

DR DHAVAL PATEL Consultant Radiologist

MB, DMRE Reg No:0494

Page 2 of 2





			LABORATORY REPORT			
Name	:	Mrs. Manishaben Satish Raval		Reg. No	;	302101023
Sex/Age	;	Female/36 Years		Reg. Date	:	24-Feb-2023 08:56 AM
Ref. By	:	MEDIWHEEL		Collected On	:	
Cllent Name	:	Mediwheel		Report Date	:	24-Feb-2023 04:30 PM

USG ABDOMEN

Liver appears normal in size & in echogenicity. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic billiary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen, Gall bladder wall thickness appears normal.

Pancreas Visualized portion appears normal in size and echopattern. No evidence of focal lesions,

Spleen appears normal in size & echopattern.

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urlnary bladder is partially distended. No evidence of calculus or mass lesion.

Uterus appears normal. No adnexal mass is seen.

No evidence of ascites. No evidence of lymph adenopathy.

No evidence of dilated small bowel loops.

COMMENTS:

NO SIGNIFICANT ABNORMALITY DETECTED.

This is an electronically authenticated report

DR DHAVAL PATEL

Consultant Radiologist MB, DMRE Reg No:0494

Page 1 of 2

CUROVIS HEALTHCARE PVT. LTD.



LABORATORY REPORT

Mrs. Manishaben Satish Raval Name

Mediwheel

Female/36 Years Sex/Age

MEDIWHEEL Ref. By

302101023 Reg. No

Reg. Date

24-Feb-2023 08:56 AM

Collected On

Report Date

24-Feb-2023 02:04 PM

Eye Check - Up

No Eye Complaints

RIGHT EYE

SP: -0.50

Client Name

CY: -0.75

AX: 7

LEFT EYE

SP: -0.75

CY:-0.75

AX:10

	Without Glasses	With Glasses
Right Eye	6/5	N.A
Left Eye	6/5	N.A

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

ColorVision: Normal

Comments: Normal

----- End Of Report -----

This is an electronically authenticated report

Dr Kejal Patel MB,DO(Ophth)

Page 4 of 4

CUROVIS HEALTHCARE PVT. LTD.




NAME:- MANISHA RAVAL.

ID NO:-

AGE:- 36Y / F

Date: - 24/02/2023

AUDIOGRAM



MODE	Air Conduction		Bone Canduction			Particular and the control of the co	RIGHT	LEFT
EAR	Masked	UnMasked	Marked	UnMasked		in conoid in ab		
LEFT		X		>	Blue	AIR CONDUCTION	10.5	10.5
RIGHT	Δ	0	[<	Red	BONE CONDUCTION		
NO RESPONS	NO RESPONSE: Add 1 below the respective symbols							<u> </u>

Comments:-

Bilateral Hearing Sensitivity Within Normal Limits.



CUROVIS HEALTHCARE PVT. LTD.