

WOCKHARDT HOSPITAL EXECUTIVE PREMIUM HEALTH CHECK UP (MALE)

Name : Neejay Giradkar Date: 31/1/23

Address : _____

Email Id: _____

Date of birth: 33yrs MOB NO 9702432272 OPD ID: 333750

DEPARTMENT	IN TIME	OUT TIME
Registration	_____ ✓	_____
FASTING blood sample	_____ ✓	_____
Breakfast -	_____	_____
ECG	<u>3:40</u> ✓	<u>3:50</u>
X-RAY	_____	<u>4:30</u>
✓ POST MEAL -	<u>4:08</u>	_____
✓ USG	<u>4:</u>	<u>4:05pm</u>
TMT	<u>3:25</u> ✓	<u>3:30</u>
Consultation with Physician	_____	_____
Consultation with SURGEON	_____	_____
Consultation with Dietician	_____	_____
Consultation with Dentist	_____	_____
Consultation with Physiotherapist	_____	_____

Blood Pressure : 120/80 mm of Hg

Height : 167 cm

Weight : 73 Kg

Ideal Weight : _____ Kg

Body Mass Index : 26.2

Waist

Hip : _____ cm

Waist Hip Ratio : _____

Rate 92 . Age not entered, assumed to be 50 years old for purpose of ECG interpretation
 PR 157 . Sinus rhythm.....normal P axis, V-rate 50- 99
 QRS 81 . Baseline wander in lead(s) V1, V2, V4, V5, V6
 QT 348
 QTc 431


--AXIS--

P 59
 QRS 48
 T 19

- NORMAL ECG -

12 Lead; Standard Placement

Unconfirmed Diagnosis



Gurakar Neera
 ID: 00033750
 31-Jan-2023
 15:28:18

Referred by:
 Test ind:

33years

Phase Name
 PRETEST
 SUPINE
 STANDING
 HYPERVENT
 Warm Up
 STAGE 1
 STAGE 2
 STAGE 3
 EXERCISE
 RECOVERY

Male
 Max HR: 160bpm 85% of max predicted 187bpm
 Max BP: 240/80
 Reason for Termination: Patient fatigue
 Comments: BASELINE ECG WITHIN NORMAL LIMITS
 PEAK EXERCISE NO SIGNIFICANT ST CHANGES NO ANGINA
 RECOVERY UNEVENTFUL
 TMT IS NEGATIVE FOR INDUCIBLE ISCHEMIA
 DR NITIN TIWARI DM, DNB

Total Exercise time: 8:40
 25.0 mm/s
 10.0 mm/mV
 100hz

Time in Stage	Speed (mph)	Grade (%)	Work Load (METs)	HR (bpm)	BP (mmHg)	RPP (x100)
0:58	***	***	1.0	100	20/80	20
0:01	***	***	1.0	100	20/80	20
0:01	***	***	1.0	101	20/80	21
0:33	0.8	0.0	1.1	106	20/80	27
3:00	1.7	10.0	4.5	128	40/80	79
3:00	2.5	12.0	7.0	134	40/80	88
2:40	3.4	14.0	10.1	160	150/80	240
3:02	***	***	1.0	111	20/80	33

Technician:

WOCKHARDT HOSPITALS NAGPUR

Unconfirmed

MAC55 009D


an-2023
16:28:18

33 years
Male

Referred by:
Test and:

BRUGS
Total Exercise time: 8:40
Max HR: 160bpm 85% of max predicted 187bpm
Max BP: 240/80
Maximum workload: 10 METS
Reason for Termination: Patient fatigue
Comments: BASELINE ECG WITHIN NORMAL LIMITS
PEAK EXERCISE NO SIGNIFICANT ST CHANGES NO ANGINA
RECOVERY UNEVENTFUL
TMT IS NEGATIVE FOR INDUCIBLE ISCHEMIA
DR NITIN TIWARI DM, DNB

25.0 mm/s
10.0 mm/mV
100hz



Technician: WOCKHARDT HOSPITALS NAGPUR
MAC55 009D
Unconfirmed
Lead ST(mm) Slope(mV/s)

an-2023
15:28:18

33years

Male

Referred by:
Test ind.

STCUT35
Total Exercise time: 8:40
Max HR: 160bpm 85% of max predicted 187bpm
Max BP: 240/80
Maximum workload: 10.1METS

Reason for Termination: Patient fatigue

Comments: BASELINE ECG WITHIN NORMAL LIMITS
PEAK EXERCISE NO SIGNIFICANT ST CHANGES NO ANGINA
RECOVERY UNEVENTFUL
TMT IS NEGATIVE FOR INDUCIBLE ISCHEMIA
DR NITIN TIWARI DM, DNB

25.0 mm/s
10.0 mm/mV
.100hz

EXERCISE STAGE 1
0:00 1.1METS

BASELINE
EXERCISE STAGE 1
106bpm
BP: 120/80

ST @ 10mm/mV
80ms post J


Lead
ST(mm)
Slope(mV/s)

EXERCISE STAGE 3
8:40 10.1METS

160bpm
BP: 150/80

ST @ 10mm/mV
80ms post J

Lead
ST(mm)
Slope(mV/s)



Unconfirmed

WOCKHARDT HOSPITALS NAGPUR

MAC55 009D

CE 04/05/2014

12.180


BRUCE
** mph
** %

PRETEST
Warm Up
1-19

108bpm
BP: 120/80

ST @ 10mm/mV
80ms post J

Lead
ST(mm)
Slope(mV/s)



Raw Rhythm

40 Hz 25.0 mm/s 10.0 mm/mV A-H-S-HR 46

* Computer Synthesized Rhythm

MAC55 009D


EXERCISE STAGE I
3:00
BRUCE
1.7 mph
10.0%

128 bpm
BP: 140/80

ST @ 10mm/mV
80ms post J

Lead
ST (mm)
Slope (mV/s)

01-2023
05:52:51



Raw Rhythm

150 Hz 25.0 mm/s 10.0 mm/mV

A-H-S-ER 46

* Computer Synthesized Rhythm

MAC55 009D


BRUCE
EXERCISE STAGE 2
2.5 mph
12.0%

134bpm
BP: 140/80

2023
05:51

ST @ 10mm/mV
80ms postJ

Lead
ST(mm)
Slope(mV/s)



Raw Rhythm

150 Hz 25.0 mm/s 10.0 mm/mV A-E S-HR 46

MAC55-009D

BRUCE
3.4mph
14.0%


EXERCISE
STAGE 3
8:40

160bpm
BP: 150/80

ST @ 10mm/mV
80ms post

Peak

Lead
ST(mm)
Slope(mV/s)



Raw Rhythm

150 Hz 25.0 mm/s 10.0 mm/mV

A-H-S-HR 46

* Computer Synthesized Rhythm


MAC55 009D

15:39:31
 150
 2023
 15.39:31

RECOVERY
 135bpm
 BP: 150/80
 ST @ 10mm/mV
 80ms postJ

BRUCE
 1.0 mph
 1.0%

Lead
 ST (mm)
 Slope (mV/s)



Raw Rhythm

150 Hz 25.0 mm/s 10.0 mm/mV

A H S HR 46

* Computer Synthesized Rhythm


MAC55 009D

15.41.31
 Jan-2023
 112bpm
 BP: 120/80
 ST @ 10mm/mV
 80ms post J

BRUCE
 ** 1mph
 ** 2%

RECOVERY

Lead
 ST(mm)
 Slope(mV/s)



Raw Rhythm
 150 Hz
 25.0 mm/s
 10.0 mm/mV
 A-H-S-HR 46

* Computer Synthesized Rhythm

MAC55 009D

© 1993/1154

Dr Sheela S. Mundhada

MD, MBBS, MHA&M

Consultant Transfusion Medicine

Fellow WICC trained at MD Anderson Cancer Centre, USA

Medical Director

Mobile: 9422113811

E-mail: jjbb21@hotmail.com

Since 1997

JEEVAN JYOTI

BLOOD CENTRE & COMPONENTS

Share a little. Care a little. Donate blood.

**Dr. Ravi Wankhede**

Ex Sqn Ldr (IAF), MBBS, DCP

Consultant Transfusion Medicine

Medical Director

Mobile: 9423683350

Email: raviwankhede@gmail.com

Blood Group Report**Name of the Patient :** NEERAJ . GIRADKAR**Age :** 33 Year **Gender :** Male**Patient Sample ID :** JJ23-R01249**Hospital IP NO:** 333150**Referred By Hospital :** Wockhardt Super Speciality Hosp**Sample Received :** EDTA / PLAIN**Date & Time of Sample Receiving :** 31/Jan/2023 03:57 PM**Adequacy of Sample :** Adequacy**Investigation Required :** Blood Group**Date of Release of Report :** 31/Jan/2023 04:00 PM**Report****Forward Red Cell Blood Group :** B**Reverse Serum Blood Group :** B**Rh Typing :** Rh Positive**Final Blood Group:** B Rh Positive**Opinion :** If there is any Blood group discrepancy, it may be because of the irregular antibody present in the blood. This requires proper evaluation of Antibody Identification and Rh Phenotyping.**Remark :****Principle of the Test :**

As the Matrix gel card containing red blood cells is centrifuged under specific conditions, the red blood cells sensitized with antibody will agglutinate in the presence of the Anti- Human Globulin reagent in the gel matrix and will be trapped in the gel column. The red blood cells, which do not react are not trapped in the gel matrix and are pelleted at the bottom of the column.

The reactions are then read and graded according to their reactivity pattern.

End of Report**Tested By :** Zia Ul-Haq**Verified By :** Dr. Abhijit Mankar

FDA LIC No. ND/BB/11

SBTC Certified Regional Blood Transfusion Centre

SBTC/ RBTC Reg. No. 005

Govt. of Maharashtra & NACO recognized

Run by Jeevan Jyoti Health Care & Research Trust

Reg. No. E-1520

24 Hours Services

Nagpur's first NABH

Accredited Blood Centre

Thalassemia care &

Research Centre

J-12, West High Court Road, Laxminagar,

Opposite BOB, Nagpur - 440 022

0712 2231660, 07122230876, 9130002271

Toll Free: 1800 209 7788

www.facebook.com/laxminagarnagpurwww.dhruvlabs.com**Sign Of M.O. :**

Patient Name : MR. NEERAJ RAMESH GIRADKAR

Age/Scx : 33 Yrs / Male

Order Date : 31/01/2023 02:31 PM

UHID : WHN2.0000333750

Referred by :

Reporting Date : 31/01/2023 04:39 PM

Order No. : 886

Bill No. : OCR3/23/0000142

XR CHEST PA

Both lung fields are clear.

The costophrenic angles and domes of diaphragm appear normal.


No hilar or mediastinal lesion seen.

Cardiac silhouette is within normal limits.

Visualised bony thorax and soft tissues appear normal.

Impression:

Normal Chest X-Ray.

DR. PREETI CHOUDHARY JAIN
M.B.B.S, D.M.RE.
RADIOLOGIST**WOCKHARDT HOSPITALS, NAGPUR**

1643, North Ambazari Road, Nagpur - 440 010, Tel : (0712) 6624444, 6624100

Fax : (0712) 2261266 Website : www.wockhardthospitals.com

Registered Office Address :- Wockhardt Towers , BKC , Bandra (East) Mumbai 400051

CIN: U85100MH1991PLC063096

Patient Name : MR. NEERAJ RAMESH GIRADKAR

Age/Sex : 33 Yrs / Male

UHID : WHN2.0000333750

Reporting Date : 31/01/2023 04:52 PM

Bill No. : OCS3/23/0002184

Order Date : 31/01/2023 04:38 PM

Referred by :

Order No. : 895

USG ABDOMEN WITH PELVIS

Real time sonography of the abdomen and pelvis was performed using the 3.5 MHz transducer.

The liver is normal in size and echotexture. No focal parenchymal lesion noted. Intrahepatic biliary tree and venous radicles are normal.

The portal vein and CBD appear normal in course and calibre.

The gall bladder is normal in size with a normal wall thickness and there are no calculi noted within.

The pancreas is normal in size and echotexture. No evidence of focal lesion or calcification or duct dilatation seen.

The spleen is normal in size and echotexture.

Both kidneys are normal in size, position and echogenecity.

Cortical thickness and corticomedullary differentiation are normal.

No hydronephrosis or calculi noted.


The bladder is normal in contour, capacity and wall thickness. No vesical calculi noted.

The prostate is normal in size and homogenous in echotexture.

There is no evidence of ascites.

Impression :

No significant abnormality noted on this study.



DR. PREETI CHOUDHARY JAIN
M.B.B.S, D.M.RE.
RADIOLOGIST

Verified By: NITIN SASANKAR

Authorized By:

****END OF REPORT****



WOCKHARDT HOSPITALS, NAGPUR

1643, North Ambazari Road, Nagpur - 440 010, Tel : (0712) 6624444, 6624100

Fax : (0712) 2261266 Website : www.wockhardt-hospitals.com

Registered Office Address :- Wockhardt Towers, BKC, Bandra (East) Mumbai 400051

CIN: U85100MH1991PLC063096