

LABORATORY REPORT

Name

Mr. Diwakar Vankalaya

Sex/Age

Male/45 Years

Ref. By

Client Name

Mediwheel

Reg. No

: 307100427

Reg. Date

08-Jul-2023 09:24 AM

Collected On

Report Date

08-Jul-2023 02:29 PM

Medical Summary

GENERAL EXAMINATION

Height (cms):168

Weight (kgs):67.5

Blood Pressure: 108/68mmHg

Pulse: 73/Min

No Clubbing/Cynosis/Pallor/PedelOedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly

Epilepsy - N/A



This is an electronically authenticated report


Dr.Jay Soni

Note: Bring this document in next visit. Prescription M. CalibE MERA MARTHICANAS per advise.

Page 3 of 5

CUROVIS HEALTHCARE PVT. LTD.





9898-203481 Limbor

Dr. Jay Soni M.D. (General Medicine) Reg. No.) G-23899



Dicaken







TEST REPORT Reg. No : 307100427 Ref Id Collected On : 08-Jul-2023 09:24 AM Name : Mr. Diwakar Vankalaya Reg. Date : 08-Jul-2023 09:24 AM Age/Sex : 45 Years / Male Pass. No. Tele No. : 9898203481 Ref. By Dispatch At Location : CHPL Sample Type : EDTA Whole Blood **Parameter** Results Unit Biological Ref. Interval COMPLETE BLOOD COUNT (CBC) Hemoglobin (Colorimetric method) 13.5 g/dL 13.0 - 18.0 Hematrocrit (Calculated) L 38.20 % 47 - 52 RBC Count (Electrical Impedance) L 4.25 million/cmm 4.7 - 6.0 MCV (Calculated) 89.9 fL 78 - 110 MCH (Calculated) H 31.6 Pg 27 - 31 MCHC (Calculated) H 35.2 % 31 - 35RDW (Calculated) L 10.6 % 11.5 - 14.0 WBC Count Flowcytometry with manual Microscopy 5010 /cmm 4000 - 10500 MPV (Calculated) 9.7 fL7.4 - 10.4**DIFFERENTIAL WBC COUNT** [%] **EXPECTED VALUES** [Abs] **EXPECTED VALUES** Neutrophils (%) 53.70 % 42.0 - 75.2 2690 /cmm 2000 - 7000 Lymphocytes (%) 32.50 % 20 - 45 1628 /cmm 1000 - 3000 Eosinophils (%) 4.00 % 0 - 6 466 /cmm 200 - 1000 Monocytes (%) 9.30 % 2 - 10 200 /cmm 20 - 500 Basophils (%) 0.50 % 0 - 125 /cmm 0 - 100PERIPHERAL SMEAR STUDY **RBC Morphology** Normocytic and Normochromic. WBC Morphology Normal **PLATELET COUNTS** Platelet Count (Electrical Impedance) 169000 /cmm 150000 - 450000 Electrical Impedance **Platelets** Platelets are adequate with normal morphology. **Parasites** Malarial parasite is not detected.

This is an electronically authenticated report.

* This test has been out sourced.

Comment

Approved By:

MD (Pathology)

Generated On: 10-Jul-2023 10:16 AM Approved On:

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

08-Jul-2023 03:06 PM Page 1 of 11

CUROVIS HEALTHCARE PVT. LTD.







Name : Mr. Diwakar Vankalaya Reg. Date : 08-Jul-2023 09:24 AM

Age/Sex : 45 Years / Male Pass. No. : Tele No. : 9898203481

Ref. By : Dispatch At :

Location : CHPL Sample Type : EDTA Whole Blood

Parameter Result Unit Biological Ref. Interval

HEMATOLOGY

BLOOD GROUP & RH

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO "A"

Rh (D) Positive

Note -

ERYTHROCYTE SEDIMANTATION RATE [ESR]

ESR 1 hour 7 mm/hr ESR AT 1 hour : 1-7 Westergreen method

ERYTHRO SEDIMENTION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in prenancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (o-1mm) in polycythaemia, hypofibrinogenemia or or congestive cardiac failure and when there are abnormalities or the red cells such as poikilocytosis, spherocytosis or sickle cells.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Bhavi Patel

MD (Pathology)

Generated On: 10-Jul-2023 10:16 AM

Approved On:

08-Jul-2023 04:07 PM Page 2 of 11

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

CUROVIS HEALTHCARE PVT. LTD.







Collected On

: 08-Jul-2023 09:24 AM

Name

: Mr. Diwakar Vankalaya

Reg. Date

: 08-Jul-2023 09:24 AM

Age/Sex

: 45 Years / Male

Pass. No.

Tele No.

Unit

: 9898203481

Ref. By

Dispatch At

: Flouride F,Flouride PP

Location : CHPL
Parameter

Result

Sample Type :

Biological Ref. Interval

FASTING PLASMA GLUCOSE Specimen: Flouride plasma

Fasting Blood Sugar (FBS)

107.20

mg/dL

70 - 110

GOD-POD Method

GOD-POD Method

Criteria for the diagnosis of diabetes

1. HbA1c >/= 6.5 *

Or

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

- 3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

 Or
- 4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.
- *In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

 American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

POST PRANDIAL PLASMA GLUCOSE

Specimen: Flouride plasma

Post Prandial Blood Sugar (PPBS)

119.7

mg/dL

70 - 140

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Bhavi Patel

MD (Pathology)

Generated On: 10-Jul-2023 10:16 AM

Approved On:

08-Jul-2023 02:14 PM Page 3 of 11

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

CUROVIS HEALTHCARE PVT. LTD.







	TEST REPORT

Reg. No : 307100427 Ref Id

Collected On

: 08-Jul-2023 09:24 AM

Name

: Mr. Diwakar Vankalaya

Reg. Date

: 08-Jul-2023 09:24 AM

Age/Sex

: 45 Years

Pass. No. Tele No.

: 9898203481

Ref. By

/ Male

Dispatch At

Location : CHPL		Sample Typ	e : Serum
Parameter	Result	Unit	Biological Ref. Interval
	<u>Lipid Profile</u>		
Cholesterol	123.00	mg/dL	Desirable: <200.0 Borderline High: 200- 239 High: >240.0
Enzymatic, colorimetric method			
Triglyceride	58.10	mg/dL	Normal: <150.0 Borderline: 150-199 High: 200-499 Very High: > 500.0
Enzymatic, colorimetric method			
HDL Cholesterol	24.10	mg/dL	Low: <40 High: >60
Accelerator selective detergent method			
LDL	87.28	mg/dL	Optimal: < 100.0 Near Optimal: 100-129 Borderline High: 130- 159 High : 160-189 Very High : >190.0
VLDL	11.62	ma/dl	15 - 35
Calculated	11.02	mg/dL	10 - 33
LDL / HDL RATIO Calculated	3.62		0 - 3.5
Cholesterol /HDL Ratio Calculated	5.10		0 - 5.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Bhavi Patel

MD (Pathology)

Generated On: 10-Jul-2023 10:16 AM

Approved On:

08-Jul-2023 11:09 AM Page 4 of 11

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

CUROVIS HEALTHCARE PVT. LTD.







Ref Id Reg. No : 307100427 Collected On : 08-Jul-2023 09:24 AM Name : Mr. Diwakar Vankalaya Reg. Date : 08-Jul-2023 09:24 AM

Age/Sex : 45 Years / Male Pass. No. Tele No. : 9898203481

Ref. By Dispatch At

Location : CHPI Sample Type Serum

Location : CHPL		Sample Type	: Serum
Parameter	Result	Unit	Biological Ref. Interval
	LFT WITH GGT		
Total Protein	6.68	gm/dL	1Day: 3.4-5.0 1Day to 1Month: 4.6-6.8 2 to 12Months: 4.8-7.6 >=1Year: 6.0-8.0 Adults: 6.6-8.7
Biuret Reaction			
Albumin	4,49	g/dL	0 - 4 days: 2.8 - 4.4 4 days - 14 yrs: 3.8 - 5.4 14 - 19 yrs: 3.2 - 4.5 20 - 60 yrs: 3.5 - 5.2 60 - 90 yrs: 3.2 - 4.6 > 90 yrs: 2.9 - 4.5
By Bromocresol Green			
Globulin (Calculated)	2.19	g/dL	2.3 - 3.5
A/G Ratio (Calulated)	2.05		0.8 - 2.0
SGOT	28.30	U/L	0 - 40
UV without P5P			
SGPT	29.80	U/L	0 - 40
UV without P5P			
Alakaline Phosphatase	128.5	1U/I	53 - 128
P-nitrophenyl phosphatase-AMP Buffer, Multiple-point rate			
Total Bilirubin	0.94	mg/dL	0 - 1.2
Vanadate Oxidation		_	
Conjugated Bilirubin	0.37	mg/dL	0.0 - 0.4
Unconjugated Bilirubin	0.57	mg/dL	0.0 - 1.1
Calculated			
GGT	26.00	mg/dL	< 49
SZASZ Method			

This is an electronically authenticated report.

Approved By:

Dr. Bhavi Patel

MD (Pathology)

Generated On: 10-Jul-2023 10:16 AM

Approved On:

08-Jul-2023 11:09 AM Page 5 of 11

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

CUROVIS HEALTHCARE PVT. LTD.

^{*} This test has been out sourced.



UV Method





		TEST REPORT		
Reg. No	: 307100427	Ref Id :	Collected On	: 08-Jul-2023 09:24 AM
Name	: Mr. Diwakar Vankalaya		Reg. Date	: 08-Jul-2023 09:24 AM
Age/Sex	: 45 Years / Male	Pass. No.	Tele No.	: 9898203481
Ref. By	;		Dispatch At	;
Location	: CHPL		Sample Type	: Serum
Parameter		Result	Unit	Biological Ref. Interval
		BIO - CHEMISTRY		
Uric Acid Enzymatic, color	imetric method	6.24	mg/dL	3.5 - 7.2
Creatinine Enzymatic Metho	od	0.60	mg/dL	0.9 - 1.3
BUN		5.80	mg/dL	6.0 - 20.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Bhavi Patel

MD (Pathology)

Generated On: 10-Jul-2023 10:16 AM

Approved On:

08-Jul-2023 11:09 AM Page 6 of 11

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

CUROVIS HEALTHCARE PVT. LTD.





Reg. No : 307100427 Ref Id : 08-Jul-2023 09:24 AM Collected On

: Mr. Diwakar Vankalaya Name Reg. Date : 08-Jul-2023 09:24 AM

Age/Sex : 45 Years / Male Pass. No. Tele No. : 9898203481

Ref. By Dispatch At

Location : CHPL Sample Type : EDTA Whole Blood

Unit **Parameter** Result Biological Ref. Interval

> **HEMOGLOBIN A1 C ESTIMATION** Specimen: Blood EDTA

5.2 *Hb A1C % of Total Hb Normal: < 5.7 %

Pre-Diabetes: 5.7 % -

6.4 %

Diabetes: 6.5 % or

higher

Boronate Affinity with Fluorescent Quenching

Mean Blood Glucose 102.54 mg/dL

Calculated

<u>Degree of Glucose Control Normal Range:</u>

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

- * High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.
- * Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

- *Total haemoglobin A1 c is continuously synthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.
- *The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.
- *The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Bhavi Patel

MD (Pathology)

Generated On: 10-Jul-2023 10:16 AM

Approved On:

08-Jul-2023 06:01 PM Page 7 of 11

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

CUROVIS HEALTHCARE PVT. LTD.





Ref Id



TEST REPORT

Reg. No : 307100427

: CHPL

: Mr. Diwakar Vankalaya

: 45 Years Age/Sex

Ref. By

Name

Location

Pass. No. 1 Male

Collected On

: 08-Jul-2023 09:24 AM

Req. Date

: 08-Jul-2023 09:24 AM

Tele No.

: 9898203481

Dispatch At

Sample Type : Urine Spot

Test Result Unit Biological Ref. Interval

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

20 cc Quantity

Colour Pale Yellow

Clarity Clear Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)

pН 4.6 - 8.0Sp. Gravity 1.000 1.001 - 1.035 Protein Nil Nil Glucose Nil Nil Ketone Bodies Nil Nil Urobilinogen Nil Nil Bilirubin Nil **Nitrite** Nil Nil Blood Nil Nil

MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells) Occasional/hpf Absent Erythrocytes (Red Cells) Nil Absent **Epithelial Cells** 1 - 2/hpf Absent Crystals Absent Absent Casts Absent Absent **Amorphous Material** Absent Absent Bacteria Absent Absent

Remarks

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Bhavi Patel

MD (Pathology)

Generated On: 10-Jul-2023 10:16 AM

Approved On:

08-Jul-2023 01:26 PM Page 8 of 11

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

CUROVIS HEALTHCARE PVT. LTD.





Ref Id Reg. No : 307100427

Collected On

: 08-Jul-2023 09:24 AM

Biological Ref. Interval

Name : Mr. Diwakar Vankalaya

Reg. Date

: 08-Jul-2023 09:24 AM

Age/Sex : 45 Years

Tele No.

Unit

: 9898203481

/ Male

Pass. No.

Dispatch At

Ref. By

Parameter

: Serum

Location : CHPL Sample Type

IMMUNOLOGY

Result

THYROID FUNCTION TEST

T3 (Triiodothyronine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

0.97

na/mL

0.86 - 1.92

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

T4 (Thyroxine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

8.90

µg/dL

3.2 - 12.6

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99.95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T4 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

- 1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding
- 2.F T4 values may be decreased in patients taking carbamazepine.
- 3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Bhavi Patel

MD (Pathology)

Generated On: 10-Jul-2023 10:16 AM

Approved On:

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

08-Jul-2023 12:39 PM Page 9 of 11

CUROVIS HEALTHCARE PVT. LTD.





Reg. No : 307100427 Ref Id Collected On : 08-Jul-2023 09:24 AM

Name

: Mr. Diwakar Vankalaya

Reg. Date

: 08-Jul-2023 09:24 AM

Age/Sex

: 45 Years / Male

Pass. No.

Tele No.

: 9898203481

Ref. By

Location

Dispatch At

: Serum

TSH

: CHPL

Sample Type

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

0.550

µIU/ml

0.35 - 5.50

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy: First Trimester :0.1 to 2.5 µIU/mL Second Trimester: 0.2 to 3.0 µIU/mL Third trimester: 0.3 to 3.0 µIU/mL

Referance: Carl A.Burtis, Edward R.Ashwood, David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular

Diagnostics. 5th Eddition. Philadelphia: WB Sounders, 2012:2170

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Bhavi Patel

MD (Pathology)

Generated On: 10-Jul-2023 10:16 AM

Approved On:

08-Jul-2023 12:39 PM Page 10 of 1

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

CUROVIS HEALTHCARE PVT. LTD.





Reg. No : 307100427 Ref Id

Collected On

: 08-Jul-2023 09:24 AM

Biological Ref. Interval

Name

: Mr. Diwakar Vankalaya

Reg. Date

: 08-Jul-2023 09:24 AM

Age/Sex

: 45 Years / Male

Pass. No.

Tele No.

: 9898203481

Ref. By

: CHPL

Dispatch At

: Serum

Parameter

Location

Sample Type

IMMUNOLOGY

Result

*TOTAL PROSTATE SPECIFIC ANTIGEN (PSA)

0.72

ng/mL

Unit

0 - 4

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-8 ng/mL.

Percentage of free PSA = free PSA/total PSA X 100

Percentage of free PSA: Patients with prostate cancer generally have a lower percentage of Free PSA than patients with benign prostatic hyperplasia. Percentage Free PSA of less than 25% is a high likelihood of prostatic cancer.

----- End Of Report -----

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Bhavi Patel

MD (Pathology)

Generated On: 10-Jul-2023 10:16 AM

Approved On:

08-Jul-2023 12:39 PM Page 11 of 1

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

CUROVIS HEALTHCARE PVT. LTD.



LABORATORY REPORT Name Mr. Diwakar Vankalaya Reg. No 307100427 Sex/Age Male/45 Years Reg. Date 08-Jul-2023 09:24 AM Ref. By **Collected On Client Name** Mediwheel **Report Date** : 08-Jul-2023 01:59 PM

Electrocardiogram

Findings

Normal Sinus Rhythm.

Within Normal Limit.




This is an electronically authenticated report

Dr.Jay Soni

Note: Bring this document in next visit. Prescription Ns. Data Note: Marting Nas per advise.

Page 1 of 5

CUROVIS HEALTHCARE PVT. LTD.





LABORATORY REPORT Name Mr. Diwakar Vankalaya Reg. No 307100427 Sex/Age Male/45 Years Reg. Date 08-Jul-2023 09:24 AM Ref. By **Collected On Client Name** Mediwheel **Report Date** 08-Jul-2023 01:59 PM

2D Echo Colour Doppler

- 1. Mild concentric LVH.
- 2. Normal sized LA, LV, RA, RV.
- 3. Normal LV systolic function, LVEF: 60%.
- 4. No RWMA.
- 5. Reduced LV compliance.
- 6. All cardiac valves are structurally normal.
- 7. Mild MR, Trivial TR, Trivial PR, No AR.
- 8. Mild PAH, RVSP: 40 mm Hg.
- 9. IAS/IVS: Intact.
- 10. No clot/vegetation/pericardial effusion.
- 11. No coarctation of aorta.



This is an electronically authenticated report

Dr.Jay Soni

Note: Bring this document in next visit. Prescription is/ND id for RAM on the party per advise.

Page 2 of 5

CUROVIS HEALTHCARE PVT. LTD.



M MODE FINDINGS:

MITRAL VALVE	OBSERVED		NORMAL VALUES	LV FUNCTION
Anterior leaflet	Normai			LVA(d):
EF Slope			70-150mm/sec	
Opening Amplitude				LVA(s):
Posterior leaflet	Normal			LVL(s) :
E.P.S.S.				LVV(d):
Mitral Valve Prolapse	No			LVV(s) :
Vegetation	No			LVEF : 60%
TRICUSPID VALVE	<u> </u>	LVC	OMPLIANCE	
Normal	REDUCED			

		NORMAL VALUES	MVO AREA					
VALVE								
EF Slope		6-115 mm	Ву	By Planimetry :				
A' Wave -								
Midsystolic notch -			Ву	PHT :	· · · · · · · · · · · · · · · · · · ·			
Flutter -								
Other Findings								
DIMENSIONS:			- 	AORTIC VALVE				
1. Lvd. (Diastole)	46 mm			Cuspal Opening	16mm			
2. Lvd. (Systole)	28 mm	24-42 mi	m	Closure line	Central			
3. RVID (Diastole)	13mm	7-23 mi	m	Eccentricity index	1			
4. IVS (Diastole)	10mm		· · · · · · · · · · · · · · · · · · ·	Other findings	Absent			
5. IVS (Systole)	12mm							
6. LVPWT (Diastole	e) 10mm	6-11 mr	m					
7. LVPM (Systole)	12mm							
8. Aortic root	32 mm	22-37 mr	m					
9. Left Atrium:	36 mm	19-40 mr	m					
10. LVEF	60%							
			j					

STRUCTURE	REGURG	VELOCITY1	GRADIENT
	GRADING	m/sec	5 Mm Hg
		Max/Mean	Peak/Mean
MITRAL VALVE	Mild	0.90	3.30
TRICUSPID VALVE	Trivial	0.58	1.40
PULMONARY VALVE	Trivial	0.75	2.25
AORTIC	No	1.20	6.0

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

CUROVIS HEALTHCARE PVT. LTD.



			LABORATORY REPORT			
Name	:	Mr. Diwakar Vankalaya		Reg. No	:	307100427
Sex/Age	:	Male/45 Years		Reg. Date	:	08-Jul-2023 09:24 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	08-Jul-2023 05:23 PM

USG ABDOMEN

Liver appears normal in size & echogenicity. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic billiary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended and shows 3.3 mm sized GB polyp. No evidence of calculus seen. Gall bladder wall thickness appears normal.

Pancreas Visualized portion appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & echopattern. No evidence of focal lesions.

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urinary bladder is partially distended. No evidence of calculus or mass.

Prostate appears normal in size and echopattern. No evidence of focal lesions.

No evidence of free fluid in peritoneal cavity. No evidence of para-aortic lymph adenopathy. No evidence of dilated small bowel loops.

COMMENTS:

Solitary small sized GB polyp.

This is an electronically authenticated report

DR DHAVAL PATEL Consultant Radiologist MB, DMRE

Reg No:0494

Page 1 of 2

Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

CUROVIS HEALTHCARE PVT. LTD.



			LABORATORY REPORT			
Name	:	Mr. Diwakar Vankalaya		Reg. No	:	307100427
Sex/Age	:	Male/45 Years		Reg. Date	:	08-Jul-2023 09:24 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	08-Jul-2023 05:23 PM

X RAY CHEST PA

Both lung fields appear clear.
No evidence of any active infiltrations or consolidation.
Cardiac size appears within normal limits.
Both costo-phrenic angles appear free of fluid.
Both domes of diaphragm appear normal.
COMMENT: No significant abnormality is detected.
End Of Report

This is an electronically authenticated report

DR DHAVAL PATEL Consultant Radiologist MB, DMRE

Reg No:0494 Note: Bring this document in next visit. Prescription is valid for 1 Month or as per advise.

Page 2 of 2

AHMEDABA





Name Mr. Diwakar Vankalaya

Sex/Age Male/45 Years

Ref. By

Client Name Mediwheel LABORATORY REPORT

Reg. No

307100427

Reg. Date


08-Jul-2023 09:24 AM

Collected On

Report Date

08-Jul-2023 02:32 PM

AUDIOGRAM



MODE	Air Conduction Bo		Bone Co	Bone Conduction		
EAR	Masked	UnMasked	Masked	UnMasked	Code	
LEFT		X	****	>	Blue	
RIGHT	Δ	0	С	(Red	

Threshold In dB	RIGHT	LEFT
AIR CONDUCTION	10.5	10.5
BONE CONDUCTION		
SPEECH		

Comments: - Bilateral Hearing Sensitivity Within Normal Limits.



This is an electronically authenticated report

Note: Bring this document in next visit. Prescription is validated 1 Month or as per advise. M.D, GENERAL MEDICINE

Page 4 of 5

CUROVIS HEALTHCARE PVT. LTD.