PID No.
 : MED121051882
 Register On
 : 14/05/2022 9:53 AM

 SID No.
 : 522216815
 Collection On
 : 14/05/2022 11:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 14/05/2022 7:25 PM

 Type
 : OP
 Printed On
 : 23/05/2022 5:41 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>HAEMATOLOGY</b>			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	13.8	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	42.3	%	42 - 52
RBC Count (EDTA Blood)	5.47	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	77.5	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	25.2	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.5	g/dL	32 - 36
RDW-CV	14.3	%	11.5 - 16.0
RDW-SD	38.79	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	8700	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	58.9	%	40 - 75
Lymphocytes (Blood)	29.4	%	20 - 45
Eosinophils (Blood)	3.1	%	01 - 06



**VERIFIED BY** 



 PID No.
 : MED121051882
 Register On
 : 14/05/2022 9:53 AM

 SID No.
 : 522216815
 Collection On
 : 14/05/2022 11:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 14/05/2022 7:25 PM

 Type
 : OP
 Printed On
 : 23/05/2022 5:41 PM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (Blood)	7.9	%	01 - 10
Basophils (Blood)	0.7	%	00 - 02
INTERPRETATION: Tests done on Automated Five P	art cell counter. All a	abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	5.12	10 <b>^</b> 3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.56	10 <b>^</b> 3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.27	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.69	10 <b>^</b> 3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.06	10 <b>^</b> 3 / μl	< 0.2
Platelet Count (EDTA Blood)	440	$10^3 / \mu l$	150 - 450
MPV (Blood)	7.3	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.32	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	12	mm/hr	< 15



**VERIFIED BY** 



 PID No.
 : MED121051882
 Register On
 : 14/05/2022 9:53 AM

 SID No.
 : 522216815
 Collection On
 : 14/05/2022 11:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 14/05/2022 7:25 PM

 Type
 : OP
 Printed On
 : 23/05/2022 5:41 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.29	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.12	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.17	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	18.49	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	27.75	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	68.22	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	110.3	U/L	53 - 128
Total Protein (Serum/Biuret)	7.56	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.88	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.68	gm/dL	2.3 - 3.6
A: G RATIO (Serum/Derived)	1.82		1.1 - 2.2



**VERIFIED BY** 



 PID No.
 : MED121051882
 Register On
 : 14/05/2022 9:53 AM

 SID No.
 : 522216815
 Collection On
 : 14/05/2022 11:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 14/05/2022 7:25 PM

 Type
 : OP
 Printed On
 : 23/05/2022 5:41 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	161.52	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	348.73	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

r · · · · · · · · · · · · · · · · · · ·			
HDL Cholesterol (Serum/Immunoinhibition)	36.27	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	55.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	69.7	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	125.3	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



**VERIFIED BY** 



 PID No.
 : MED121051882
 Register On
 : 14/05/2022 9:53 AM

 SID No.
 : 522216815
 Collection On
 : 14/05/2022 11:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 14/05/2022 7:25 PM

 Type
 : OP
 Printed On
 : 23/05/2022 5:41 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u> <u>Value</u> <u>Reference Interval</u>

**INTERPRETATION:** 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio

4.5

Optimal: < 3.3
(Serum/Calculated)

Low Risk: 3.4 - 4.4

Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio 9.6 Optimal: < 2.5

(TG/HDL) Mild to moderate risk: 2.5 - 5.0

(Serum/Calculated) High Risk: > 5.0

LDL/HDL Cholesterol Ratio 1.5 Optimal: 0.5 - 3.0

(Serum/Calculated)
Borderline: 3.1 - 6.0
High Risk: > 6.0



**VERIFIED BY** 



 PID No.
 : MED121051882
 Register On
 : 14/05/2022 9:53 AM

 SID No.
 : 522216815
 Collection On
 : 14/05/2022 11:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 14/05/2022 7:25 PM

 Type
 : OP
 Printed On
 : 23/05/2022 5:41 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	6.0	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 125.5 mg/dL

(Whole Blood)

#### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



**VERIFIED BY** 



 PID No.
 : MED121051882
 Register On
 : 14/05/2022 9:53 AM

 SID No.
 : 522216815
 Collection On
 : 14/05/2022 11:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 14/05/2022 7:25 PM

 Type
 : OP
 Printed On
 : 23/05/2022 5:41 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u> <u>Unit</u>	<u>Biological</u>
_	Value	Reference Interval

## **IMMUNOASSAY**

#### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.28 ng/ml 0.7 - 2.04

(Serum/ECLIA)

### INTERPRETATION:

#### **Comment:**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is

Metabolically active.

T4 (Tyroxine) - Total 9.40 μg/dl 4.2 - 12.0

(Serum/ECLIA)

#### INTERPRETATION:

#### **Comment:**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 1.67 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

#### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

#### **Comment:**

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



**VERIFIED BY** 



 PID No.
 : MED121051882
 Register On
 : 14/05/2022 9:53 AM

 SID No.
 : 522216815
 Collection On
 : 14/05/2022 11:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 14/05/2022 7:25 PM

 Type
 : OP
 Printed On
 : 23/05/2022 5:41 PM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

# **CLINICAL PATHOLOGY**

# PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Pale Yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 25

(Urine)

# CHEMICAL EXAMINATION (URINE

**COMPLETE**)

pH 6.0 4.5 - 8.0

(Urine)

Specific Gravity 1.010 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)



**VERIFIED BY** 



 PID No.
 : MED121051882
 Register On
 : 14/05/2022 9:53 AM

 SID No.
 : 522216815
 Collection On
 : 14/05/2022 11:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 14/05/2022 7:25 PM

 Type
 : OP
 Printed On
 : 23/05/2022 5:41 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
MICROSCOPIC EXAMINATION (URINE COMPLETE)			
Pus Cells (Urine)	1-2	/hpf	NIL
Epithelial Cells (Urine)	1-2	/hpf	NIL
RBCs	Nil	/hpf	NIL

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Nil



(Urine)

Others (Urine)

**VERIFIED BY** 



 PID No.
 : MED121051882
 Register On
 : 14/05/2022 9:53 AM

 SID No.
 : 522216815
 Collection On
 : 14/05/2022 11:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 14/05/2022 7:25 PM

 Type
 : OP
 Printed On
 : 23/05/2022 5:41 PM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING 'A' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.





 PID No.
 : MED121051882
 Register On
 : 14/05/2022 9:53 AM

 SID No.
 : 522216815
 Collection On
 : 14/05/2022 11:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 14/05/2022 7:25 PM

 Type
 : OP
 Printed On
 : 23/05/2022 5:41 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	11		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	92.62	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	107.44	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	10.1	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.98	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid 5.51 mg/dL 3.5 - 7.2 (Serum/Enzymatic)



**VERIFIED BY** 



**APPROVED BY** 

-- End of Report --

Name	MR.AKRAM WASEEM G	ID	MED121051882
Age & Gender	37Y/MALE	Visit Date	14 May 2022
Ref Doctor Name	MediWheel		

## ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size (12.7 cms) and **shows mild diffusely increased echopattern.** No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** show normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size (9.5 cms) and echopattern.

No demonstrable Para-aortic lymphadenopathy.

### **KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

THE HIGHE   HIGHEST ES AS TOHO (15)				
	Bipolar length (cm)	Parenchymal thickness (cm)		
Right Kidney	10.2	2.0		
Left Kidney	10.1	1.9		

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**PROSTATE** shows normal shape, size and echopattern. It measures 3.4 x 3.1 x 3.2 cm, volume: 18.2cc.

No evidence of ascites.

## **IMPRESSION:**

- Grade I fatty liver.
- No other significant abnormality detected.

DR. C.R RAMACHANDRA

CONSULTANT RADIOLOGISTS

Lh/Ss

Name	MR.AKRAM WASEEM G	ID	MED121051882
Age & Gender	37Y/MALE	Visit Date	14 May 2022
Ref Doctor Name	MediWheel		

Name	MR.AKRAM WASEEM G	ID	MED121051882
Age & Gender	37Y/MALE	Visit Date	14 May 2022
Ref Doctor Name	MediWheel		

## 2D ECHOCARDIOGRAPHIC STUDY

## **M-mode measurement:**

**AORTA** 2.70 cms. LEFT ATRIUM : 3.47 cms. AVS : 1.48 cms. LEFT VENTRICLE (DIASTOLE) 3.86 cms. (SYSTOLE) 2.93 cms. **VENTRICULAR SEPTUM** (DIASTOLE) 0.93 cms. (SYSTOLE) 1.27 cms. **POSTERIOR WALL** (DIASTOLE) 0.93 cms. (SYSTOLE) 1.27 cms. **EDV** 64 ml. **ESV** 11 ml. FRACTIONAL SHORTENING 30 % **EJECTION FRACTION** 60 % : **EPSS** cms. **RVID** 1.80 cms.

## **DOPPLER MEASUREMENTS:**

MITRAL VALVE:  $E - 0.8 \text{ m/s} \quad A - 0.7 \text{ m/s}$  NO MR.

AORTIC VALVE: 1.2 m/s NO AR.

TRICUSPID VALVE: E - 0.4 m/s A - 0.3 m/s NO TR.

PULMONARY VALVE: 0.8 m/s NO PR.

Name	MR.AKRAM WASEEM G	ID	MED121051882
Age & Gender	37Y/MALE	Visit Date	14 May 2022
Ref Doctor Name	MediWheel		

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left Ventricle : Normal size, Normal systolic function.

: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal.Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

## **IMPRESSION:**

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. ANAND KUMAR M MD DM

Name	MR.AKRAM WASEEM G	ID	MED121051882
Age & Gender	37Y/MALE	Visit Date	14 May 2022
Ref Doctor Name	MediWheel		

# CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	AKRAM WASEEM G	Customer ID	MED121051882
Age & Gender	37Y/M	Visit Date	May 14 2022 9:53AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

# **IMPRESSION:**

• No significant abnormality detected.

DR. C.R. RAMACHANDRA

Comment.

DR. H.K. ANAND DR. VARSHA KALE DR. LOHITH H.P

CONSULTANT RADIOLOGISTS