



PATIENT NAME : SANTRAM MEENA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : 0251WB000840

PATIENT ID : SANTM110286251

CLIENT PATIENT ID: 012302110054

ABHA NO :

AGE/SEX : 37 Years Male

DRAWN : 11/02/2023 10:04:00

RECEIVED : 11/02/2023 10:48:24

REPORTED : 11/02/2023 17:38:58

Test Report Status **Final**

Results

Biological Reference Interval Units

HAEMATOLOGY - CBC

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

BLOOD COUNTS, EDTA WHOLE BLOOD

Parameter	Result	Reference Interval	Units
HEMOGLOBIN (HB) METHOD : CYANIDE FREE DETERMINATION	14.5	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD : ELECTRICAL IMPEDANCE	4.54	4.5 - 5.5	mil/ μ L
WHITE BLOOD CELL (WBC) COUNT METHOD : ELECTRICAL IMPEDANCE	5.70	4.0 - 10.0	thou/ μ L
PLATELET COUNT METHOD : ELECTRONIC IMPEDANCE	229	150 - 410	thou/ μ L

RBC AND PLATELET INDICES

HEMATOCRIT (PCV) METHOD : CALCULATED PARAMETER	43.9	40 - 50	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD : CALCULATED PARAMETER	97.0	83 - 101	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD : CALCULATED PARAMETER	32.0	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD : CALCULATED PARAMETER	33.1	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD : CALCULATED PARAMETER	12.1	11.6 - 14.0	%
MENTZER INDEX	21.4		
MEAN PLATELET VOLUME (MPV) METHOD : CALCULATED PARAMETER	9.6	6.8 - 10.9	fL

WBC DIFFERENTIAL COUNT

NEUTROPHILS METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	57	40 - 80	%
LYMPHOCYTES METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	29	20 - 40	%
MONOCYTES METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	04	2 - 10	%
EOSINOPHILS METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	10 High	1 - 6	%

Dr. Akansha Jain
Consultant Pathologist

Page 1 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



MC-5333

PATIENT NAME : SANTRAM MEENA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : 0251WB000840

PATIENT ID : SANTM110286251

CLIENT PATIENT ID: 012302110054

ABHA NO :

AGE/SEX : 37 Years Male

DRAWN : 11/02/2023 10:04:00

RECEIVED : 11/02/2023 10:48:24

REPORTED : 11/02/2023 17:38:58

Test Report Status	Final	Results	Biological Reference Interval	Units
BASOPHILS		00	0 - 2	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY				
ABSOLUTE NEUTROPHIL COUNT		3.25	2.0 - 7.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE LYMPHOCYTE COUNT		1.65	1.0 - 3.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE MONOCYTE COUNT		0.23	0.2 - 1.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE EOSINOPHIL COUNT		0.57 High	0.02 - 0.50	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE BASOPHIL COUNT		0 Low	0.02 - 0.10	thou/ μ L
NEUTROPHIL LYMPHOCYTE RATIO (NLR)		1.9		

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.
RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.
WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.
(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504
This ratio element is a calculated parameter and out of NABL scope.

Dr. Akansha Jain
Consultant Pathologist

Page 2 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581

PATIENT NAME : SANTRAM MEENA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : 0251WB000840

PATIENT ID : SANTM110286251

CLIENT PATIENT ID: 012302110054

ABHA NO :

AGE/SEX : 37 Years Male

DRAWN : 11/02/2023 10:04:00

RECEIVED : 11/02/2023 10:48:24

REPORTED : 11/02/2023 17:38:58

Test Report Status **Final**

Results

Biological Reference Interval Units

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP

TYPE O

METHOD : TUBE AGGLUTINATION

RH TYPE

POSITIVE

METHOD : TUBE AGGLUTINATION

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.



Dr. Akansha Jain
Consultant Pathologist

Page 4 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



PATIENT NAME : SANTRAM MEENA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : 0251WB000840

PATIENT ID : SANTM110286251

CLIENT PATIENT ID: 012302110054

ABHA NO :

AGE/SEX : 37 Years Male

DRAWN : 11/02/2023 10:04:00

RECEIVED : 11/02/2023 10:48:24

REPORTED : 11/02/2023 17:38:58

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR)	83	74 - 99	mg/dL
METHOD : GLUCOSE OXIDASE			

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C	5.3	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
METHOD : HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC)			

ESTIMATED AVERAGE GLUCOSE(EAG)	105.4	< 116.0	mg/dL
METHOD : CALCULATED PARAMETER			

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR)	96	70 - 140	mg/dL
METHOD : GLUCOSE OXIDASE			

LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL	205 High	< 200 Desirable 200 - 239 Borderline High >/= 240 High	mg/dL
METHOD : CHOLESTEROL OXIDASE			

TRIGLYCERIDES	157 High	< 150 Normal 150 - 199 Borderline High 200 - 499 High >/=500 Very High	mg/dL
METHOD : LIPASE/GPO-PAP NO CORRECTION			

HDL CHOLESTEROL	41	< 40 Low >/=60 High	mg/dL
METHOD : DIRECT CLEARANCE METHOD			

Dr. Akansha Jain
Consultant Pathologist

Page 5 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



MC-5333

PATIENT NAME : SANTRAM MEENA		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000049066		ACCESSION NO : 0251WB000840	AGE/SEX : 37 Years Male
SRL JAIPUR WELLNESS CORPORATE WALK IN		PATIENT ID : SANTM110286251	DRAWN : 11/02/2023 10:04:00
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG		CLIENT PATIENT ID: 012302110054	RECEIVED : 11/02/2023 10:48:24
JAIPUR 302017		ABHA NO :	REPORTED : 11/02/2023 17:38:58
9314660100			

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CHOLESTEROL LDL	132 High	< 100 Optimal 100 - 129 Near optimal/ above optimal 130 - 159 Borderline High 160 - 189 High >= 190 Very High	mg/dL
NON HDL CHOLESTEROL	164 High	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL
METHOD : CALCULATED PARAMETER			
VERY LOW DENSITY LIPOPROTEIN CHOL/HDL RATIO	31.4 High	<= 30.0	mg/dL
	5.0 High	3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk	
LDL/HDL RATIO	3.2 High	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk	

Interpretation(s)

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL	0.84	0 - 1	mg/dL
METHOD : DIAZO WITH SULPHANILIC ACID			
BILIRUBIN, DIRECT	0.29 High	0.00 - 0.25	mg/dL
METHOD : DIAZO WITH SULPHANILIC ACID			
BILIRUBIN, INDIRECT	0.55	0.1 - 1.0	mg/dL
METHOD : CALCULATED PARAMETER			
TOTAL PROTEIN	7.9	6.4 - 8.2	g/dL
METHOD : BIURET REACTION, END POINT			
ALBUMIN	4.4	3.8 - 4.4	g/dL

Dr. Akansha Jain
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



MC-5333

PATIENT NAME : SANTRAM MEENA		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000049066		ACCESSION NO : 0251WB000840	AGE/SEX : 37 Years Male
SRL JAIPUR WELLNESS CORPORATE WALK IN		PATIENT ID : SANTM110286251	DRAWN : 11/02/2023 10:04:00
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG		CLIENT PATIENT ID: 012302110054	RECEIVED : 11/02/2023 10:48:24
JAIPUR 302017		ABHA NO :	REPORTED : 11/02/2023 17:38:58
9314660100			

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

METHOD : BROMOCRESOL GREEN				
GLOBULIN	3.5	2.0 - 4.1		g/dL
METHOD : CALCULATED PARAMETER				
ALBUMIN/GLOBULIN RATIO	1.3	1.0 - 2.1		RATIO
METHOD : CALCULATED PARAMETER				
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	20	0 - 37		U/L
METHOD : TRIS BUFFER NO P5P IFCC / SFBC 37° C				
ALANINE AMINOTRANSFERASE (ALT/SGPT)	9	0 - 40		U/L
METHOD : TRIS BUFFER NO P5P IFCC / SFBC 37° C				
ALKALINE PHOSPHATASE	81	39 - 117		U/L
METHOD : AMP OPTIMISED TO IFCC 37° C				
GAMMA GLUTAMYL TRANSFERASE (GGT)	21	11 - 50		U/L
METHOD : GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC) 37° C				
LACTATE DEHYDROGENASE	236	230 - 460		U/L
BLOOD UREA NITROGEN (BUN), SERUM				
BLOOD UREA NITROGEN	10	5.0 - 18.0		mg/dL
METHOD : UREASE KINETIC				
CREATININE, SERUM				
CREATININE	1.00	0.8 - 1.3		mg/dL
METHOD : ALKALINE PICRATE NO DEPROTEINIZATION				
BUN/CREAT RATIO				
BUN/CREAT RATIO	10.00			
METHOD : CALCULATED PARAMETER				
URIC ACID, SERUM				
URIC ACID	5.6	3.4 - 7.0		mg/dL
METHOD : URICASE PEROXIDASE WITH ASCORBATE OXIDASE				
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN	7.9	6.4 - 8.3		g/dL
METHOD : BIURET REACTION, END POINT				
ALBUMIN, SERUM				
ALBUMIN	4.4	3.8 - 4.4		g/dL
METHOD : BROMOCRESOL GREEN				
GLOBULIN				
GLOBULIN	3.5	2.0 - 4.1		g/dL

Dr. Akansha Jain
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



PATIENT NAME : SANTRAM MEENA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : 0251WB000840

PATIENT ID : SANTM110286251

CLIENT PATIENT ID: 012302110054

ABHA NO :

AGE/SEX : 37 Years Male

DRAWN : 11/02/2023 10:04:00

RECEIVED : 11/02/2023 10:48:24

REPORTED : 11/02/2023 17:38:58

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

ELECTROLYTES (NA/K/CL), SERUM

SODIUM, SERUM	139.8	137 - 145	mmol/L
---------------	-------	-----------	--------

METHOD : ION-SELECTIVE ELECTRODE

POTASSIUM, SERUM	4.38	3.6 - 5.0	mmol/L
------------------	------	-----------	--------

METHOD : ION-SELECTIVE ELECTRODE

CHLORIDE, SERUM	105.5	98 - 107	mmol/L
-----------------	-------	----------	--------

METHOD : ION-SELECTIVE ELECTRODE

Interpretation(s)**Interpretation(s)****GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION**

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.

Increased in

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides.

Decreased in

Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases (e.g., galactosemia), Drugs- insulin, ethanol, propranolol, sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE:

While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycaemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLYCOSYLATED HEMOGLOBIN (HBA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
2. Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patient's metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to mg/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months.

3. eAG is calculated as $eAG (mg/dl) = 28.7 * HbA1c - 46.7$

HbA1c Estimation can get affected due to :

I. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

II. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.)

III. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods, falsely increasing results.

IV. Interference of hemoglobinopathies in HbA1c estimation is seen in

a. Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b. Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c. HbF > 25% on alternate platform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c

LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE

Dr. Akansha Jain
Consultant Pathologist

Page 8 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



PATIENT NAME : SANTRAM MEENA		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000049066		ACCESSION NO : 0251WB000840	AGE/SEX : 37 Years Male
SRL JAIPUR WELLNESS CORPORATE WALK IN		PATIENT ID : SANTM110286251	DRAWN : 11/02/2023 10:04:00
AAKRITI LABS PVT LTD, A-430, AGRASEN MARG		CLIENT PATIENT ID: 012302110054	RECEIVED : 11/02/2023 10:48:24
JAIPUR 302017		ABHA NO :	REPORTED : 11/02/2023 17:38:58
9314660100			

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels result from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

BLOOD UREA NITROGEN (BUN), SERUM- Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM- Higher than normal level may be due to:

- Blockage in the urinary tract
- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
- Loss of body fluid (dehydration)
- Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia Gravis
- Muscular dystrophy

URIC ACID, SERUM- Causes of Increased levels:- Dietary (High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome

Causes of decreased levels- Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM- Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM- Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr. Akansha Jain
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



MC-5333

PATIENT NAME : SANTRAM MEENA		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000049066		ACCESSION NO : 0251WB000840	AGE/SEX : 37 Years Male
SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017 9314660100		PATIENT ID : SANTM110286251	DRAWN : 11/02/2023 10:04:00
		CLIENT PATIENT ID: 012302110054	RECEIVED : 11/02/2023 10:48:24
		ABHA NO :	REPORTED : 11/02/2023 17:38:58

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

PHYSICAL EXAMINATION, URINE

COLOR PALE YELLOW
METHOD : GROSS EXAMINATION

APPEARANCE CLEAR
METHOD : GROSS EXAMINATION

CHEMICAL EXAMINATION, URINE

PH 6.0 4.7 - 7.5
METHOD : DOUBLE INDICATOR PRINCIPLE

SPECIFIC GRAVITY <=1.005 1.003 - 1.035
METHOD : IONIC CONCENTRATION METHOD

PROTEIN NOT DETECTED NOT DETECTED
METHOD : PROTEIN ERROR OF INDICATORS WITH REFLECTANCE

GLUCOSE NOT DETECTED NOT DETECTED
METHOD : GLUCOSE OXIDASE PEROXIDASE / BENEDICTS

KETONES NOT DETECTED NOT DETECTED
METHOD : SODIUM NITROPRUSSIDE REACTION

BLOOD NOT DETECTED NOT DETECTED
METHOD : PEROXIDASE ANTI PEROXIDASE

BILIRUBIN NOT DETECTED NOT DETECTED
METHOD : DIPSTICK

UROBILINOGEN NORMAL NORMAL
METHOD : EHRlich REACTION REFLECTANCE

NITRITE NOT DETECTED NOT DETECTED
METHOD : NITRATE TO NITRITE CONVERSION METHOD

LEUKOCYTE ESTERASE NOT DETECTED NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS NOT DETECTED NOT DETECTED /HPF
METHOD : MICROSCOPIC EXAMINATION

PUS CELL (WBC'S) 2-3 0-5 /HPF
METHOD : DIPSTICK, MICROSCOPY

EPITHELIAL CELLS 0-1 0-5 /HPF
METHOD : MICROSCOPIC EXAMINATION

CASTS NOT DETECTED

Dr. Akansha Jain
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



PATIENT NAME : SANTRAM MEENA		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000049066		ACCESSION NO : 0251WB000840	AGE/SEX : 37 Years Male
SRL JAIPUR WELLNESS CORPORATE WALK IN		PATIENT ID : SANTM110286251	DRAWN : 11/02/2023 10:04:00
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG		CLIENT PATIENT ID: 012302110054	RECEIVED : 11/02/2023 10:48:24
JAIPUR 302017		ABHA NO :	REPORTED : 11/02/2023 17:38:58
9314660100			

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

METHOD : MICROSCOPIC EXAMINATION				
CRYSTALS		NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION				
BACTERIA		NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION				
YEAST		NOT DETECTED	NOT DETECTED	
Interpretation(s)				

Dr. Akansha Jain
Consultant Pathologist



View Details



View Report

PERFORMED AT :
SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



MC-5333

PATIENT NAME : SANTRAM MEENA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : 0251WB000840

PATIENT ID : SANTM110286251

CLIENT PATIENT ID: 012302110054

ABHA NO :

AGE/SEX : 37 Years Male

DRAWN : 11/02/2023 10:04:00

RECEIVED : 11/02/2023 10:48:24

REPORTED : 11/02/2023 17:38:58

Test Report Status **Final**

Results

Biological Reference Interval Units

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

PHYSICAL EXAMINATION,STOOL

COLOUR

SAMPLE NOT RECEIVED

METHOD : GROSS EXAMINATION

Dr. Abhishek Sharma
Consultant Microbiologist

Page 12 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



MC-5333

PATIENT NAME : SANTRAM MEENA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD, A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : 0251WB000840

PATIENT ID : SANTM110286251

CLIENT PATIENT ID: 012302110054

ABHA NO :

AGE/SEX : 37 Years Male

DRAWN : 11/02/2023 10:04:00

RECEIVED : 11/02/2023 10:48:24

REPORTED : 11/02/2023 17:38:58

Test Report Status **Final**

Results

Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

THYROID PANEL, SERUM

Parameter	Result	Biological Reference Interval	Units
T3 METHOD : CHEMILUMINESCENCE	128.11	60.0 - 181.0	ng/dL
T4 METHOD : CHEMILUMINESCENCE	8.50	4.5 - 10.9	µg/dL
TSH (ULTRASENSITIVE) METHOD : CHEMILUMINESCENCE	1.201	0,550 - 4.780	µIU/mL

Interpretation(s)

Triiodothyronine T3, **Thyroxine T4**, and **Thyroid Stimulating Hormone TSH** are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, Free T4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1) Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3) Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism

Dr. Akansha Jain
Consultant Pathologist

Page 13 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



MC-5333

PATIENT NAME : SANTRAM MEENA

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : 0251WB000840

PATIENT ID : SANTM110286251

CLIENT PATIENT ID: 012302110054

ABHA NO :

AGE/SEX : 37 Years Male

DRAWN : 11/02/2023 10:04:00

RECEIVED : 11/02/2023 10:48:24

REPORTED : 11/02/2023 17:38:58

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIFTZ Fundamentals of Clinical chemistry 2. Guidelines of the American Thyroid association during pregnancy and Postpartum, 2011.
NOTE: It is advisable to detect Free T3, Free T4 along with TSH, instead of testing for albumin bound Total T3, Total T4. TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

****End Of Report****Please visit www.srlworld.com for related Test Information for this accession**CONDITIONS OF LABORATORY TESTING & REPORTING**

- It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.
- Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- A requested test might not be performed if:
 - Specimen received is insufficient or inappropriate
 - Specimen quality is unsatisfactory
 - Incorrect specimen type
 - Discrepancy between identification on specimen container label and test requisition form
- SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- Test results cannot be used for Medico legal purposes.
- In case of queries please call customer care (91115 91115) within 48 hours of the report.

SRL Limited

Fortis Hospital, Sector 62, Phase VIII,
Mohali 160062

Dr. Akansha Jain
Consultant Pathologist

Page 14 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002325581



Aakriti Labs

3 Mahatma Gandhi Marg, Gandhi Nagar Mod
Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661
www.aakritilabs.com
CIN NO.: U85195RJ2004PTC019563

phy
nd



Name	: Mr. SANTRAM MEENA	Registration No:	51777
Age/Gender:	37 Y/Male	Registered	: 11/Feb/2023 10:04AM
Patient ID	: 012302110054	Analysed	: 11/Feb/2023 01:23PM
BarcodeNo	: 10076003	Reported	: 11/Feb/2023 01:24PM
Referred By	: Self	Panel	: Medi Wheel (ArcoFemi Healthcare Ltd)

USG: WHOLE ABDOMEN (Male)

LIVER : Is normal in size, shape and echogenecity.
The IHBR and hepatic radicals are not dilated.
No evidence of focal echopoor/echorich lesion seen.
Portal vein diameter and common bile duct appear normal.

GALL : Is normal in size, shape and echotexture. Walls are smooth and
BLADDER regular with normal thickness. **17.6 mm size calculus sen in GB lumen**

PANCREAS : Is normal in size, shape and echotexture. Pancreatic duct is not dilated.
SPLEEN : Is normal in size, shape and echogenecity. Splenic hilum is not dilated.

KIDNEYS : **Right Kidney is small in size :- Size: 59 x 29 mm**, Left Kidney:-Size: 101 x 54 mm.
Left Kidney is normal in size, shape and echotexture,
corticomedullary differentiation is fair and ratio appears normal.
Pelvi calyceal system is normal. No evidence of hydronephrosis/ nephrolithiasis.

URINARY : Bladder walls are smooth, regular and normal thickness.
BLADDER : No evidence of mass or stone in bladder lumen.

PROSTATE: Is normal in size, shape and echotexture,
measures: 34 x 32 x 26 mm, wt: 15 gms.
Its capsule is intact and no evidence of focal lesion.


SPECIFIC : No evidence of retroperitoneal mass or free fluid seen in peritoneal cavity.
No evidence of lymphadenopathy or mass lesion in retroperitoneum.
Visualized bowel loop appear normal. Great vessels appear normal.

IMPRESSION :- **Cholelithiasis.**
:- **Right small kidney.**

*** End Of Report ***

Page 1 of 1





Dr. Neera Mehta
M.B.B.S., D.M.R.D.
RMCNO.005807/14853



MR. SANTRAM MEENA / 37 Yrs / M / 70 Cms / 70 Kg / HR 85

Date: 11 / 02 / 2023

BP 125/70 mmHg BLC On NoId On HF 0.05 Hz LF 100 Hz



A 200 50mm

DR. ARIF HUSSAIN KHAN
MBBS PGDCC
RMC NUMBER 07



PATIENT: SANTRAM MEENA / 37 Yrs / M / 70 Gms / 0 Kg
 Date: 11 / 02 / 2023 Technician: VIJENDRA KUMAR Examined By:

Stage	Time	Duration	Speed(mph)	Elevation	MEIS	Rate	% THR	BP	RPP	PVC	Comments
Supine	00:04	0:04	00.0	00.0	01.0	085	46%	125/70	106	00	
Standing	00:40	0:36	00.0	00.0	01.0	114	62%	125/70	142	00	
HV	00:43	0:03	00.0	00.0	01.0	114	62%	125/70	142	00	
Warm Up	00:45	0:02	01.7	10.0	01.1	103	56%	125/70	128	00	
ExStart	00:46	0:01	01.7	10.0	01.1	103	56%	125/70	128	00	
BRUCE Stage 1	03:46	3:00	01.7	10.0	04.7	133	73%	125/70	166	00	
BRUCE Stage 2	06:46	3:00	02.5	12.0	07.1	154	84%	125/70	192	00	
PeakEx	07:07	0:21	03.4	14.0	07.5	158	86%	125/70	197	00	
Recovery	08:07	1:00	00.0	00.0	01.2	128	70%	125/70	160	00	
Recovery	09:07	2:00	00.0	00.0	01.0	108	59%	140/80	151	00	
Recovery	09:06	2:00	00.0	00.0	01.0	108	59%	140/80	151	00	

REPORT :

FINAL IMPRESSION - TEST IS NEGATIVE FOR INDUCIBLE ISCHAEMIA

DR. ARIF HOSSAIN KHAN
 MBBS PGDCC
 RMC NUMBER: 1111

Doctor : DR. [Signature]



Aakriti Labs

3 Mahatma Gandhi Marg, Gandhi Nagar Mod
Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661
www.aakritilabs.com
CIN NO.: U85195RJ2004PTC019563



Name : Mr. SANTRAM MEENA

Age/Gender: 37 Y/Male

Patient ID : 012302110054

BarcodeNo : 10076003

Referred By : Self

Registration No: 51777

Registered : 11/Feb/2023 10:04AM

Analysed : 11/Feb/2023 02:07PM

Reported : 11/Feb/2023 02:07PM

Panel : Medi Wheel (ArcoFemi
Healthcare Ltd)

DIGITAL X-RAY CHEST PA VIEW

Soft tissue shadow and bony cages are normal.

Trachea is central.

Bilateral lung field and both CP angle are clear.

Domes of diaphragm are normally placed.

Transverse diameter of heart appears with normal limits.

IMPRESSION:- NO OBVIOUS ABNORMALITY DETECTED.

*** End Of Report ***

Page 1 of 1



Dr. Neeraj Mehta
M.B.B.S., D.M.R.D.
RMCNO.005807/14853