Diagnostics & Speciality Centre

NAME : Mr. NAGABHUSHAN V HI AGE/SEX : 49 Yrs / Male REFERRED BY : REF CENTER : MEDIWHEEL		MR NO. : VISIT NO. : DATE OF COLLECTION : DATE OF REPORT :	22030816 151586 12-03-2022 at 08:37 AM 12-03-2022 at 12:53 PM
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
	HAEMATOLO	GY	
COMPLETE BLOOD COUNT (CBC) WITH E	<u>ISR</u>		
HAEMOGLOBIN Colorimetric Method	16.7 gm/dL	13 - 18 gm/dL	
HEMATOCRIT (PCV) Calculated	49.0 %	40 - 54 %	
RED BLOOD CELL (RBC) COUNT	5.2 million/cu.mm	4.5 - 5.9 million/cu.mm	
PLATELET COUNT Electrical Impedance	2.9 Lakhs/cumm	1.5 - 4.5 Lakhs/cumm	
MEAN CELL VOLUME (MCV) Calculated	93.6 fl	80 - 100 fl	
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	31.9 pg	26 - 34 pg	
MEAN CORPUSCULAR HEMOGLOBIN	34.1 %	31 - 35 %	
CONCENTRATION (MCHC) Calculated			
TOTAL WBC COUNT (TC) Electrical Impedance	7170 cells/cumm	4000 - 11000 cells/cumm	
NEUTROPHILS VCS Technology/Microscopic	53 %	40 - 75 %	
LYMPHOCYTES VCS Technology/Microscopic	38 %	25 - 40 %	
DIFFERENTIAL COUNT			
EOSINOPHILS VCS Technology/Microscopic	03 %	0 - 7 %	
MONOCYTES VCS Technology/Microscopic	06 %	1 - 8 %	
BASOPHILS Electrical Impedance	00 %		
ESR Westergren Method	12 mm/hr	0 - 15 mm/hr	
BLOOD GROUP & Rh TYPING Tube Agglutination (Forward and Reverse)	"O" Positive		

allern. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 1 of 8

Diagnostics & Speciality Centre

NAME : Mr. NAGABHUSHAN	N V HEGDE	MR NO.	22030816
AGE/SEX : 49 Yrs / Male		VISIT NO.	151586
REFERRED BY :		DATE OF COLLECTION :	12-03-2022 at 08:37 AM
		DATE OF REPORT	12-03-2022 at 12:53 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
GLYCATED HAEMOGLOBIN (HbA1C)	5.3 %	American Diabetic Association (ADA) recommendations:	
		Non diabetic adults : <5.7	′ %
		At risk (Pre diabetic): 5.7 6.4%	_
		Diabetic : >/= 6.5%	
		Therapeutic goal for glycemic control :	
		Goal for therapy: < 7.0%	
		Action suggested: > 8.0%	

ESTIMATED AVERAGE GLUCOSE (eAG) Calculation Comments:

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

105.41 mg/dL

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

alleen.u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 2 of 8

Diagnostics & Speciality Centre

NAME : Mr. NAGABHUSHAN	NV HEGDE	MR NO. : 22030816
AGE/SEX : 49 Yrs / Male		VISIT NO. : 151586
REFERRED BY :		DATE OF COLLECTION : 12-03-2022 at 08:37 AM
		DATE OF REPORT : 12-03-2022 at 12:53 PM
REF CENTER : MEDIWHEEL		
TEST PARAMETER	RESULT	REFERENCE RANGE SPECIMEN
	CLINICAL BIOC	HEMISTRY
LIPID PROFILE TEST		
TOTAL CHOLESTEROL	283 mg/dL	up to 200 mg/dL
Cholesterol Oxidase-Peroxidase (CHOD-POD)	C C	Border Line: 200 – 240 mg/dL High: > 240 mg/dL
TRIGLYCERIDES	350.3 mg/dL	up to 150 mg/dL
Glycerol Peroxidase-Peroxidase (GPO-POD)		Desirable: <150 mg/dL
		Border Line: 150 – 200 mg/dL High: >200 – 500 mg/dL
		Very High: > 500 mg/dL
HDL CHOLESTEROL - DIRECT	37.2 mg/dl	40 - 60 mg/dl
PEG-Cholesterol Esterase		>/= 60mg/dL - Excellent (protects
		against heart disease) 40-59 mg/dL - Higher the better
		<40 mg/dL - Lower than desired (major risk for heart disease)
		lisk for heart disease)
LDL CHOLESTEROL - DIRECT	175.7 mg/dL	up to 100 mg/dL
Cholesterol Esterase-Cholesterol Oxidase	Ũ	100-129 mg/dL- Near optimal/above
		optimal 130-159 mg/dL- Borderline High
		160-189 mg/dL- High
		190->190 mg/dL - Very High
VLDL CHOLESTEROL	70.1 mg/dL	2 - 30 mg/dL
Calculation	· ·	
TOTAL CHOLESTROL/HDL RATIO	7.6	up to 3.5
		3.5-5.0 - Moderate >5.0 - High

allern. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 3 of 8

Diagnostics & Speciality Centre

NAME:Mr. NAGABHUSHAN V HAGE/SEX:49 Yrs / MaleREFERRED BY:REF CENTER:MEDIWHEEL	EGDE	MR NO. : VISIT NO. : DATE OF COLLECTION : DATE OF REPORT :	22030816 151586 12-03-2022 at 08:37 AM 12-03-2022 at 12:53 PM
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
LDL/HDL RATIO Calculation	4.7	up to 2.5 2.5-3.3 - Moderate >3.3 - High	
FASTING BLOOD SUGAR Hexokinase	96.5 mg/dl	70 - 110 mg/dl	
POST PRANDIAL BLOOD SUGAR Hexokinase	108.5 mg/dl	80 - 150 mg/dl	
BLOOD UREA UREASE-GLUTAMATE DEHYDROGENASE (GLDH)	20.0 mg/dL	15 - 50 mg/dL	
CREATININE Jaffe Kinetic	0.85 mg/dL	0.4 - 1.4 mg/dL	
URIC ACID Uricase-Peroxidase	8.1 mg/dL	3 - 7.2 mg/dL	
SERUM ELECTROLYTES			
SODIUM Ion Selective Electrode (ISE)	137 mmol/L	136 - 145 mmol/L	
POTASSIUM Ion Selective Electrode (ISE)	4.3 mmol/L	3.5 - 5.2 mmol/L	
CHLORIDE Ion Selective Electrode (ISE)	104 mmol/L	97 - 111 mmol/L	

allern. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 4 of 8

TM



diclu

NAME : Mr. NAGABHUSHAN V HE	EGDE	MR NO.	22030816
AGE/SEX : 49 Yrs / Male		VISIT NO.	151586
REFERRED BY :		DATE OF COLLECTION	12-03-2022 at 08:37 AM
		DATE OF REPORT	12-03-2022 at 12:53 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
LIVER FUNCTION TEST (LFT)			
TOTAL BILIRUBIN Colorimetric Diazo Method	0.85 mg/dL	0.2 - 1.2 mg/dL	
DIRECT BILIRUBIN Colorimetric Diazo Method	0.28 mg/dL	0 - 0.4 mg/dL	
INDIRECT BILIRUBIN	0.57 mg/dl		
S G O T (AST) IFCC Without Pyridoxal Phosphates	40.2 U/L	up to 35 U/L	
S G P T (ALT) IFCC Without Pyridoxal Phosphates	43.3 U/L	up to 50 U/L	
ALKALINE PHOSPHATASE	85 U/L	36 - 113 U/L	
SERUM GAMMA GLUTAMYLTRANSFERASE (GGT) 19.3 U/L	15 - 85 U/L	
TOTAL PROTEIN Biuret Colorimetric	7.1 g/dl	6.2 - 8 g/dl	
S.ALBUMIN Bromocresol Green (BCG)	4.30 g/dl	3.5 - 5.2 g/dl	
S.GLOBULIN Calculation	2.8 g/dl	2.5 - 3.8 g/dl	
A/G RATIO Calculation	1.5	1 - 1.5	
CREATININE Jaffe Method	1.13 mg/dL	0.8 - 1.4 mg/dL	
	CLINICAL PATHO	DLOGY	
URINE ROUTINE & MICROSCOPIC			
PHYSICAL EXAMINATION			
Colour Visual Method	Pale Yellow	Pale yellow- yellow	
Appearance Visual Method	Clear	Clear/Transparent	
Specific Gravity Strips Method	1.015	1.005-1.035	

pН

CHEMICAL EXAMINATION (DIPSTICK)

allern. u.



4.6-8.5

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 5 of 8

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072. Enquiry: +91 99867 33 333, Appointments : +91 98863 55 135, Reports: +91 74063 11 116

6.0

Dr. KRISHNA MURTHY

MD BIOCHEMIST

<u>>diclu</u>™



NAME:Mr. NAGABHUSHAN V HAGE/SEX:49 Yrs / MaleREFERRED BY:REF CENTER:MEDIWHEEL	IEGDE	MR NO. : VISIT NO. : DATE OF COLLECTION : DATE OF REPORT :	22030816 151586 12-03-2022 at 08:37 AM 12-03-2022 at 12:53 PM
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
Protein Strips Method	Nil	Nil -Trace	
Glucose Strips Method	Nil	Nil	
Blood Strips Method	Negative	Negative	
Ketone Bodies Strips Method	Absent	Negative	
Urobilinogen Strips Method	Normal	Normal	
Bile Salt Strips Method	Negative	Negative	
Bilirubin Strips Method	Negative	Negative	
Bile Pigments	Negative	NIL	
MICROSCOPY			
Pus Cells (WBC)	3 - 4 /hpf	0-5/hpf	
Epithelial Cells	2 - 3 /hpf	0-4/hpf	
RBC Light Microscopic	Not Seen /hpf	0-2/hpf	
Cast Light Microscopic	NIL	NIL	
Crystal Light Microscopic	NIL	Nil	
FASTING URINE SUGAR (FUS)	NIL	NIL	
POSTPRANDIAL URINE SUGAR	NIL	NIL	

Collection. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 6 of 8



Diagnostics & Speciality Centre

MR NO. : 22030816 VISIT NO. : 151586 DATE OF COLLECTION : 12-03-2022 at 08:37 AM DATE OF REPORT : 12-03-2022 at 12:53 PM IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	NAME : Mr. NAGABHUSHAN V HEGDE AGE/SEX : 49 Yrs / Male REFERRED BY : REF CENTER : MEDIWHEEL
LT REFERENCE RANGE SPECIMEN	TEST PARAMETER RESULT
IMUNOASSAY	IMMUNO
	THYROID PROFILE
g/mL 0.87 - 1.78 ng/mL	TOTAL TRIIODOTHYRONINE (T3) 1.32 ng/mL
μg/dL 6.09 - 12.23 μg/dL	TOTAL THYROXINE (T4) 10.25 µg/dL
μlU/mL 0.38 - 5.33 μlU/mL	THYROID STIMULATING HORMONE (TSH) 6.024 µIU/mL
1st Trimester: 0.05 - 3.70	GWIA
2nd Trimester: 0.31 – 4.35	
3rd Trimester: 0.41 – 5.18	
LT REFERENCE RANGE SPECIMEN MMUNOASSAY g/mL 0.87 - 1.78 ng/mL µg/dL 0.38 - 12.23 µg/dL µIU/mL 0.38 - 5.33 µIU/mL 1st Trimester: 0.05 - 3.70 2nd Trimester: 0.31 - 4.35	TEST PARAMETER RESULT IMMUNO THYROID PROFILE TOTAL TRIIODOTHYRONINE (T3) TOTAL THYROXINE (T4) 10.25 µg/dL

Note:

- TSH levels are subject to circadian variation, reaching peak levels between 2 4.a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood



Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 7 of 8

(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.) **Diagnostics & Speciality Centre Mr. NAGABHUSHAN V HEGDE** NAME MR NO. : 22030816 AGE/SEX VISIT NO. : 49 Yrs / Male : 151586 REFERRED BY : DATE OF COLLECTION 12-03-2022 at 08:37 AM DATE OF REPORT : 12-03-2022 at 12:53 PM **REF CENTER** : MEDIWHEEL **TEST PARAMETER** RESULT **REFERENCE RANGE** SPECIMEN **PROSTATIC SPECIFIC ANTIGEN (PSA)** Up to 4ng/mL: Normal PROSTATIC SPECIFIC ANTIGEN (PSA) 1.30 ng/mL CMIA 4-10 ng/mL Hypertrophy & benign genito urinary conditions. >10 ng/mL Suspicious of malignancy.

Jiclu


PSA is used for monitoring patients with a history of prostate cancer and as an early indicator of recurrence and response to treatment. The test is commonly used for Prostate cancer screening.

Dispatched by: Sumalatha

**** End of Report ****

Printed by: Sumalatha on 12-03-2022 at 12:53 PM





Dr. KRISHNA MURTHY

MD BIOCHEMIST Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 8 of 8



