

CID : 2228119046 Name : MR.VIVEK PRASAD Age / Gender : 46 Years / Male Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)



R

E

P

0

т

Use a QR Code Scanner Application To Scan the Code • 08-0ct-2022 /

Collected Reported

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood				
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	15.3	13.0-17.0 g/dL	Spectrophotometric	
RBC	5.17	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	46.8	40-50 %	Measured	
MCV	91	80-100 fl	Calculated	
MCH	29.7	27-32 pg	Calculated	
MCHC	32.8	31.5-34.5 g/dL	Calculated	
RDW	14.4	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	6340	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS			
Lymphocytes	34.7	20-40 %		
Absolute Lymphocytes	2200.0	1000-3000 /cmm	Calculated	
Monocytes	7.7	2-10 %		
Absolute Monocytes	488.2	200-1000 /cmm	Calculated	
Neutrophils	56.3	40-80 %		
Absolute Neutrophils	3569.4	2000-7000 /cmm	Calculated	
Eosinophils	1.1	1-6 %		
Absolute Eosinophils	69.7	20-500 /cmm	Calculated	
Basophils	0.2	0.1-2 %		
Absolute Basophils	12.7	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

over the page or visit our website.

Platelet Count	160000	150000-400000 /cmm	Elect. Impedance
MPV	11.1	6-11 fl	Calculated
PDW	25.3	11-18 %	Calculated

Page 1 of 15

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics. (2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not lable for any paralities or liabilities arising out of or relating in any way to these services and/or content or information provided disclaimer, please turn



RECISE TESTING . HEA				E
CID	: 2228119046			Р
-				0
Name	: MR.VIVEK PRASAD			0
Age / Gender	:46 Years / Male		Use a QR Code Scanner Application To Scan the Code	R
Consulting Dr.	: -	Collected	:08-Oct-2022 / 08:04	
Reg. Location	: Kandivali East (Main Centre)	Reported	:08-Oct-2022 / 10:36	т

RBC MORPHOLOGY			
Hypochromia	-		
Microcytosis	-		
Macrocytosis	-		
Anisocytosis	-		
Poikilocytosis	-		
Polychromasia	-		
Target Cells	-		
Basophilic Stippling	-		
Normoblasts	-		
Others	Normocytic,Normochromic		
WBC MORPHOLOGY	-		
PLATELET MORPHOLOGY	Megaplatelets seen on smea	r	
COMMENT	-		
Specimen: EDTA Whole Blood			
ESR, EDTA WB	5	2-15 mm at 1 hr.	Westergren
*Sample processed at SUBURBAN DI	AGNOSTICS (INDIA) PVT. LTD Bor	ivali Lab, Borivali West	

*** End Of Report ***



हाशीयन प्रयोग	
M	SINGNOSTICS
	(VI) (VI)
•भारत•	a and a
/IC-2111	

BMhaskar

Authenticity Check

R

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 2 of 15

ADDRESS: 2"Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn ended to be communicated to a find party except in the same patient. over the page or visit our website.



:2228119046

: -

: MR. VIVEK PRASAD

: Kandivali East (Main Centre)

:46 Years / Male

CID


Name

Age / Gender

Consulting Dr.

Reg. Location

Authenticity Check



Use a OR Code Scanner

Application To Scan the Code

Collected

Reported

:08-Oct-2022 / 11:29 :08-Oct-2022 / 20:56

R

E

P

O

т

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO				
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	98.5	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase	
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	116.4	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase	
Urine Sugar (Fasting)	Absent	Absent		
Urine Ketones (Fasting)	Absent	Absent		
Urine Sugar (PP) Urine Ketones (PP)	Absent Absent	Absent Absent		
*Sample processed at SUBURBAN DIA	GNOSTICS (INDIA) PVT. LTD Boriv	vali Lab, Borivali West		

*** End Of Report ***



Anto

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab** Director

Page 3 of 15

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient (4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID : 2228119046 Name : MR.VIVEK PRASAD Age / Gender : 46 Years / Male Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)



R

E

P

O

т

Use a QR Code Scanner Application To Scan the Code : 08-0ct-2022 /

Collected Reported

:08-Oct-2022 / 08:04 :08-Oct-2022 / 13:17

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS				
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>	
BLOOD UREA, Serum	21.3	19.29-49.28 mg/dl	Calculated	
Kindly note change in Ref range ar	nd method w.e.f.11-07-2022			
BUN, Serum	10.0	9.0-23.0 mg/dl	Urease with GLDH	
Kindly note change in Ref range ar	nd method w.e.f.11-07-2022			
CREATININE, Serum	0.88	0.60-1.10 mg/dl	Enzymatic	
Kindly note change in Ref range ar	nd method w.e.f.11-07-2022			
eGFR, Serum	99	>60 ml/min/1.73sqm	Calculated	
TOTAL PROTEINS, Serum	7.2	5.7-8.2 g/dL	Biuret	
Kindly note change in Ref range ar	nd method w.e.f.11-07-2022			
ALBUMIN, Serum	4.0	3.2-4.8 g/dL	BCG	
GLOBULIN, Serum	3.2	2.3-3.5 g/dL	Calculated	
A/G RATIO, Serum	1.3	1 - 2	Calculated	
URIC ACID, Serum	5.3	3.7-9.2 mg/dl	Uricase/ Peroxidase	
Kindly note change in Ref range ar	nd method w.e.f.11-07-2022			
PHOSPHORUS, Serum	3.4	2.4-5.1 mg/dl	Phosphomolybdate	
Kindly note change in Ref range ar	nd method w.e.f.11-07-2022			
CALCIUM, Serum	8.9	8.3-10.6 mg/dl	СРС	
Kindly note change in Ref range ar	nd method w.e.f.11-07-2022			
SODIUM, Serum	137	136-145 mmol/l	ΙΜΤ	
Kindly note change in Ref range ar	nd method w.e.f.11-07-2022			

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID : 2228119046 Name : MR.VIVEK PRASAD				P O	
Age / Gender Consulting Dr.	: 46 Years	s / Male	Collected	Use a QR Code Scanner Application To Scan the Code :08-Oct-2022 / 08:04	R
Reg. Location		li East (Main Centre) 4.4	Reported 3.5-5.1 mmol/l	:08-Oct-2022 / 13:17 IMT	_
Kindly note cha CHLORIDE, Se	-	ge and method w.e.f.11-07-2022 103	98-107 mmol/l	IMT	

Kindly note change in Ref range and method w.e.f.11-07-2022

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Anto

Authenticity Check

R

E

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 5 of 15

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID :2228119046 Name : MR.VIVEK PRASAD Age / Gender :46 Years / Male : -Consulting Dr. Reg. Location : Kandivali East (Main Centre)



R

Use a OR Code Scanner Application To Scan the Code Collected Reported

:08-Oct-2022 / 08:04 :08-Oct-2022 / 14:32

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c) DIOLOCICAL DEE DANCE METHOD

PARAMEIER	<u>RESULIS</u>	DIULUGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.7	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	116.9	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab** Director

Page 6 of 15

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient. (4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID : 2228119046 Name : MR.VIVEK PRASAD Age / Gender : 46 Years / Male Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)



R

E

P

0

т

Use a QR Code Scanner Application To Scan the Code :08-Oct-2022 /

Collected Reported :08-Oct-2022 / 08:04 :08-Oct-2022 / 12:48

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO				
PROSTATE SPECIFIC ANTIGEN (PSA)				
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
TOTAL PSA, Serum	0.50	<4.0 ng/ml	CLIA	

Kindly note change in Ref range and method w.e.f.11-07-2022

Page 7 of 15

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory on laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



SUBURBA			Authenticity Check	R
I A G N O S T I C S				E
CID	: 2228119046			P
Name	: MR.VIVEK PRASAD			0
Age / Gender	:46 Years / Male		Use a QR Code Scanner Application To Scan the Code	R
Consulting Dr.	: -	Collected	:08-Oct-2022 / 08:04	
Reg. Location	: Kandivali East (Main Centre)	Reported	:08-Oct-2022 / 12:48	т

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction.

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α-reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA . USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report *



Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab** Director

Page 8 of 15

ADDRESS: 214 Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient. (4)Report must not be capied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID : 2228119046 Name : MR.VIVEK PRASAD Age / Gender : 46 Years / Male Consulting Dr. : -Reg. Location : Kandivali East (Main Centre) Authenticity Check

R

E

O

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported :08-Oct-2022 / 08:04 :08-Oct-2022 / 13:00

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.030	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	
Others	-		

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





Bmhaskav

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 9 of 15

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory on laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID :2228119046 Name : MR.VIVEK PRASAD Age / Gender :46 Years / Male Consulting Dr. : -: Kandivali East (Main Centre) Reg. Location

Authenticity Check

R

Application To Scan the Code Collected Reported

:08-Oct-2022 / 08:04 :08-Oct-2022 / 13:07

Use a OR Code Scanner

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

PARAMETER

RESULTS

ABO GROUP 0 **Rh TYPING** Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia 1.
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***

June Sund **Dr.VRUSHALI SHROFF** M.D.(PATH) Pathologist

Page 10 of 15

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient. (4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID	: 2228119046
Name	: MR.VIVEK PRASAD
Age / Gender	:46 Years / Male
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)

Authenticity Check



R

E

P

O

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported :08-Oct-2022 / 08:04 :08-Oct-2022 / 13:17

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	164.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	85.9	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	34.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	129.1	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	111.9	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	17.2	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.7	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.2	0-3.5 Ratio	Calculated
*Comple processed at CLIPLIDRAN DIAC		Viduavibar Lab	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Anto

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 11 of 15

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID

Name

:2228119046 : MR. VIVEK PRASAD Use a OR Code Scanner Age / Gender :46 Years / Male Application To Scan the Code Consulting Dr. Collected : -:08-Oct-2022 / 08:04 Reported :08-Oct-2022 / 13:12 Reg. Location : Kandivali East (Main Centre)

Authenticity Check

R

E

P

0

т

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS						
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>			
Free T3, Serum	5.6	3.5-6.5 pmol/L	CLIA			
Kindly note change in Ref range and	Kindly note change in Ref range and method w.e.f.11-07-2022					
Free T4, Serum	12.8	11.5-22.7 pmol/L	CLIA			
Kindly note change in Ref range and	d method w.e.f.11-07-2022					
sensitiveTSH, Serum	2.404	0.55-4.78 microIU/ml	CLIA			
Kindly note change in Ref range and	Kindly note change in Ref range and method w.e.f.11-07-2022					

Page 12 of 15

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1) Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics. (2) Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same parameters from time to the some parameters as required. (4)Report must not be copied in part, enly in full. (1)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



т

28119046	: 222811904				
.VIVEK PRA	: MR.VIVEK F	RASAD			
Years / Ma	er : 46 Years /	ale		Use a QR Code Scanner Application To Scan the Code	
	. : -		Collected	:08-Oct-2022 / 08:04	
ndivali East	• : Kandivali E	st (Main Centre)	Reported	:08-Oct-2022 / 13:12	
ndivali East		st (Main Centre)	-	-	

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***

Anto

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 13 of 15

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics. (2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID :2228119046 Name : MR. VIVEK PRASAD Age / Gender :46 Years / Male Consulting Dr. : -: Kandivali East (Main Centre) Reg. Location





R

E

P

O

т

Use a OR Code Scanner Application To Scan the Code Collected Reported

:08-Oct-2022 / 08:04 :08-Oct-2022 / 17:21

MEDIWHEEL FU	LL BODY HEALTH CHI	ECKUP MALE ABOVE 40/ ON TESTS	2D ECHO
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.72	0.3-1.2 mg/dl	Vanadate oxidation
Kindly note change in Ref range and	d method w.e.f.11-07-2022		
BILIRUBIN (DIRECT), Serum	0.32	0-0.3 mg/dl	Vanadate oxidation
Kindly note change in Ref range a	nd method w.e.f.11-07-2022		
BILIRUBIN (INDIRECT), Serum	0.40	<1.2 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.2	5.7-8.2 g/dL	Biuret
Kindly note change in Ref range and	d method w.e.f.11-07-2022		
ALBUMIN, Serum	4.0	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	3.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.3	1 - 2	Calculated
SGOT (AST), Serum	30.6	<34 U/L	Modified IFCC
Kindly note change in Ref range and	d method w.e.f.11-07-2022		
SGPT (ALT), Serum	51.6	10-49 U/L	Modified IFCC
Kindly note change in Ref range a	nd method w.e.f.11-07-2022		
GAMMA GT, Serum	21.1	<73 U/L	Modified IFCC
Kindly note change in Ref range and	d method w.e.f.11-07-2022		
ALKALINE PHOSPHATASE, Serum	127.1	46-116 U/L	Modified IFCC

Kindly note change in Ref range and method w.e.f.11-07-2022

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 14 of 15

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient. (4)Report must not be capied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



DIAGNOSTI	cs			-
PRECISE TESTING . HEAL	THIER LIVING			=
CID	: 2228119046			Ρ
				0
Name	: MR.VIVEK PRASAD			-
Age / Gender	:46 Years / Male		Use a QR Code Scanner Application To Scan the Code	R
Consulting Dr.	: -	Collected	:	
Reg. Location	: Kandivali East (Main Centre)	Reported	:	т

*** End Of Report ***

Page 15 of 15

R

Authenticity Check

ADDRESS: 2"Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn ended to be communicated to a find party except in the same patient. over the page or visit our website.



PRECISE TESTING . HEALTHIER LIVING CID : 2228119046 Name : Mr VIVEK PRASAD Age / Sex : 46 Years/Male Use a QR Code Scanner Ref. Dr Application To Scan the Code : Reg. Date : 08-Oct-2022 Reg. Location : Kandivali East Main Centre Reported : 08-Oct-2022 / 12:21

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

This report is prepared and physically checked by DR. FAIZUR KHILJI before dispatch.

Khilm FRA

Dr.FAIZUR KHILJI MBBS, RADIO DIAGNOSIS Reg No-74850 Consultant Radiologist

Authenticity Check

R

E

P

0

R

Т

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2022100807581283

Page no 1 of 1

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com Corporate Identity Number (CIN): U85110MH2002PTC136144



Authenticity Check <<< QRCode>>

R

Е

P

0

CID	: 2228119046			R
Name	: Mr VIVEK PRASAD			т
Age / Sex	: 46 Years/Male		Use a QR Code Scanner	1
Ref. Dr	:	Reg. Date	Application To Scan the Code	
Reg. Location	: Kandivali East Main Centre	0	: 08-Oct-2022	
0	Findervan East Main Centre	Reported	: 08-Oct-2022 / 9:18	

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size (14.2cm), shape and smooth margins. It shows bright parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein (10.7 mm) and CBD (2.8mm) appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal.No evidence of gall stones or mass lesions seen

PANCREAS:

The pancreas is well visualized and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Right kidney measures 10.2 x 5.5 cm. Left kidney measures 10.7 x 5.2cm. Both the kidneys are normal in size shape and echotexture. No evidence of any calculus, hydronephrosis or mass lesion seen.

SPLEEN:

The spleen is normal in size (9.2cm) and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE:

The prostate is normal in size and measures 3.8 x 3.1 x 3.1 cm and volume is 19.4 cc.

Click here ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053 HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com 1 of 2

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please tum over the page or visit our website.



Authenticity Check <<< QRCode>>

R

E

P

0

R

CID	: 2228119046		
Name	: Mr VIVEK PRASAD		
Age / Sex	: 46 Years/Male		Use a QR Code Scanner
Ref. Dr	:	Reg. Date	Application To Scan the Code
Reg. Location	Vardin P. D. M. C. C.	Reg. Date	: 08-Oct-2022
Reg. Location	: Kandivali East Main Centre	Reported	: 08-Oct-2022 / 9:18

IMPRESSION:

GRADE II FATTY LIVER.

-----End of Report-----

This report is prepared and physically checked by Dr Akash Chhari before dispatch.

DR. Akash Chhari MBBS. MD. Radio-Diagnosis Mumbai MMC REG NO - 2011/08/2862

Click here ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053 HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com page no 2 of 2

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.

PATIENT NAME : MR VIVEK PRASAD	• SEX : MALE
REFERRED BY : ARCOFEMI HEALTHCARE LIMITED	• AGE : 46 YEARS
• CID NO : 2228119046	• DATE : 08/10/2022

2D & M-MODE ECHOCARDIOGRAM REPORT COLOR FLOW DOPPLER REPORT

ECHO & DOPPLER FINDINGS :

DIAGNOSTICS

PREGISE TESTING . HEALTHIER LIVING

- No diastolic dysfunction seen at present.
- No regional wall motion abnormality seen at rest at present
- No left ventricular hypertrophy seen.
- All cardiac chambers are normal in size.
- RA and RV are normal in dimensions. LA and LV are normal in dimensions.
- All cardiac valves show normal structure and physiological function.
- No significant stenosis nor regurgitation seen.
- No defect seen in the inter ventricular and inter atrial septums.
- No evidence of aneurysm / clots / vegetations/ effusion.
- TAPSE and MAPSE measured to 18 mm and 16 mm respectively.
- Inadequate TR for satisfactory PASP estimation. Pulmonary acceleration time measured to normal limits of 116 msec,.
- Visual LVEF of 60 %.

MEASUREMENTS:

IVS d (mm)	09	EDV (ml)	91	Ao (mm)	29
IVS s (mm)	15	ESV (ml)	30	LA (mm)	36
LVIDd (mm)	53	SV (ml)	61	EPSS (mm)	02
LVIDs (mm)	38	FS (mm)	30	EF SLOPE (ml/s)	130
Pwd (mm)	09	EF (%)	60	MV (mm)	24
Pws (mm)	13				

Conti....2

R

E

R

Т

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2^{ed} Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com Corporate Identity Number (CIN): U85110MH2002PTC136144



PATIENT NAME : MR VIVEK PRASAD	• SEX : MALE
REFERRED BY : ARCOFEMI HEALTHCARE LIMITED	• AGE : 46 YEARS
• CID NO : 2228119046	
	• DATE : 08/10/2022

DOPPLER: Mitral E / A

Mitral (m/s)	0.7	Aortic (m/s)	1.11
Tricuspid (m/s)	0.6	Pulmonary (m/s)	0.7

TDI


Septal e' =0.09 m/s	Lateral e' = 0.09 m/s
Septal a' = 0.06 m/s	Lateral a' = 0.07 m/s
Septal s' = 0.06 m/s	Lateral s' = 0.07 m/s
Septal E/e'= 7.7	
\sim	

Dr. P. Bhatjiwale, M.D PG cert in Clinical Cardiology, Cert in 2 D Echo & Doppler Studies Reg. No 68857

NOTE :2D ECHO has a poor sensitivity in cases of angina pectoris. Adv: Please correlate clinically. CAG/ Further cardiac evaluation as clinically indicated.

-----End of Report-----

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com Corporate Identity Number (CIN): U85110MH2002PTC136144



SUBURBAN DIAGNOSTICS - KANDIVALI EAST

Patient Name: VIVEK PRASAD

DIAGNOS	BAN 🔅			R
The second s	HEALTHIER LIVING			P
CID#	2228119046			c
Name	: MR.VIVEK PRASAD			
Age / Gender	: 46 Years/Male			R
Consulting Dr.	1	Collected	: 08-Oct-2022 / 07:57	Т
Reg.Location	: Kandivali East (Main Centre)	Reported	: 09-Oct-2022 / 09:03	

PHYSICAL EXAMINATION REPORT

History and Complaints:

No

EXAMINATION FINDINGS:

	Height (cms):	174 cms	Weight (kg):	98 kgs
	Temp (0c):	Afebrile	Skin:	Normal
J	Blood Pressure (mm/hg):	130/80	Nails:	Normal
	Pulse:	72/min	Lymph Node:	Not palpable

Systems

Cardiovascular:	Normal
Respiratory:	Normal
Genitourinary:	Normal
GI System:	Normal
CNS:	Normal

caruiovascular.	Normai
Respiratory:	Normal
Genitourinary:	Normal
GI System:	Normal
CNS:	Normal

IMPRESSION:

USG- faity line

ADVICE:

Law facty dict 1 hr sz Max 10dey

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053 HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are p ed on samples received as per ti de of Suburban Diagnostics.(2)Sample may be reject if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not va for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to oth laboratories as required. (8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein. (9) For the elaborated disclaimer, please t over the page or visit our website.



CID#	: 2228119046			С
Name	: MR.VIVEK PRASAD			R
Age / Gender	: 46 Years/Male			
Consulting Dr.	1-	Collected	: 08-Oct-2022 / 07:57	Т
Reg.Location	: Kandivali East (Main Centre)	Reported	: 09-Oct-2022 / 09:03	
0				

CHIEF COMPLAINTS:

	1)	Hypertension:	No
	2)	IHD	No
	3)	Arrhythmia	No
	4)	Diabetes Mellitus	No
	5)	Tuberculosis	No
	6)	Asthama	No
	7)	Pulmonary Disease	No
V	8)	Thyroid/ Endocrine disorders	No
	9)	Nervous disorders	No
	10)	GI system	No
	11)	Genital urinary disorder	No
		Rheumatic joint diseases or symptoms	No
		Blood disease or disorder	No
	14)	Cancer/lump growth/cyst	No
	15)	Congenital disease	No
	and the	Surgeries	No
	17)	Musculoskeletal System	No

PERSONAL HISTORY:

1)	Alcohol	Occasionaly
2)	Smoking	No
3)	Diet	Mixed
4)	Medication	No

*** End Of Report ***

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD. Row House No. 3, Aangan. Thakur Viitage, Kandivali (east), Mumbai - 400101. Tel : 61700000

R

E

F

Dr. Jagruti Dhale MBDS Consultant Physician Reg. No. 69548

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be reje if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full.(5)This report is not : for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notlfable disease to a Public Care Unit.(7)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please over the page or visit our website.



Date:- 8/10/22

Name:- Mr. Vivele Presad

EYE CHECK UP

Chief complaints:	line ch-up	
Systemic Diseases: 100	HOST	
Past history: NOO 4	o ocular sxling.	J.C.
Unaided Vision:	GIGP	616
Aided Vision:	~	e.

Refraction:

	(Right Ey	ye)			(Left Eye)						
	Sph	Cyl	Axis	· Vn	Sph	Cyl	Axis	Vn			
Distance	0.25	6-IV	70'	616	Ť	550	40	616			
Near	1-75	5-45	70'	NG	itso	050	40'	216			

Colour Vision: Normal / Abnormal

Remark: Vn within normal land

Sofer H. **KAJAL NAGRECHA**

SUBURBAN DIAGNOSTICO INDIA) PVT. LTD. Row House No. 3, Aangan, Thakur Village, Kandivall (easi), Mumbal - 400101. Tel : 61700000

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053 HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

rban Diagnostics.(2)Sample may be reje Brief Disclaimer: (1)Suburban Diagnostics ensures th ay vary from laboratory to laboratory and also in some parameters from time to time for the same patient. (4) Report must not be copied in part, only in full. (5) This report is not w if unacceptable for the requested tests. (3)Test results m for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to ot laboratories as required (8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please to a service service service and/or content or information provided herein.

0 CID: 2228119046 R т Sex/Age: MUL

R

E

P

tilogi not broughd



DENTAL CHECK - UP

	v. v	VER	Prase	ia				CI	ID : 24	22811	9046	Se:	x / Age	e: M	46
OCCL	pation	-						Da	ate: 0	5/10	2 112	12			
Chief	compl	aints:-	NO	long	dain	ts.					200				
Medi	cal / de	ental hi	istory:	A10	re	levas	nt	his	tony						
	ERAL								1						
1) Ex	tra Ora	al Exa	minati	on:											
a)	TMJ:	No	inna	1	moi	erre	rts								
	Facial							met	ilal						
2) Int	ra Ora	I Exan	ninatio	on:			J								
a)	Soft Ti	ssue E	Examir	nation:	1	Junn	nal								
b)	Hard T	issue	Exam	ination	: 0	5 /	balk		I. t.	1	1.11				1
	Calcul				1	/. C	Naca	y '	vnire	p	lake	o in	e	ncin	rel
							-								
				A	10:-	En	eme	1	hypop	plasi	9				
	Stains			A	10:-	En	lime	í i	hypot	plasi	9				
18			15	14	13	En 12	11	21	<u>нуро</u> р 22	23	24	25	26	27	28
	Stains	*	15		10:-	En	lime	(hypop	plusi	9				
18	Stains	*	15		10:-	En	lime	(hypop	plusi	9				
	Stains	*	15		10:-	En	lime	(hypop	plusi	9				
18	Stains	16		14	13	En 12	11	21	22	23 33	24	25	26	27	28
18	Stains	16		14	13	12 42 0	11 41 Missir Filled/	21 31 rg /Restore	22 32	23 33	24 24 34 #	25 35 Fracture Root Ca	26 36 d nalTreatr	27	28
48	Stains 17 47	16 46	45	44	13	12 42 0 0	11 41 Missir Filled/ Cavity	21 31 /Restore//Caries	22 32 d	23 23 33	24 34 # CT P	25 35 Fracture	26 36 d nalTreatr	27	28
48	Stains 17 47	16 46	45	44	13	12 42 0 0	11 41 Missir Filled/ Cavity	21 31 /Restore//Caries	22 32 d	23 23 33	24 34 # CT P	25 35 Fracture Root Ca	26 36 d nalTreatr	27	28
48	Stains	16 46	45	44	13	12 42 0 0	11 41 Missir Filled/ Cavity	21 31 /Restore//Caries	22 32 d	23 23 33 Ri Ri Ri	24 34 # CT P	25 35 Fracture Root Ca Root Pie	26 36 rd nalTreatr ce	27 37 ment	28
18 48 Advis	Stains 17 47	16 46	45	44	13	12 42 0 0	11 41 Missir Filled/ Cavity	21 31 /Restore//Caries	22 32 d Usa	23 33 RI RI BURBA ROV	24 34 # CT P 7	25 35 Fracture Root Ca Root Pie	26 36 d nalTreatr ce S (INDI)	27 37 ment	28 38
18 48 Advis	17 47 ed: <i>a</i> sional I	16 46) <i>Sc</i>	45 aling	44	13	12 42 0 0 Polis	11 41 Missir Filled, Cavity	21 31 /Restore//Caries	22 32 d Usa	23 33 RI RI BURBA ROV	24 34 # CT P 7	25 35 Fracture Root Ca Root Pie	26 36 d nalTreatr ce S (INDI/ 3, Aan	27 37 ment	28 38

DR. BHUMIK PATEL DR. Bhumk Pater (B.D.S) A - 23378

RP.

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053 HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1) Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2) Sample may be rejected if unacceptable for the requested tests, (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valia for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to othe laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please tur