


	-	Mr. Iotin Khatri	Age	 28 Yrs. / M
Name				11 00 001
			Date	 11.09.2021
Thanks To	•••	Mediwheel weilings	- Tunna	
T THEORET -				


X-RAY CHEST (PA VIEW)

- Both lung fields appear normal.
- No e/o Koch's lesion or consolidation seen.
 - Both CP angles appear clear.
- Both domes of diaphragm appear normal.
- Heart size and aorta are within normal limits.
 - Bony thorax under vision appears normal.
- Both hila appears normal.

Consultant Radiologist

(This report is not valid for any Medico-legal purpose)





Kshipra Scans & Labs

: 28 YES. / IVI	e : 11.09.2021	
Age Age	: Mr. Jaun Names Date	Chanks To : Mediwheel W

ULTRASOUND STUDY OF WHOLE ABDOMEN

LIVEK
Liver is normal in size and increased parenchymal echotexture. No focal mass lesion is seen. Intra hepatic biliary radicles are normal. Portal vein is normal in caliber.

Gall bladder is well distended. The wall thickness appears normal. No evidence of calculus or mass lesion is seen. C.B.D. appears normal.

Pancreas is normal in size, shape & echotexture. No focal mass lesion is seen.

SPLEEN

1

Spleen is normal in size, shape & echotexture. No focal mass lesion is seen.

BOTH KIDNEYS

Both kidneys are normal in size, shape & echotexture. Renal parenchyma appears normal. No evidence of hydronephrosis, calculus or cortical scarring is seen in either kidney.

 9.9×3.5 cms. Right kidney measures

 $11.2 \times 4.3 \text{ cms}$. Left kidney measures

URINARY BLADDER

Urinary bladder is partially distended.

Prostate is normal in size, shape and echotexture.

No obvious abdominal lymphadenopathy is seen.

No free fluid is seen in peritoneal cavity.


OPINION:

Grade I fatty changes in liver.


MD (Radio-Diagnosis) Consultant Radiologist Dr Ravi Soni


ENCL: - PCPNDT Registration Certificate is printed on the back side of this report. (This report is not valid for any Medico-legal purpose)

2-B Ground Floor, Court Choraha, Main Road Tehsil ke Samne, Udaipur 313001 (Raj.), (24 x 7 Customer Service) Email: kshipralabsudaipur@gmail.com Mob.: 7229961115, 7229970005, 7229901188




Scanned with CamScanner







Scanned with CamScanner





Scanned with CamScanner





Scanned with CamScanner





TEST REPORT

Reg. No : 2109101435

Ref. By

Name : JATIN KHATRI Age/Sex

: 28 Years / Male

Client : MEDIWHEEL WELLNESS Reg. Date : 11-Sep-2021

Collected On : 11-Sep-2021 10:47 Approved On : 11-Sep-2021 12:20

Printed On : 17-Sep-2021 15:59

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval	
	KIDNEY FU	JNCTION TEST		
UREA (Urease & glutamate dehydrogenase)	27	mg/dL	10 - 50	
Creatinine (Jaffe method)	0.74	mg/dL	0.5 - 1.4	
Uric Acid (Enzymatic colorimetric)	5.7	mg/dL	2.5 - 7.0	

----- End Of Report -----

Reg. No : 2109101435 Name : JATIN KHATRI Age/Sex : 28 Years / Male

Ref. By

<u>Parameter</u>

Client : MEDIWHEEL WELLNESS Reg. Date : 11-Sep-2021

Collected On : 11-Sep-2021 10:47 **Approved On** : 11-Sep-2021 12:22

Printed On : 17-Sep-2021 15:59

Result Unit	Reference Interval
-------------	--------------------

COMPLETE BLOOD COUNT (CBC) SPECIMEN: EDTA BLOOD					
Hemoglobin	14.8	g/dL	13.0 - 17.0		
RBC Count	4.90	million/cmm	4.5 - 5.5		
Hematrocrit (PCV)	43.6	%	40 - 54		
MCH	30.2	Pg	27 - 32		
MCV	89.0	fL	83 - 101		
MCHC	33.9	%	31.5 - 34.5		
RDW	12.3	%	11.5 - 14.5		
WBC Count	7230	/cmm	4000 - 11000		
DIFFERENTIAL WBC COUNT (Flow	cytometry)				
Neutrophils (%)	60	%	38 - 70		
Lymphocytes (%)	30	%	20 - 40		
Monocytes (%)	06	%	2 - 8		
Eosinophils (%)	04	%	0 - 6		
Basophils (%)	00	%	0 - 2		
Neutrophils	4208	/cmm			
Lymphocytes	2234	/cmm			
Monocytes	448	/cmm			
Eosinophils	289	/cmm			
Basophils	51	/cmm			
Platelet Count (Flow cytometry)	313000	/cmm	150000 - 450000		
MPV	7.4	fL	7.5 - 11.5		

----- End Of Report -----

This is an electronically authenticated report.

DR PS RAO MD Pathologist

		TEST REPORT				
Reg. No	: 2109101435		Reg. Date : 11-Sep-20	21		
Name	: JATIN KHATRI		Collected On : 11-Sep-20	21 10:47		
Age/Sex	: 28 Years / Male		Approved On : 11-Sep-20	21 12:22		
Ref. By	:		Printed On : 17-Sep-20	21 15:59		
Client	: MEDIWHEEL WELLNESS					
Paramete	<u>er</u>	Result				
	BLOOD GROUP & RH Specimen: EDTA and Serum; Method: Haemagglutination					
ABO		'A'				
Rh (D)		Positive				
		End Of Report				



: 2109101435 Reg. No

Name : JATIN KHATRI Age/Sex : 28 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date

: 11-Sep-2021

Collected On

: 11-Sep-2021 10:47

Approved On : 12-Sep-2021 11:03

Printed On : 17-Sep-2021 15:59

<u>Unit</u> Reference Interval **Parameter** Result

PLASMA GLUCOSE

Fasting Blood Sugar (FBS)

97.9

mg/dL

70 - 110

Hexokinase Method

Post Prandial Blood Sugar (PPBS)

122.9

mg/dL

70 - 140

Hexokinase Method

Criteria for the diagnosis of diabetes1. HbA1c >/= 6.5 *

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

----- End Of Report -----

: 2109101435 Reg. No Name : JATIN KHATRI Age/Sex : 28 Years / Male

Collected On : 11-Sep-2021 10:47 **Approved On** : 11-Sep-2021 12:20

: 11-Sep-2021

Reg. Date

Ref. By

Printed On : 17-Sep-2021 15:59

Client : MEDIWHEEL WELLNESS

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval				
LIPID PROFILE							
Cholesterol (Enzymatic colorimetric)	198.9	mg/dL	Desirable : < 200.0 Borderline High : 200-239 High : > 240.0				
Triglyceride (Enzymatic colorimetric)	99.9	mg/dL	Normal : < 150.0 Borderline : 150-199 High : 200-499 Very High : > 500.0				
VLDL	19.98	mg/dL	15 - 35				
Calculated							
LDL CHOLESTEROL	140.92	mg/dL	Optimal: < 100.0 Near / above optimal: 100-129 Borderline High: 130-159 High: 160-189 Very High: >190.0				
HDL Cholesterol	38.0	mg/dL	30 - 70				
Homogeneous enzymatic colorim	etric						
Cholesterol /HDL Ratio Calculated	5.23		0 - 5.0				
LDL / HDL RATIO Calculated	3.71		0 - 3.5				



: 2109101435 Reg. No Name **JATIN KHATRI** Age/Sex 28 Years / Male

Ref. By

Parameter

Client MEDIWHEEL WELLNESS Reg. Date : 11-Sep-2021

Collected On : 11-Sep-2021 10:47 Approved On : 11-Sep-2021 12:20

Printed On : 17-Sep-2021 15:59

<u>Unit</u> Reference Interval NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP<?xml:namespace prefix = "o" ns = "urn:schemasmicrosoft-com:office:office"/>

> LDL CHOLESTEROL **CHOLESTEROL HDL CHOLESTEROL TRIGLYCERIDES** Optimal<100 Desirable<200 Low<40 Normal<150 Near Optimal 100-129

Border Line 200-239 High >60 Border High 150-199 Borderline 130-159 High >240

> High 200-499 High 160-189

- LDL Cholesterol level is primary goal for treatment and varies with risk category and assessment
- For LDL Cholesterol level Please consider direct LDL value

Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.

- Detail test interpreation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.

Result

LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment

For test performed on specimens received or collected from non-KSHIPRA locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender.

KSHIPRA will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

. All other responsibility will be of referring Laboratory.

----- End Of Report ------

This is an electronically authenticated report.

Page 6 of 11

: 2109101435 Reg. No Name : JATIN KHATRI Age/Sex : 28 Years / Male

: 11-Sep-2021 Collected On : 11-Sep-2021 10:47

Ref. By

Approved On : 11-Sep-2021 12:20

Printed On

Reg. Date

: 17-Sep-2021 15:59

Client : MEDIWHEEL WELLNESS

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval			
LIVER FUNCTION TEST						
Total Bilirubin	0.90	mg/dL	0.10 - 1.0			
Colorimetric diazo method						
Conjugated Bilirubin	0.30	mg/dL	0.0 - 0.3			
Sulph acid dpl/caff-benz						
Unconjugated Bilirubin	0.60	mg/dL	0.0 - 1.1			
Sulph acid dpl/caff-benz						
SGOT	25.1	U/L	0 - 37			
(Enzymatic)						
SGPT	46.6	U/L	0 - 40			
(Enzymatic)						
Alakaline Phosphatase	56.6	U/L	53 - 130			
(Colorimetric standardized method)						
Protien with ratio						
Total Protein	7.0	g/dL	6.5 - 8.7			
(Colorimetric standardized method)						
Albumin	4.5	mg/dL	3.5 - 5.3			
(Colorimetric standardized method)						
Globulin	2.50	g/dL	2.3 - 3.5			
Calculated						
A/G Ratio	1.80		0.8 - 2.0			
Calculated						

----- End Of Report -----

TEST REPORT

: 2109101435 Reg. No Name : JATIN KHATRI Age/Sex

28 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date Collected On

: 11-Sep-2021

: 11-Sep-2021 10:47 Approved On : 11-Sep-2021 12:20

Printed On : 17-Sep-2021 15:59

Parameter Result Unit Reference Interval

HEMOGLOBIN A1 C ESTIMATION

Specimen: Blood EDTA

Hb A1C

5.6 % of Total Hb Poor Control: > 7.0 % Good Control: 6.2-7.0 % Non-diabetic Level: 4.3-6.2 %

Mean Blood Glucose

122.06

mg/dL

Calculated

Boronate Affinity with Fluorescent Quenching

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

- * High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy,etc.
- * Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

Total haemoglobin A1 c is continuously symthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose oncentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days. HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

----- End Of Report -----

Page 8 of 11

DR PS RAO Approved by:

TEST REPORT

Reg. No : 2109101435 Name : JATIN KHATRI : 28 Years / Male Reg. Date : 11-Sep-2021

Age/Sex

Collected On : 11-Sep-2021 10:47 **Approved On** : 11-Sep-2021 12:20

Ref. By

Parameter

Printed On : 17-Sep-2021 15:59

Client : MEDIWHEEL WELLNESS

> Result <u>Unit</u> Reference Interval

BUN 12.6 mg/dL 5 - 24

----- End Of Report -----

This is an electronically authenticated report.

 Reg. No
 : 2109101435

 Name
 : JATIN KHATRI

 Age/Sex
 : 28 Years / Male

Collected On : 11-Sep-2021 10:47 **Approved On** : 11-Sep-2021 12:40

Reg. Date

Ref. By

Printed On : 17-Sep-2021 15:59

: 11-Sep-2021

Client : MEDIWHEEL WELLNESS

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval	
	THYRC	ID FUNCTION TE	ST	
T3 (Triiodothyronine)	1.28	ng/mL	0.87 - 1.81	
Chemiluminescence				
T4 (Thyroxine)	9.08	μg/dL	5.89 - 14.9	
Chemiluminescence				
TSH (ultra sensitive)	2.086	μIU/ml	0.34 - 5.6	

Chemiluminescence

SUMMARY The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones. TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. LIMITATION Presence of autoantibodies may cause unexpected high value of TSH

----- End Of Report -----

TEST REPORT

Reg. No : 2109101435 Name : JATIN KHATRI Age/Sex : 28 Years / Male

Collected On : 11-Sep-2021 10:47 Approved On : 11-Sep-2021 12:41

Reg. Date

Ref. By

Client

: MEDIWHEEL WELLNESS

Printed On : 17-Sep-2021 15:59

: 11-Sep-2021

Reference Interval **Parameter** Result <u>Unit</u>

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

Quantity 20 cc Pale Yellow Colour Clear **Appearance**

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC METHOD)

5.0 - 8.0рН 5.0 1.010 1.002 - 1.03 Sp. Gravity

Nil Protein Nil Glucose Ketone Bodies Nil Urine Bile salt and Bile Pigment Nil Urine Bilirubin Nil Nitrite Nil Leucocytes Nil Blood Nil

MICROSCOPIC EXAMINATION (MANUAL BY MCIROSCOPY)

Leucocytes (Pus Cells) Nil Erythrocytes (Red Cells) Nil **Epithelial Cells** 1-2/hpf Amorphous Material Nil Nil Casts Nil Crystals Bacteria Nil Monilia Nil

----- End Of Report -----

Page 11 of 11

DR PS RAO Approved by: