



Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAHUL KUMAR Registered On : 27/Jul/2024 10:17:55 Age/Gender Collected : 27 Y 11 M 17 D /M : 27/Jul/2024 10:52:31 UHID/MR NO : CHFD.0000307860 Received : 27/Jul/2024 11:27:05 Visit ID : CHFD0249512425 Reported : 27/Jul/2024 14:14:21

: Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), E	Blood			
Blood Group	А			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
				AGGLOTIVA
Complete Blood Count (CBC), Who	le Blood			
TLC (WBC) DLC Dalymary by (Maytagabile)	5,700.00	g/dl /Cu mm	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/d 4000-10000	I ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	70.00	%	40-80	ELECTRONIC IMPEDANCE
Lymphocytes	28.00	%	20-40	ELECTRONIC IMPEDANCE
Monocytes	1.00	%	2-10	ELECTRONIC IMPEDANCE
Eosinophils Basophils ESR	1.00 0.00	% %	1-6 < 1-2	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Observed	18.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8 Pregnancy	











Ph: 9235400973,

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAHUL KUMAR Registered On : 27/Jul/2024 10:17:55 Age/Gender Collected : 27 Y 11 M 17 D /M : 27/Jul/2024 10:52:31 UHID/MR NO : CHFD.0000307860 Received : 27/Jul/2024 11:27:05 Visit ID : CHFD0249512425 Reported : 27/Jul/2024 14:14:21

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	6.00	Mm for 1st hr.	< 9	
PCV (HCT)	42.50	%	40-54	
Platelet count		,		
Platelet Count	1.91	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.50	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	54.10	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.27	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.87	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	87.20	fl	80-100	CALCULATED PARAMETER
MCH	28.50	pg	27-32	CALCULATED PARAMETER
MCHC	32.70	%	30-38	CALCULATED PARAMETER
RDW-CV	12.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	42.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,990.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	57.00	/cu mm	40-440	

Dr. R. B. Varshney M.D. Pathology





CHANDAN DIAGNOSTIC CENTRE



 $Add: Mukut\ Complex,\ Rekabganj, Faizabad$

Ph: 9235400973,

CIN: U85110UP2003PLC193493



Page 3 of 12

Patient Name : Mr.RAHUL KUMAR Age/Gender : 27 Y 11 M 17 D /M

UHID/MR NO : CHFD.0000307860 Visit ID : CHFD0249512425

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Registered On Collected : 27/Jul/2024 10:17:57 : 27/Jul/2024 10:52:31

GOD POD

Received : 27/Jul/2024 11:49:07 Reported : 27/Jul/2024 13:02:06

Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING, Plasma				

mg/dl

100-125 Pre-diabetes

≥ 126 Diabetes

< 100 Normal

Interpretation:

Glucose Fasting

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

81.36

- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

Glucose PP	104.36	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	

140-199 Pre-diabetes >200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.50	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	26.20	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	84	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy









Ph: 9235400973,

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAHUL KUMAR Registered On : 27/Jul/2024 10:17:57 Collected Age/Gender : 27 Y 11 M 17 D /M : 27/Jul/2024 10:52:31 UHID/MR NO : CHFD.0000307860 Received : 27/Jul/2024 11:49:07 Visit ID : CHFD0249512425 Reported : 27/Jul/2024 13:02:06 Dr. MEDIWHEEL ACROFEMI

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

BUN (Blood Urea Nitrogen) Sample:Serum 7.75

mg/dL

7.0-23.0

CALCULATED

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Page 4 of 12





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

^{*}Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

^{*}With optimal control, the HbA 1c moves toward normal levels.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Ph: 9235400973,

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAHUL KUMAR Registered On : 27/Jul/2024 10:17:57 Age/Gender : 27 Y 11 M 17 D /M Collected : 27/Jul/2024 10:52:31 UHID/MR NO : CHFD.0000307860 Received : 27/Jul/2024 11:49:07 Visit ID : CHFD0249512425 Reported : 27/Jul/2024 13:02:06

Dr.MEDIWHEEL ACROFEMI Ref Doctor : Final Report

Status HEALTHCARE LTD FZD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

Low-protein diet, overhydration, Liver disease.

Creatinine 0.76 mg/dl 0.7-1.30 **MODIFIED JAFFES**

Sample:Serum

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid 4.88 **URICASE** mg/dl 3.4 - 7.0

Sample:Serum

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST)	32.33	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	34.49	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	46.81	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.88	gm/dl	6.2-8.0	BIURET
Albumin	4.17	gm/dl	3.4-5.4	B.C.G.
Globulin	2.71	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.54		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	132.65	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.54	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.26	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.28	mg/dl	< 0.8	JENDRASSIK & GROF

LIPID PROFILE (MINI), Serum

CHOD-PAP Cholesterol (Total) 211.85 mg/dl <200 Desirable

200-239 Borderline High

> 240 High







Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110UP2003PLC193493




Patient Name : Mr.RAHUL KUMAR Registered On : 27/Jul/2024 10:17:57 Age/Gender : 27 Y 11 M 17 D /M Collected : 27/Jul/2024 10:52:31 UHID/MR NO Received : CHFD.0000307860 : 27/Jul/2024 11:49:07 Visit ID : CHFD0249512425 Reported : 27/Jul/2024 13:02:06

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Uni	t Bio. Ref. Interva	al Method
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol)	57.02 121	mg/dl mg/dl	30-70 < 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	33.50	mg/dl	10-33	CALCULATED
Triglycerides	167.51	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

Dr. R. B. Varshney M.D. Pathology









Ph: 9235400973,

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAHUL KUMAR Registered On : 27/Jul/2024 10:17:57 Age/Gender Collected : 27 Y 11 M 17 D /M : 27/Jul/2024 17:58:39 UHID/MR NO : CHFD.0000307860 Received : 27/Jul/2024 18:05:20 Visit ID : CHFD0249512425 Reported : 27/Jul/2024 18:46:36

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE,	Urine			
Color	LIGHT YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Cugar	ABSENT	amc0/	> 500 (++++) < 0.5 (+)	DIPSTICK
Sugar	ADSEIVI	gms%	0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	OCCASIONAL			MICROSCOPIC
				EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
OH	ADCENIT			EXAMINATION
Others	ABSENT			
STOOL, ROUTINE EXAMINATION,	Stool			
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic (6.0)			







Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110UP2003PLC193493



Patient Name

: Mr.RAHUL KUMAR : 27 Y 11 M 17 D /M : 27/Jul/2024 10:17:57

Age/Gender UHID/MR NO

: CHFD.0000307860

: 27/Jul/2024 17:58:39 : 27/Jul/2024 18:05:20

Visit ID

: CHFD0249512425

Received Reported

Ref Doctor

Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -

: 27/Jul/2024 18:46:36

Status : Final Report

Registered On

Collected

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			

SUGAR, FASTING STAGE, Urine

Sugar, Fasting stage

ABSENT

gms%

Interpretation:

< 0.5 (+)

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE, Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+)

< 0.5 gms%

(++)

0.5-1.0 gms%

(++++) > 2 gms%

(+++) 1-2 gms%

Dr. R. B. Varshney M.D. Pathology











Ph: 9235400973,

CIN: U85110UP2003PLC193493



Patient Name : 27/Jul/2024 10:17:57 : Mr.RAHUL KUMAR Registered On Age/Gender Collected : 27 Y 11 M 17 D /M : 27/Jul/2024 10:52:31 UHID/MR NO : CHFD.0000307860 Received : 27/Jul/2024 11:33:26 Visit ID : CHFD0249512425 Reported : 27/Jul/2024 12:51:22 : Dr.MEDIWHEEL ACROFEMI

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine)	143.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	6.50	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.200	μlU/mL	0.27 - 5.5	CLIA
Interpretation:		•		
		0.3-4.5 μIU/n	nL First Trimes	ter
		0.5-4.6 μIU/n	nL Second Trim	nester
		0.8-5.2 μIU/n	nL Third Trimes	ster
		0.5-8.9 μIU/n	nL Adults	55-87 Years
		0.7-27 μIU/n	nL Premature	28-36 Week
		2.3-13.2 μIU/n	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	- 20 Yrs.)
		1-39 µIU		0-4 Days
		1.7-9.1 μIU/n		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. R. B. Varshney M.D. Pathology

Page 9 of 12





CHANDAN DIAGNOSTIC CENTRE



Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAHUL KUMAR Age/Gender : 27 Y 11 M 17 D /M

: CHFD.0000307860

Registered On Collected

: 27/Jul/2024 10:17:58 : 2024-07-27 10:29:10

UHID/MR NO Visit ID : CHFD0249512425

Received Reported : 2024-07-27 10:29:10 : 27/Jul/2024 11:57:34

: Dr.MEDIWHEEL ACROFEMI Ref Doctor HEALTHCARE LTD FZD -

Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA

X-RAY REPORT

(300 mA COMPUTERISED UNIT SPOT FILM DEVICE) **CHEST P-A VIEW**

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Adv: clinico-pathological correlation and further evaluation.

MD Radiodiagnosis

Page 10 of 12









Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973,

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAHUL KUMAR : 27/Jul/2024 10:17:59 Registered On Age/Gender : 27 Y 11 M 17 D /M Collected : 2024-07-27 11:54:08 UHID/MR NO : CHFD.0000307860 Received : 2024-07-27 11:54:08 Visit ID : CHFD0249512425 Reported : 27/Jul/2024 11:55:29

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• The liver is normal in size 14.08 cm in longitudinal span and has a normal homogenous echotexture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size. GB Wall thicknes is normal.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

GREAT VESSELS

• Great vessels are normal.

KIDNEYS

- Both the kidneys are normal in size and cortical echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

SPLEEN

• The spleen is normal in size and has a normal homogenous echo-texture.

LYMPH NODES

• No pre- or para - aortic lymph node mass is seen.

RETROPERITONEUM

• Retroperitoneum is free.

ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or mass.







CHANDAN DIAGNOSTIC CENTRE

Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973,

CIN: U85110UP2003PLC193493



Patient Name Age/Gender : Mr.RAHUL KUMAR : 27 Y 11 M 17 D /M

Collected : 2024-07-27 11:54:08

UHID/MR NO Visit ID

: CHFD.0000307860 : CHFD0249512425 Received : 2024-07-27 11:54:08 Reported : 27/Jul/2024 11:55:29

: 27/Jul/2024 10:17:59

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Registered On

• No free fluid is noted in peritoneal cavity.

URETERS

- The upper parts of both the ureters are normal.
- Thevesico ureteric junctions are normal.

URINARY BLADDER

• The urinary bladder is normal.

PROSTATE

• The Prostate gland is normal in size.

FINAL IMPRESSION:-

No significant abnormality is seen in present study.

Adv: Clinico-pathological correlation and follow-up.

*** End Of Report ***

Result/s to Follow: ECG/EKG



Onvoy Dr. R. B. Varshney

Ultrasonologist

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





