

Test Name



CHANDAN DIAGNOSTIC CENTRE

Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707,

CIN: U85110UP2003PLC193493

Patient Name : Mrs.ANVITA BAJPAI Registered On : 14/Sep/2024 10:17:50 Collected Age/Gender : 14/Sep/2024 10:33:00 : 38 Y O M O D /F UHID/MR NO : CDCA.0000137104 Received : 14/Sep/2024 11:04:39 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 14:24:21

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

Result

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Unit

Rio Ref Interval

Method

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) , Blood				
	5			FDVTUDOOVTE
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) , Whole Blood				
Haemoglobin	12.20	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>	6,600.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	69.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	25.00	%	20-40	FLOW CYTOMETRY
Monocytes	4.00	%	2-10	FLOW CYTOMETRY
Eosinophils	2.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	28.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	



View Reports on Chandan 24x7 App





Add: M-214/215.SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707,

CIN: U85110UP2003PLC193493

: 14/Sep/2024 10:17:50 Patient Name : Mrs.ANVITA BAJPAI Registered On Collected Age/Gender : 14/Sep/2024 10:33:00 : 38 Y O M O D /F UHID/MR NO : CDCA.0000137104 Received : 14/Sep/2024 11:04:39 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 14:24:21

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	16.00	Mm for 1st hr.	< 20	
PCV (HCT)	36.00	%	40-54	
Platelet count				
Platelet Count	1.5	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.50	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	52.60	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.20	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.00	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	91.50	fl	80-100	CALCULATED PARAMETER
MCH	30.90	pg	27-32	CALCULATED PARAMETER
MCHC	33.80	%	30-38	CALCULATED PARAMETER
RDW-CV	11.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	38.00	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,554.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	132.00	/cu mm	40-440	

Dr. R.K. Khanna (MBBS,DCP)













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707.

CIN: U85110UP2003PLC193493

Patient Name : Mrs.ANVITA BAJPAI : 14/Sep/2024 10:17:51 Registered On Age/Gender : 38 Y O M O D /F Collected : 14/Sep/2024 16:04:03 UHID/MR NO : CDCA.0000137104 Received : 14/Sep/2024 17:51:40 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 19:01:10

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING , Plasma					
Glucose Fasting	93.80	mg/dl	< 100 Normal 100-125 Pre-diabetes > 126 Diabetes	GOD POD	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP 126.90 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes

>200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

Dr. R.K. Khanna (MBBS,DCP)











Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707.

Heit Die Def Internel

CIN: U85110UP2003PLC193493

Patient Name : Mrs.ANVITA BAJPAI Registered On : 14/Sep/2024 10:17:51 Age/Gender : 38 Y O M O D /F Collected : 14/Sep/2024 10:33:00 UHID/MR NO : CDCA.0000137104 Received : 14/Sep/2024 13:39:10 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 14:50:04

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

rest name	Result	Unit Bio. Ref. in	tervai ivietnod	
GLYCOSYLATED HAEMOGLOBIN (HBA1C) *	* , EDTA BLOOD			
Glycosylated Haemoglobin (HbA1c)	5.50	% NGSP	HPLC (NGSP)	
Glycosylated Haemoglobin (HbA1c)	37.00	mmol/mol/IFCC		
Estimated Average Glucose (eAG)	111	ma/dl		

Interpretation:

Toot Nome

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)N	GSP mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level







^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Test Name



CHANDAN DIAGNOSTIC CENTRE

Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707.

CIN: U85110UP2003PLC193493

Patient Name : Mrs.ANVITA BAJPAI : 14/Sep/2024 10:17:51 Registered On Age/Gender : 38 Y O M O D /F Collected : 14/Sep/2024 10:33:00 UHID/MR NO : CDCA.0000137104 Received : 14/Sep/2024 13:39:10 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 14:50:04

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

Unit

Bio. Ref. Interval

Method

- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

Result

- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

Bring

Dr. Anupam Singh (MBBS MD Pathology)





View Reports on Chandan 24x7 App







Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707.

CIN: U85110UP2003PLC193493

Patient Name : Mrs.ANVITA BAJPAI : 14/Sep/2024 10:17:51 Registered On Age/Gender Collected : 38 Y O M O D /F : 14/Sep/2024 10:33:00 UHID/MR NO : CDCA.0000137104 Received : 14/Sep/2024 12:53:27 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 14:29:52

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) Sample:Serum	11.44	mg/dL	7.0-23.0	CALCULATED

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.

Creatinine0.85mg/dl0.5-1.20MODIFIED JAFFES

Sample:Serum

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid 5.60 mg/dl 2.5-6.0 URICASE

Sample:Serum

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST) 25.06 U/L < 35 IFCC WITHOUT P5P











Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707,

CIN: U85110UP2003PLC193493

Patient Name : Mrs.ANVITA BAJPAI Registered On : 14/Sep/2024 10:17:51 Age/Gender Collected : 14/Sep/2024 10:33:00 : 38 Y O M O D /F UHID/MR NO : CDCA.0000137104 Received : 14/Sep/2024 12:53:27 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 14:29:52

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
SGPT / Alanine Aminotransferase (ALT)	8.21	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	20.62	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.17	gm/dl	6.2-8.0	BIURET
Albumin	4.27	gm/dl	3.4-5.4	B.C.G.
Globulin	2.90	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.47		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	102.53	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.51	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.08	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.43	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	164.10	mg/dl	<200 Desirable 200-239 Borderline Higl > 240 High	CHOD-PAP 1
HDL Cholesterol (Good Cholesterol)	62.12	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	89	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline Higl 160-189 High > 190 Very High	
VLDL	12.66	mg/dl	10-33	CALCULATED
Triglycerides	63.30	mg/dl	< 150 Normal 150-199 Borderline Higl 200-499 High >500 Very High	GPO-PAP

Dr. R.K. Khanna (MBBS,DCP)













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707.

CIN: U85110UP2003PLC193493

Patient Name : 14/Sep/2024 10:17:51 : Mrs.ANVITA BAJPAI Registered On Age/Gender : 38 Y O M O D /F Collected : 14/Sep/2024 10:33:00 UHID/MR NO : CDCA.0000137104 Received : 14/Sep/2024 13:27:36 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 16:10:31

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL **, Serum				
T3, Total (tri-iodothyronine)	94.25	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	5.20	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	7.310	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 $\mu IU/r$	nL First Trimes	ter
		0.5-4.6 μIU/r	nL Second Trin	nester
		0.8-5.2 μIU/n	nL Third Trime	ster
		0.5-8.9 μIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/n		> 37Week
		0.7-64 μIU/n		- 20 Yrs.)
		•	/mL Child	0-4 Days
		1.7-9.1 μIU/r	nL Child	2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Brin

Dr. Anupam Singh (MBBS MD Pathology)











Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707.

CIN: U85110UP2003PLC193493

Patient Name : Mrs.ANVITA BAJPAI Registered On : 14/Sep/2024 10:17:52 Age/Gender : 38 Y O M O D /F Collected : 2024-09-14 17:06:44 UHID/MR NO : CDCA.0000137104 Received : 2024-09-14 17:06:44 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 17:07:01

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA

(300 mA COMPUTERISED UNIT SPOT FILM DEVICE)

CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION

• NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.















Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707.

CIN: U85110UP2003PLC193493

Patient Name : Mrs.ANVITA BAJPAI : 14/Sep/2024 10:17:52 Registered On Age/Gender : 38 Y O M O D /F Collected : 2024-09-14 12:50:55 UHID/MR NO : CDCA.0000137104 Received : 2024-09-14 12:50:55 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 12:53:05

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER

• Liver is normal in size measuring 14.2 cm in longitudinal span & shows mild diffuse increase in parenchymal echogenicity.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is normal at the porta. (5.9 mm)
- The gall bladder is normal in size and has regular walls. Wall thickness is normal. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

RIGHT KIDNEY (11.0 x 4.1 cm)

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

LEFT KIDNEY (11.3 x 3.7 cm)

- Left kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707.

CIN: U85110UP2003PLC193493

Patient Name : Mrs.ANVITA BAJPAI : 14/Sep/2024 10:17:52 Registered On Age/Gender : 38 Y O M O D /F Collected : 2024-09-14 12:50:55 UHID/MR NO : CDCA.0000137104 Received : 2024-09-14 12:50:55 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 12:53:05

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

SPLEEN

• The spleen is normal in size and has a homogenous echotexture.

ILIAC FOSSA

Scan over the iliac fossae does not reveal any fluid collection or mass.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and regular.

UTERUS

- The uterus is anteverted and anteflexed position and is normal in size measures 6.9 x 5.5 x 4.1 cm.
- It has a homogenous myometrial echotexture. A subservial fibroid is noted in fundoposterior wall, measuring 1.8 x 1.2 cm.
- The endometrium is seen in midline.
- Cervix is normal.

UTERINE ADNEXA

- Adnexa on both sides are normal.
- Right ovary measures 2.4 x 1.5 cm.
- Left ovary measures 2.5 x 1.4 cm.
- Both the ovaries are normal in size.

CUL-DE-SAC

• Pouch of Douglas is clear.

IMPRESSION

- Grade-I fatty infiltration of liver.
- A uterine fibroid.

Recommended: clinicopathological correlation.

*** End Of Report ***











Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707.

CIN: U85110UP2003PLC193493

Patient Name : 14/Sep/2024 10:17:52 : Mrs.ANVITA BAJPAI Registered On Age/Gender : 38 Y O M O D /F Collected : 2024-09-14 12:50:55 UHID/MR NO : CDCA.0000137104 Received : 2024-09-14 12:50:55 Visit ID : CDCA0199042425 Reported : 14/Sep/2024 12:53:05

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

URINE EXAMINATION, ROUTINE, STOOL, ROUTINE EXAMINATION, SUGAR, FASTING STAGE, SUGAR, PP STAGE, ECG / EKG





This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location

Page 12 of 12







