

CODE/NAME & ADDRESS : C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0321XC002246**PATIENT ID: MANIM040682321

CHIENT BATIENT ID:

AGE/SEX :41 Years Male
DRAWN :29/03/2024 00:00:00

RECEIVED : 29/03/2024 09:19:01 REPORTED : 30/03/2024 12:41:24

Test Report Status Preliminary Results Biological Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVR SOUMARIENDING XRAY-CHEST RESULT PENDING

ECG RESULT PENDING **MEDICAL HISTORY RESULT PENDING ANTHROPOMETRIC DATA & BMI RESULT PENDING GENERAL EXAMINATION RESULT PENDING** CARDIOVASCULAR SYSTEM RESULT PENDING RESPIRATORY SYSTEM **RESULT PENDING** PER ABDOMEN RESULT PENDING **CENTRAL NERVOUS SYSTEM** RESULT PENDING **MUSCULOSKELETAL SYSTEM RESULT PENDING BASIC EYE EXAMINATION RESULT PENDING BASIC ENT EXAMINATION** RESULT PENDING **BASIC DENTAL EXAMINATION RESULT PENDING SUMMARY RESULT PENDING FITNESS STATUS RESULT PENDING**

Page 1 Of 15





View Details

View Repor

Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS: C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0321XC002246**PATIENT ID: MANIM040682321

SPIENT BATIENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00

RECEIVED :29/03/2024 09:19:01 REPORTED :30/03/2024 12:41:24

Test Report Status Preliminary Results Units

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE ULTRASOUND ABDOMEN
ULTRASOUND ABDOMEN
MILD FATTY LIVER.

TMT OR ECHO

RESULT PENDING

5

Dr.Sahil .N.Shah Consultant Radiologist





Page 2 Of 15

View Details

View Penor



Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0321XC002246 PATIENT ID : MANIM040682321

CHENT BATTENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00

RECEIVED: 29/03/2024 09:19:01 REPORTED :30/03/2024 12:41:24

Test Report Status	Preliminary	Results	Biological Reference Interval	Units

~					
HAEMATOLOGY - CBC					
MEDI WHEEL FULL BODY HEALTH CHECK UP AI	BOVE 40 MALE				
BLOOD COUNTS,EDTA WHOLE BLOOD					
HEMOGLOBIN (HB)	11.5 Low	13.0 - 17.0	g/dL		
RED BLOOD CELL (RBC) COUNT	4.87	4.5 - 5.5	mil/μL		
WHITE BLOOD CELL (WBC) COUNT	4.92	4.0 - 10.0	thou/µL		
PLATELET COUNT	236	150 - 410	thou/μL		
RBC AND PLATELET INDICES					
HEMATOCRIT (PCV)	37.3 Low	40.0 - 50.0	%		
MEAN CORPUSCULAR VOLUME (MCV)	76.5 Low	83.0 - 101.0	fL		
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	23.6 Low	27.0 - 32.0	pg		
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	30.8 Low	31.5 - 34.5	g/dL		
RED CELL DISTRIBUTION WIDTH (RDW)	27.6 High	11.6 - 14.0	%		
MENTZER INDEX	15.7				
MEAN PLATELET VOLUME (MPV)	7.6	6.8 - 10.9	fL		
WBC DIFFERENTIAL COUNT					
NEUTROPHILS	64	40 - 80	%		
LYMPHOCYTES	24	20 - 40	%		
MONOCYTES	10	2.0 - 10.0	%		
EOSINOPHILS	2	1.0 - 6.0	%		
BASOPHILS	0	0 - 1	%		
ABSOLUTE NEUTROPHIL COUNT	3.15	2.0 - 7.0	thou/µL		
ABSOLUTE LYMPHOCYTE COUNT	1.18	1.0 - 3.0	thou/μL		
ABSOLUTE MONOCYTE COUNT	0.49	0.2 - 1.0	thou/μL		
ABSOLUTE EOSINOPHIL COUNT	0.10	0.02 - 0.50	thou/µL		
ABSOLUTE BASOPHIL COUNT	0.00 Low	0.02 - 0.10	thou/μL		

Dr.Miral Gajera Consultant Pathologist





Page 3 Of 15



Agilus Diagnostics Ltd Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





REF. DOCTOR: DR. ARCOFEMI HEALTHCARE LTD **PATIENT NAME: MANISH KUMAR MITTAL** (MEDIWHEEL

CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0321XC002246 PATIENT ID : MANIM040682321

CHIENT BATIENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00

RECEIVED: 29/03/2024 09:19:01 REPORTED: 30/03/2024 12:41:24

Results **Biological Reference Interval Units Test Report Status Preliminary**

NEUTROPHIL LYMPHOCYTE RATIO (NLR) 2.7

MORPHOLOGY

RBC MILD MICROCYTIC HYPOCHROMIC, ANISOCYTOSIS PRESENT(+).

WBC NORMAL MORPHOLOGY

ADEQUATE PLATELETS

NO PREMATURE CELLS ARE SEEN. MALARIAL PARASITE NOT DETECTED. REMARKS

Interpretation(s)
BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr.Miral Gaiera

Consultant Pathologist



Page 4 Of 15



Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi,

Ahmedabad, 380015

Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email: customercare.ahmedabad@agilus.in



PERFORMED AT:



REF. DOCTOR: DR. ARCOFEMI HEALTHCARE LTD **PATIENT NAME: MANISH KUMAR MITTAL** (MEDIWHEEL

PATIENT ID

CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0321XC002246

: MANIM040682321

CHENT BATTENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00

RECEIVED: 29/03/2024 09:19:01 REPORTED: 30/03/2024 12:41:24

Biological Reference Interval Test Report Status Results Units **Preliminary**

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R 13 0 - 14

mm at 1 hr

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE **BLOOD**

HBA1C

4.7

Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4

Diabetics: > or = 6.5Therapeutic goals: < 7.0 Action suggested : > 8.0

(ADA Guideline 2021)

ESTIMATED AVERAGE GLUCOSE(EAG)

88.2

< 116.0

mg/dL

%

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION:

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays' fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm/hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine,

salicylates)

REFERENCE:

Dr.Miral Gaiera Consultant Pathologist



Page 5 Of 15



Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





REF. DOCTOR: DR. ARCOFEMI HEALTHCARE LTD **PATIENT NAME: MANISH KUMAR MITTAL** (MEDIWHEEL

PATIENT ID

CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0321XC002246

: MANIM040682321

CHIENT BATIENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00

RECEIVED: 29/03/2024 09:19:01 REPORTED: 30/03/2024 12:41:24

Test Report Status Results **Biological Reference Interval** Units **Preliminary**

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

- Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2. Diagnosing diabetes
- 3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

- eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
 eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

HbA1c Estimation can get affected due to :

- 1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- 2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.
 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.
- 4. Interference of hemoglobinopathies in HbA1c estimation is seen in
- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c. b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
- c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr.Miral Gajera **Consultant Pathologist**





Page 6 Of 15

View Report



Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0321XC002246 PATIENT ID

: MANIM040682321

CHENT BATIENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00

RECEIVED: 29/03/2024 09:19:01 REPORTED :30/03/2024 12:41:24

Biological Reference Interval Test Report Status Results Units **Preliminary**

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP TYPE O RH TYPE **POSITIVE**

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr.Miral Gaiera Consultant Pathologist



Page 7 Of 15





Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS: C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0321XC002246**PATIENT ID: MANIM040682321

CPIENT BATIENT ID:

AGE/SEX :41 Years Male
DRAWN :29/03/2024 00:00:00

RECEIVED : 29/03/2024 09:19:01 REPORTED :30/03/2024 12:41:24

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

	BIOCHEMISTRY		
MEDI WHEEL FULL BODY HEALTH CHECK UP	ABOVE 40 MALE		,
GLUCOSE FASTING, FLUORIDE PLASMA			
FBS (FASTING BLOOD SUGAR)	89	74 - 99	mg/dL

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) 91 70 - 140 mg/dL

LIPID PROFILE WITH CALCULATED LDL, SERUM

CHOLESTEROL, TOTAL	86	Desirable: < 200 mg/dL BorderlineHigh: 200 - 239 High: > or = 240	
TRIGLYCERIDES	77	Desirable: < 150 mg/dL BorderlineHigh: $150 - 199$ High: $200 - 499$ Very High: $> or = 500$	
HDL CHOLESTEROL	33 Low	< 40 Low mg/dL > or = 60 High	
CHOLESTEROL LDL	38	Adult levels: mg/dL Optimal < 100 Near optimal/above optimal: 100-129 Borderline high: 130-159 High: 160-189 Very high: = 190	
NON HDL CHOLESTEROL	53	Desirable: Less than 130 mg/dL Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	
VERY LOW DENSITY LIPOPROTEIN	15.4	< or = 30 mg/dL	
CHOL/HDL RATIO	2.6 Low	3.3 - 4.4	

Dr.Miral Gajera Consultant Pathologist



Page 8 Of 15

View Details





Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi,

Ahmedabad, 380015





CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0321XC002246 PATIENT ID : MANIM040682321

CHENT BATTENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED: 29/03/2024 09:19:01 REPORTED :30/03/2024 12:41:24

8800465156				
Test Report Status <u>Preliminary</u>	Results	Biological Reference Ir	nterval Units	
LDL/HDL RATIO	1.2	0.5 - 3.0 Desirable/Lov 3.1 - 6.0 Borderline/M Risk >6.0 High Risk		
LIVER FUNCTION PROFILE, SERUM				
BILIRUBIN, TOTAL	0.18	Upto 1.2	mg/dL	
BILIRUBIN, DIRECT	0.12	Upto 0.2	mg/dL	
BILIRUBIN, INDIRECT	0.06	0.00 - 1.00	mg/dL	
TOTAL PROTEIN	7.1	6.4 - 8.3	g/dL	
ALBUMIN	4.6	3.5 - 5.2	g/dL	
GLOBULIN	2.5	2.0 - 4.1	g/dL	
ALBUMIN/GLOBULIN RATIO	1.8	1.0 - 2.0	RATIO	
ASPARTATE AMINOTRANSFERASE(AST/SGOT)	19	0 - 40	U/L	
ALANINE AMINOTRANSFERASE (ALT/SGPT)	14	0 - 41	U/L	
ALKALINE PHOSPHATASE	115	40 - 129	U/L	
GAMMA GLUTAMYL TRANSFERASE (GGT)	8	8 - 61	U/L	
LACTATE DEHYDROGENASE	196	135 - 225	U/L	
BLOOD UREA NITROGEN (BUN), SERUM				
BLOOD UREA NITROGEN	7	6 - 20	mg/dL	
CREATININE, SERUM				
CREATININE	0.73 Low	0.90 - 1.30	mg/dL	
BUN/CREAT RATIO				
BUN/CREAT RATIO	9.59	5.0 - 15.0		

Dr.Miral Gajera Consultant Pathologist





Page 9 Of 15





Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email: customer care. a hmed abad@agilus. in



Agilus Diagnostics Ltd Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015



CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0321XC002246 PATIENT ID : MANIM040682321

CHIENT BATTENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00

RECEIVED: 29/03/2024 09:19:01 REPORTED :30/03/2024 12:41:24

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
. cot itopoi e otatao	<u>r i Cillilliai y</u>	Results	Diological Reference Interval	0

URIC ACID, SERUM URIC ACID	4.2	3.4 - 7.0	mg/dL
TOTAL PROTEIN, SERUM TOTAL PROTEIN	7.1	6.4 - 8.3	g/dL
ALBUMIN, SERUM ALBUMIN	4.6	3.5 - 5.2	g/dL
GLOBULIN GLOBULIN	2.5	2.0 - 4.1	g/dL
ELECTROLYTES (NA/K/CL), SERUM SODIUM, SERUM POTASSIUM, SERUM CHLORIDE, SERUM	139.2 4.86 106.0	136 - 145 3.3 - 5.1 98 - 106	mmol/L mmol/L mmol/L

Interpretation(s)
GLUCOSE FASTING,FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Increased in:Diabetes mellitus, Cushing' s syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides. **Decreased in**: Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases (e.g. galactosemia), Drugs-insulin, ethanol, propranolol sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

Dr.Miral Gajera Consultant Pathologist





Page 10 Of 15



View Report



Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0321XC002246 PATIENT ID : MANIM040682321

CHENT BATTENT ID:

AGE/SEX :41 Years Male :29/03/2024 00:00:00 DRAWN

RECEIVED: 29/03/2024 09:19:01 REPORTED :30/03/2024 12:41:24

Test Report Status Results **Biological Reference Interval** Units **Preliminary**

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within

individuals.Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a vellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, billiary system and pancreas. Conditions that increase serum GGT are obstructive liver disease,high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein,is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and

globulin.Higher-than-normal levels may be due to:Chronic inflammation or infection,including HIV and hepatitis B or C,Multiple myeloma,Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease, Malabsorption,Malnutrition,Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

• Myasthenia Gravis, Muscuophy

LINE ACCESTINE Control of Teacher Levels (Line Problems Control Design Control De

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome Causes of decreased levels-Low Zinc intake,OCP,Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin.

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic

Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

syndrome, Protein-losing enteropathy etc. ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy,

Dr.Miral Gajera **Consultant Pathologist**



Page 11 Of 15

View Details

View Report



Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS: C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0321XC002246**PATIENT ID: MANIM040682321

CHIENT BATIENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00

RECEIVED : 29/03/2024 09:19:01 REPORTED :30/03/2024 12:41:24

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

PHYSICAL EXAMINATION, URINE

COLOR Yellow APPEARANCE Clear

CHEMICAL EXAMINATION, URINE

PH	5.5	4.7 - 7.5
SPECIFIC GRAVITY	>=1.030	1.003 - 1.035
PROTEIN	NOT DETECTED	NOT DETECTED
GLUCOSE	NOT DETECTED	NEGATIVE
KETONES	NOT DETECTED	NOT DETECTED
BLOOD	NOT DETECTED	NEGATIVE
BILIRUBIN	NOT DETECTED	NOT DETECTED
UROBILINOGEN	NORMAL	NORMAL
NITRITE	NOT DETECTED	NOT DETECTED
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	NOT DETECTED	0-5	/HPF
EPITHELIAL CELLS	2-3	0-5	/HPF

CASTS NOT DETECTED CRYSTALS NOT DETECTED

BACTERIA NOT DETECTED NOT DETECTED
YEAST NOT DETECTED NOT DETECTED

REMARKS MICROSCOPIC EXAMINATION OF URINE IS CARRIED OUT ON

CENTRIFUGED URINARY SEDIMENT.

Dr.Miral Gajera Consultant Pathologist



Page 12 Of 15

View Details

View Repor



Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS: C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0321XC002246**PATIENT ID: MANIM040682321

CPIENT BATIENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00

RECEIVED : 29/03/2024 09:19:01 REPORTED : 30/03/2024 12:41:24

Test Report Status Preliminary Results Biological Reference Interval Units

Dr.Miral Gajera Consultant Pathologist



Page 13 Of 15

View Details

View Report



Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS: C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0321XC002246**PATIENT ID: MANIM040682321

CHIENT BATIENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00

RECEIVED : 29/03/2024 09:19:01 REPORTED :30/03/2024 12:41:24

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

PHYSICAL EXAMINATION, STOOL

COLOUR BROWN

CONSISTENCY WELL FORMED

MUCUS ABSENT NOT DETECTED

VISIBLE BLOOD ABSENT ABSENT ABSENT

ADULT PARASITE NOT DETECTED

CHEMICAL EXAMINATION, STOOL

STOOL PH NEGATIVE

OCCULT BLOOD NOT DETECTED NOT DETECTED

MICROSCOPIC EXAMINATION, STOOL

CHARCOT LEYDEN CRYSTALS

PUS CELLS NOT DETECTED /hpf

RED BLOOD CELLS NOT DETECTED NOT DETECTED /HPF

ABSENT

CYSTS NOT DETECTED NOT DETECTED

OVA NOT DETECTED

LARVAE NOT DETECTED NOT DETECTED

TROPHOZOITES NOT DETECTED NOT DETECTED

FAT ABSENT VEGETABLE CELLS ABSENT

Dr.Miral Gajera Consultant Pathologist



Page 14 Of 15

View Details





Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi,

Ahmedabad, 380015





CODE/NAME & ADDRESS: C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0321XC002246**PATIENT ID: MANIM040682321

SHENT BATTENT ID:

AGE/SEX :41 Years Male DRAWN :29/03/2024 00:00:00

RECEIVED : 29/03/2024 09:19:01 REPORTED : 30/03/2024 12:41:24

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

THYROID PANEL, SERUM

ТЗ	107.60	80.0 - 200.0	ng/dL
T4	8.55	5.10 - 14.10	μg/dL
TSH (ULTRASENSITIVE)	2.370	0.270 - 4.200	μIU/mL

End Of Report
Please visit www.agilusdiagnostics.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate $% \left(1\right) =\left(1\right) \left(1\right)$
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- 8. Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr.Miral Gajera Consultant Pathologist





Page 15 Of 15

View Details

View Penor



Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India

