Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR, SATISH KUMAR EM	STUDY DATE	29/03/2024 3:23PM
AGE / SEX	47 y / M	HOSPITAL NO.	MH011809197
ACCESSION NO.	NM13019588	MODALITY	US
REPORTED ON	29/03/2024 4:01PM	REFERRED BY	Health Check MHD

2D Echocardiography Report

	End diastole	End systole
IVS thickness (cm)	1.1	1.4
Left Ventricular Dimension (cm)	4.3	2.7
Left Ventricular Posterior Wall thickness (cm)	1.0	1.2

Aortic Root Diameter (cm)	2.5
Left Atrial Dimension (cm)	2.5
Left Ventricular Ejection Fraction (%)	55%

LEFT VENTRICLE Normal in size. No RWMA. LVEF= 55%

RIGHT VENTRICLE Normal in size. Normal RV function.

LEFT ATRIUM Normal in size

RIGHT ATRIUM Normal in size

MITRAL VALVE Trace MR

AORTIC VALVE Normal

TRICUSPID VALVE Trace TR, PASP ~ 27 mmHg

PULMONARY VALVE Normal

MAIN PULMONARY ARTERY & Appears normal.

ITS BRANCHES

INTERATRIAL SEPTUM Intact.

INTERVENTRICULAR SEPTUM Intact.

PERICARDIUM No pericardial effusion or thickening











NABH Accredited Hospital

NABL Accredited Hospital

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR, SATISH KUMAR EM	STUDY DATE	29/03/2024 3:23PM
AGE / SEX	47 y / M	HOSPITAL NO.	MH011809197
ACCESSION NO.	NM13019588	MODALITY	US
REPORTED ON	29/03/2024 4:01PM	REFERRED BY	Health Check MHD

DOPPLER STUDY

VALVE	Peak Velocity	Maximum P.G. (mmHg)	Mean P. G. (mmHg)	Regurgitation	Stenosis
	(cm/sec)				
MITRAL	E= 60	-	-	Trace	Nil
	A=79				
AORTIC	160	-	-	Nil	Nil
TRICUSPID	-	N	N	Trace	Nil
PULMONARY	82	N	N	Nil	Nil

SUMMARY & INTERPRETATION:

- No LV regional wall motion abnormality with LVEF = 55%
- Normal sized RA/RV/LV/LA with no chamber hypertrophy. Normal RV function.
- Trace MR
- Trace TR, PASP ∼ 27 mmHg
- Grade I diastolic dysfunction.
- IVC normal in size, >50% collapse with inspiration, suggestive of normal RA pressure.
- No clot/vegetation/pericardial effusion.

Please correlate clinically.

Dr. Bipin Dubey MBBS, MD, General Medicine, DM(Cardiology) DMC No.42490

HOD and Consultant (Cardiology)

*****End Of Report*****











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR SATISH KUMAR EM Age : 47 Yr(s) Sex :Male

Referred By : HEALTH CHECK MHD Reporting Date : 29 Mar 2024 14:40

Receiving Date : 29 Mar 2024 10:19

Department of Transfusion Medicine (Blood Bank)

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

Blood Group & Rh typing B Rh(D) Positive

Antibody Screening (Microtyping in gel cards using reagent red cells)

Final Antibody Screen Result Negative

Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page 1 of 4

-----END OF REPORT-----

Damba

Dr Himanshu Lamba

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR SATISH KUMAR EM Age : 47 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD **Reporting Date**: 29 Mar 2024 13:12

Receiving Date : 29 Mar 2024 10:31

BIOCHEMISTRY

Specimen: EDTA Whole blood

As per American Diabetes Association(ADA) 2010

HbAlc (Glycosylated Hemoglobin) 5.7 % [4.0-6.5]

HbA1c in %

Non diabetic adults : < 5.7 %

Prediabetes (At Risk) : 5.7 % - 6.4 %

Diabetic Range : > 6.5 %

Estimated Average Glucose (eAG) 117 mg/dl

Use

- 1. Monitoring compliance and long-term blood glucose level control in patients with diabetes.
- 2. Index of diabetic control (direct relationship between poor control and development of complications).
- 3. Predicting development and progression of diabetic microvascular complications.

Limitations :

- 1. AlC values may be falsely elevated or decreased in those with chronic kidney disease.
- 2.False elevations may be due in part to analytical interference from carbamylated hemoglobin formed in the presence of elevated concentrations of urea, with some assays.
- 3. False decreases in measured A1C may occur with hemodialysis and altered red cell turnover, especially in the setting of erythropoietin treatment

References: Rao.L.V., Michael snyder.L.(2021). Wallach's Interpretation of Diagnostic Tests. 11th Edition. Wolterkluwer. NaderRifai, Andrea Rita Horvath, Carl T. wittwer. (2018) Teitz Text book

of Clinical Chemistry and Molecular Diagnostics. First edition, Elsevier, South Asia.

Page 2 of 4

P 011 4967 4967 **E** info@manipalhospitals.com **Emergency** 011 4040 7070

www.hcmct.in www.manipalhospitals.com/delhi/

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

 Name
 :
 MR SATISH KUMAR EM
 Age
 :
 47 Yr(s) Sex :Male

 Registration No
 :
 MH011809197
 Lab No
 :
 32240315500

 Patient Episode
 :
 H03000061808
 Collection Date :
 29 Mar 2024 09:27

Referred By : HEALTH CHECK MHD **Receiving Date** : 29 Mar 2024 10:36

BIOCHEMISTRY

Reporting Date:

30 Mar 2024 12:01

Lipid Profile (Serum)

TOTAL CHOLESTEROL	(CHOD/POD)	275	#	mg/dl	[<200] Moderate risk:200-239 High risk:>240
TRIGLYCERIDES (GPO	D/POD)	1048	#	mg/dl	[<150] Borderline high:151-199 High: 200 - 499 Very high:>500
HDL - CHOLESTEROL Methodology: Homo	,	30		mg/dl	[30-60]
VLDL - Cholestero	(Calculated)	201	#	mg/dl	[10-40]
(Homogenous`Enzyma	(DIRECT)LDL- CHOLESTEROI	ı	81	mg/dl	[<100] Near/Above optimal-100-129 Borderline High:130-159 High Risk:160-189
T.Chol/HDL.Chol ra	atio	8.3			<4.0 Optimal 4.0-5.0 Borderline >6 High Risk
LDL.CHOL/HDL.CHOL	Ratio	2.7			<3 Optimal 3-4 Borderline >6 High Risk

Note:

Reference ranges based on ATP III Classifications. Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

Technical Notes:

Lipid profile is a panel of blood tests that serves as initial broad medical screening tool for abnormalities in lipids, the results of these tests can identify certain genetic

Page 3 of 4

P 011 4967 4967 E info@manipalhospitals.com Emergency 011 4040 7070

www.hcmct.in www.manipalhospitals.com/delhi/

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

 Name
 :
 MR SATISH KUMAR EM
 Age
 :
 47 Yr(s) Sex :Male

 Registration No
 :
 MH011809197
 Lab No
 :
 32240315500

 Patient Episode
 :
 H03000061808
 Collection Date :
 29 Mar 2024 09:27

 Referred By
 :
 HEALTH CHECK MHD
 Reporting Date :
 30 Mar 2024 12:01

Receiving Date : 29 Mar 2024 10:36

BIOCHEMISTRY

diseases and determine approximate risks for cardiovascular disease, certain forms of pancreatitis and other diseases.

Lipemic sample. Actual values may vary. Please correlate clinically.

Test Name Result Unit Biological Ref. Interval
TOTAL PSA, Serum (ECLIA) 2.100 ng/mL [<2.500]

Note: PSA is a glycoprotein that is produced by the prostate gland. Normally, very little PSA is secreted in the blood. Increases in glandular size and tissue damage caused by BPH, prostatitis, or prostate cancer may increase circulating PSA levels.

Caution : Serum markers are not specific for malignancy, and values may vary by method.

Immediate PSA testing following digital rectal examination, ejaculation, prostate massage urethral instrumentation, prostate biopsy may increase PSA levels.

Some patients who have been exposed to animal antigens, may have circulating anti-animal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

Page 4 of 4

-----END OF REPORT-----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY

Neelan Luga

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

 Name
 : MR SATISH KUMAR EM
 Age
 : 47 Yr(s) Sex :Male

 Registration No
 : MH011809197
 Lab No
 : 32240315500

Referred By: HEALTH CHECK MHD Reporting Date: 30 Mar 2024 09:06

Receiving Date : 29 Mar 2024 10:36

BIOCHEMISTRY

THYROID PROFILE, Serum			Specimen Type : Serum
T3 - Triiodothyronine (ECLIA)	1.430	ng/ml	[0.800-2.040]
T4 - Thyroxine (ECLIA)	6.570	μg/dl	[4.600-10.500]
Thyroid Stimulating Hormone (ECLIA)	1.470	μIU/mL	[0.340-4.250]

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm.Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness affect TSH results.

- * References ranges recommended by the American Thyroid Association
- 1) Thyroid. 2011 Oct; 21(10):1081-125.PMID .21787128
- 2) http://www.thyroid-info.com/articles/tsh-fluctuating.html

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (Diazonium Ion)	0.53	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (Diazotization)	0.17	mg/dl	[0.00-0.30]
BILIRUBIN - INDIRECT (Calculated)	0.36	mg/dl	[0.20-1.00]
SGOT/ AST (UV without P5P)	22.7	U/L	[10.0-50.0]
SGPT/ ALT (UV without P5P)	35.5	U/L	[0.0-41.0]
ALP (p-NPP, kinetic) *	107	U/L	[45-135]
TOTAL PROTEIN (Biuret)	7.9	g/dl	[7.0-9.0]
SERUM ALBUMIN (BCG-dye)	4.4	g/dl	[3.5-5.2]
SERUM GLOBULIN (Calculated)	3.5 #	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio(Calculated)	1.26	-	[1.10-1.80]

Page 1 of 7



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR SATISH KUMAR EM Age : 47 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD Reporting Date: 29 Mar 2024 15:53

Receiving Date : 29 Mar 2024 10:36

BIOCHEMISTRY

Technical Notes:

Liver function test aids in diagnosis of various pre hepatic, hepatic and post hepatic causes of dysfunction like hemolytic anemia's, viral and alcoholic hepatitis and cholestasis of obstructive causes.

Test Name	Result	Unit B	iological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	11.00	mg/dl	[6.00-20.00]
SERUM CREATININE (Jaffe's method)	0.99	mg/dl	[0.80-1.60]
SERUM URIC ACID (Uricase)	7.2	mg/dl	[3.5-7.2]
SERUM CALCIUM (NM-BAPTA)	9.81	mg/dl	[8.00-10.50]
SERUM PHOSPHORUS (Molybdate, UV)	2.7	mg/dl	[2.5-4.5]
SERUM SODIUM (ISE)	140.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.49	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE Indirect)	100.8	mmol/L	[95.0-105.0]
eGFR	90.3	ml/min/1.73sq	.m [>60.0]

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 2 of 7

----END OF REPORT----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR SATISH KUMAR EM Age : 47 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD Reporting Date: 29 Mar 2024 15:57

Receiving Date : 29 Mar 2024 14:39

BIOCHEMISTRY

Specimen Type : Plasma
PLASMA GLUCOSE - PP

Plasma GLUCOSE - PP (Hexokinase) 124 mg/dl [70-140]

Note: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying,

brisk glucose absorption , post exercise

Specimen Type : Serum/Plasma

Plasma GLUCOSE-Fasting (Hexokinase) 100 mg/dl [74-106]

Page3 of 7

-----END OF REPORT-----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR SATISH KUMAR EM Age : 47 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD Reporting Date: 29 Mar 2024 13:05

Receiving Date : 29 Mar 2024 10:29

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 16.0 # mm/1sthour [0.0-10.0]

Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 - 1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit Bio	ological Ref. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	6940	/cu.mm	[4000-10000]
RBC Count (Impedence)	5.30	million/cu.mm	[4.50-5.50]
Haemoglobin (SLS Method)	14.2	g/dL	[13.0-17.0]
Haematocrit (PCV)	43.9	ଚ	[40.0-50.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	82.8 #	fL	[83.0-101.0]
MCH (Calculated)	26.8	pg	[25.0-32.0]
MCHC (Calculated)	32.3	g/dL	[31.5-34.5]
Platelet Count (Impedence)	126000 #	/cu.mm	[150000-410000]
RDW-CV (Calculated)	14.2 #	%	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	65.6	%	[40.0-80.0]
Lymphocytes (Flowcytometry)	22.3	%	[20.0-40.0]

Page 4 of 7



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR SATISH KUMAR EM Age : 47 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD Reporting Date: 29 Mar 2024 11:14

Receiving Date : 29 Mar 2024 10:29

HAEMATOLOGY

Monocytes (Flowcytometry)	8.8		9	[2.0-10.0]
Eosinophils (Flowcytometry)	2.6		ଖ	[1.0-6.0]
Basophils (Flowcytometry)	0.7 #	!	%	[1.0-2.0]
IG	0.10		%	
Neutrophil Absolute (Flouroscence flo	ow cytometry)	4.6	/cu mm	$[2.0-7.0] \times 10^{3}$
Lymphocyte Absolute (Flouroscence flo	ow cytometry)	1.6	/cu mm	$[1.0-3.0] \times 10^{3}$
Monocyte Absolute (Flouroscence flow	cytometry)	0.6	/cu mm	$[0.2-1.2] \times 10^{3}$
Eosinophil Absolute (Flouroscence flo	ow cytometry)	0.2	/cu mm	$[0.0-0.5] \times 10^{3}$
Basophil Absolute(Flouroscence flow	cytometry)	0.1	/cu mm	$[0.0-0.1] \times 10^{3}$

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

-----END OF REPORT-----

Dr. Shalakha Agrawal Associate Consultant,M.B.B.S,M.D. Pathology --2020

Page 5 of 7



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR SATISH KUMAR EM Age : 47 Yr(s) Sex :Male

Patient Episode: H03000061808Collection Date : 29 Mar 2024 09:28Referred By: HEALTH CHECK MHDReporting Date : 29 Mar 2024 12:21

Receiving Date : 29 Mar 2024 10:38

CLINICAL PATHOLOGY

Test Name	Result	Biological Ref. Interval				
ROUTINE URINE ANALYSIS						
MACROSCOPIC DESCRIPTION						
Colour (Visual)	PALE YELLOW	(Pale Yellow - Yellow)				
Appearance (Visual)	CLEAR					
CHEMICAL EXAMINATION						
Reaction[pH]	6.0	(5.0-9.0)				
(Reflectancephotometry(Indicator Meth	nod))					
Specific Gravity	1.015	(1.003-1.035)				
(Reflectancephotometry(Indicator Meth	nod))					
Bilirubin	Negative	NEGATIVE				
Protein/Albumin	Negative	(NEGATIVE-TRACE)				
(Reflectance photometry(Indicator Method)/Manual SSA)						
Glucose	NOT DETECTED	(NEGATIVE)				
(Reflectance photometry (GOD-POD/Bene	edict Method))					
Ketone Bodies	NOT DETECTED	(NEGATIVE)				
(Reflectance photometry(Legal's Test)	/Manual Rotheras)					
Urobilinogen	NORMAL	(NORMAL)				
Reflactance photometry/Diazonium salt	reaction					
Nitrite	NEGATIVE	NEGATIVE				
Reflactance photometry/Griess test						
Leukocytes	NIL	NEGATIVE				
Reflactance photometry/Action of Este	erase					
BLOOD	NIL	NEGATIVE				
(Reflectance photometry(peroxidase))						
MICROSCOPIC EXAMINATION (Manual)	Method: Light microscopy on	centrifuged urine				
WBC/Pus Cells	1-2 /hpf	(4-6)				
Red Blood Cells	NIL	(1-2)				
Epithelial Cells	OCCASIONAL /hpf	(2-4)				
Casts	NIL	(NIL)				

NIL

NIL

NIL

Page 6 of 7

(NIL)



Crystals

Bacteria Yeast cells

Interpretation:

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR SATISH KUMAR EM Age : 47 Yr(s) Sex : Male

Referred By: HEALTH CHECK MHD Reporting Date: 29 Mar 2024 12:21

Receiving Date : 29 Mar 2024 10:38

CLINICAL PATHOLOGY

 $\textit{URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders \\$

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis,

bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

Page 7 of 7

Dr. Shalakha Agrawal Associate Consultant,M.B.B.S,M.D. Pathology --2020



Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR , SATISH KUMAR EM	STUDY DATE	29/03/2024 11:04AM
AGE / SEX	47 y / M	HOSPITAL NO.	MH011809197
ACCESSION NO.	R7142544	MODALITY	US
REPORTED ON	29/03/2024 2:44PM	REFERRED BY	Health Check MHD

USG WHOLE ABDOMEN

Results:

Liver is normal in size (~12.4 cm) and shows grade I fatty changes. No focal intra-hepatic lesion is detected. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in calibre.

Gall bladder appears echofree with normal wall thickness.

Common bile duct is normal in calibre.

Pancreas is normal in size and echopattern.

Spleen is normal in size (~ 8.9 cm) and echopattern.

Both kidneys are normal in position, size and outline. Cortico-medullary differentiation of both kidneys is maintained. Right kidney shows subcentimetric cortical cyst measuring ~0.6 x 0.7 cm at mid pole. Left kidney shows subcentimetric cortical cyst measuring ~0.64 x 0.74 at mid pole. Another anechoic cyst measuring ~2.9 x 1.9 cm with thin internal septations is seen at lower pole. No internal vascularity is seen. Bilateral pelvicalyceal systems are not dilated.

Urinary bladder is normal in wall thickness with clear contents. No significant intra or extraluminal mass is seen.

Prostate appears normal in size and echotexture. It measures approx.22 cc in volume. There is evidence of hypertrophy of median lobe which is seen bulging into base of bladder for a length of 1 cm.

No significant free fluid is detected.

IMPRESSION:

- **Grade I fatty liver.**
- Bilateral renal subcentimetric cortical cysts with anechoic cyst with thin internal septation at lower pole in left kidney.
- Median lobe hypertrophy of prostate

Please correlate clinically.











NABH Accredited Hospital H-2019-0640/09/06/2019-08/06/2022 MC/3228/04/09/2019-03/09/2021

NABL Accredited Hospital

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018-04/12/2019

Awarded Clean & Green Hospital

Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR, SATISH KUMAR EM	STUDY DATE	29/03/2024 11:04AM
AGE / SEX	47 y / M	HOSPITAL NO.	MH011809197
ACCESSION NO.	R7142544	MODALITY	US
REPORTED ON	29/03/2024 2:44PM	REFERRED BY	Health Check MHD

Dr. Ashana Singal MBBS, MD, (DMC-13991) **Radiology Specialist**

******End Of Report*****











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018-04/12/2019

Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR, SATISH KUMAR EM	STUDY DATE	29/03/2024 3:00PM
AGE / SEX	47 y / M	HOSPITAL NO.	MH011809197
ACCESSION NO.	R7142545	MODALITY	CR
REPORTED ON	29/03/2024 11:09AM	REFERRED BY	Health Check MHD

X-RAY CHEST - PA VIEW

FINDINGS:

Lung fields appear normal on both sides.

Cardia appears normal.

Both costophrenic angles appear normal.

Both domes of the diaphragm appear normal.

Bony cage appear normal.

IMPRESSION:

No significant abnormality noted.

Needs correlation with clinical findings and other investigations.

Dr. Nipun Gumber MBBS, MD DMC No.90272

ASSOCIATE CONSULTANT

*****End Of Report*****











NABL Accredited Hospital MC/3228/04/09/2019-03/09/2021

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital