

Bill No.	:	APHHC240001844	Bill Date	:	19-10-2024 09:42		
Patient Name	:	MR. NIRAJ SUMAN	UHID		APH000015363		
Age / Gender	:	42 Yrs 8 Mth / MALE	Patient Type	E	OPD If PHO	: :	
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	-	1		
Sample ID	:	APH24049205	Current Ward / Bed		1		
	:		Receiving Date & Time		19-10-2024 13:23		
			Reporting Date & Time	:	19-10-2024 15:04		

CLINICAL PATH REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference
				Interval

Sample Type: Urine

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

URINE, ROUTINE EXAMINATION

PHYSICAL EXAMINATION

QUANTITY	35 mL	
COLOUR	Pale Straw	Pale Yellow
TURBIDITY	 Clear	

CHEMICAL EXAMINATION

PH (Double pH indicator method)		6.0	5.0 - 8.5
PROTEINS (Protein-error-of-indicators)		Negative	Negative
SUGAR (GOD POD Method)		Negative	Negative
SPECIFIC GRAVITY, URINE (Apparent pKa change)	L	1.005	1.005 - 1.030

MICROSCOPIC EXAMINATION

LEUCOCYTES		2-3	/HPF	0 - 5			
RBC's	Nil						
EPITHELIAL CELLS		4-5					
CASTS	CASTS		Nil				
CRYSTALS		Nil					
URINE-SUGAR NEGATIVE							

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

Laboratory test results are to be clinically correlated.

Storage and discard of Specimen shall be as per AIMS specimen retention policy.

Test results are not valid for Medico - Legal purposes.

DR. ASHISH RANJAN SINGH



Bill No.	:	APHHC240001844	Bill Date	·	19-10-2024 09:42		
Patient Name	:	MR. NIRAJ SUMAN	UHID		APH000015363		
Age / Gender	:	42 Yrs 8 Mth / MALE	Patient Type	E	OPD	If PHC	:
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	-	1		
Sample ID	:	APH24049134	Current Ward / Bed		1		
	:		Receiving Date & Time		19-10-2024 10:04		
			Reporting Date & Time	:	19-10-2024 14:42		

SEROLOGY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference
				Interval

Sample Type: Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

PROSTATIC SPECIFIC ANTIGEN(TOTAL) (ELFA)	0.28	ng/mL	0 - 4

Note:

TPSA as a Tumor marker is used as an additional test for prognosis and monitoring of therapy for patients with diagnosed malignant tumors. It may offer a diagnostic value for screening patients with suspected malignancies, as high values may be experienced in situations like benign prostatic hyperplasia, prostatitis, bladder catheterisation, urinary retention, endoscopic examination. Value in between 4-10ng/ml may be an indication of Benign Prostate Hyperplasia or prostate Carcinoma, values greater than 10ng/ml may indicate high risk of Carcinoma.

The test has been carried out in Fully Automated Immunoassay System VIDAS using ELFA (Enzyme Linked Fluorescence Assay) technology.

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

Laboratory test results are to be clinically correlated.

Storage and discard of Specimen shall be as per AIMS specimen retention policy.

Test results are not valid for Medico - Legal purposes.

DR. ASHISH RANJAN SINGH



Bill No.	:	APHHC240001844	Bill Date		19-10-2024 09:42		
Patient Name	1	MR. NIRAJ SUMAN	UHID	1	APH000015363		
Age / Gender	1	42 Yrs 8 Mth / MALE	Patient Type		OPD	If PHC :	
Ref. Consultant	1	MEDIWHEEL	Ward / Bed		1		
Sample ID	:	APH24049134	Current Ward / Bed	1	1		
	1		Receiving Date & Time		19-10-2024 10:04		
			Reporting Date & Time]:	19-10-2024 14:42		

Sample Type: Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE(ABOVE 40)@2550

THYROID PROFILE (FT3+FT4+TSH)

FREE-TRI IODO THYRONINE (FT3) (ECLIA)		3.05	pg/mL	2.0-4.4
FREE -THYROXINE (FT4) (ECLIA)		1.37	ng/dL	0.9-1.7
THYROID STIMULATING HORMONE (TSH) (ECLIA)	Н	5.75	mIU/L	0.27-4.20

INTERPRETATION:

The thyroid profile test measures the thyroid hormones in the blood. Thyroid gland is responsible for producing hormones important for many bodily processes. Abnormal thyroid function, such as underactive thyroid (hypothyroidism) or overactive thyroid (hyperthyroidism), can lead to many symptoms. A thyroid profile can also be used to monitor the treatment of hyperthyroidism and assess those receiving levothyroxine therapy, which replaces or supplements thyroid hormones reduced or absent due to hypothyroidism, thyroid cancer, thyroid nodules, and goiters.

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

Laboratory test results are to be clinically correlated.

Storage and discard of Specimen shall be as per AIMS specimen retention policy.

Test results are not valid for Medico - Legal purposes.

DR. ASHISH RANJAN SINGH



Bill No.	:	APHHC240001844	Bill Date	:	19-10-2024 09:42		
Patient Name	:	MR. NIRAJ SUMAN	UHID		APH000015363		
Age / Gender	:	42 Yrs 8 Mth / MALE	Patient Type	E	OPD	If PHC	:
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	-	1		
Sample ID	:	APH24049130	Current Ward / Bed		1		
	:		Receiving Date & Time	:	19-10-2024 10:04		
			Reporting Date & Time	:	19-10-2024 12:44		

HAEMATOLOGY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference
				Interval

Sample Type: EDTA Whole Blood

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

CBC -1 (COMPLETE BLOOD COUNT)

TOTAL LEUCOCYTE COUNT (Flow Cytometry)		7.0	thousand/cumm	4 - 11
RED BLOOD CELL COUNT (Hydro Dynamic Focussing)		4.7	million/cumm	4.5 - 5.5
HAEMOGLOBIN (SLS Hb Detection)		13.1	g/dL	13 - 17
PACK CELL VOLUME (Cumulative Pulse Height Detection)		43.0	%	40 - 50
MEAN CORPUSCULAR VOLUME (Calculated)		91.5	fL	83 - 101
MEAN CORPUSCULAR HAEMOGLOBIN (Calculated)		27.8	pg	27 - 32
MEAN CORPUSCULAR HAEMOGLOBIN CONCENTRATION (Calculated)	L	30.4	g/dL	31.5 - 34.5
PLATELET COUNT (Hydro Dynamic Focussing)	L	140	thousand/cumm	150 - 400
RED CELL DISTRIBUTION WIDTH (S.D - RDW) (Farticle Size Distribution)	Н	46.1	fL	39 - 46
RED CELL DISTRIBUTION WIDTH (C.V.)	Н	14.1	%	11.6 - 14

DIFFERENTIAL LEUCOCYTE COUNT

NEUTROPHILS (Flow-cytometry & Microscopy)		76	%	40 - 80
LYMPHOCYTES (Flow-cytometry & Microscopy)	L	15	%	20 - 40
MONOCYTES (Flow-cytometry & Microscopy)		4	%	2 - 10
EOSINOPHILS (Flow-cytometry & Microscopy)		5	%	1 - 5
BASOPHILS (Flow-cytometry & Microscopy)		0	%	0 - 1

INTERPRETATION:

A complete blood count (CBC) provides information about the different types and numbers of cells in the blood, including red blood cells, white blood cells, and platelets. It's used to look at overall health and find a wide range of conditions, including anaemia, infection, thrombocytopenia and leukemia.

ESR (Westergren)	Н	50	mm/1st hr	0 - 10
------------------	---	----	-----------	--------

INTERPRETATION:

An erythrocyte sedimentation rate show if there is inflammation in body. High ESR levels are often associated with various inflammatory conditions, infections, autoimmune diseases, and certain cancers. It can also indicate tissue damage or necrosis, as well as chronic diseases like rheumatoid arthritis, lupus, or vasculitis.

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

Laboratory test results are to be clinically correlated.

Storage and discard of Specimen shall be as per AIMS specimen retention policy.

Test results are not valid for Medico - Legal purposes.



Bill No.	:	APHHC240001844	Bill Date		19-10-2024 09:42		
Patient Name	:	MR. NIRAJ SUMAN	UHID	-	APH000015363		
Age / Gender	:	42 Yrs 8 Mth / MALE	Patient Type		OPD	If PHC	:
Ref. Consultant	:	MEDIWHEEL	Ward / Bed		1		
Sample ID	:	APH24049130	Current Ward / Bed	-	1		
	F		Receiving Date & Time	:	19-10-2024 10:04		
	Γ		Reporting Date & Time	[19-10-2024 12:44		

DR. ASHISH RANJAN SINGH



Bill No.	1:	APHOP240037962	Bill Date	1:	09-11-2024 13:03	
Patient Name		MR. NIRAJ SUMAN	UHID	1:	APH000015363	
Age / Gender		42 Yrs 8 Mth / MALE	Patient Type	1	OPD If PHC :	
Ref. Consultant	:	DR. PANKAJ KUMAR /DR. SALIK AZAM /DR.ANKIT	Ward / Bed	1	1	
Sample ID		APH24052545	Current Ward / Bed	1:	1	
			Receiving Date & Time	1:	09-11-2024 13:05	
	Т		Reporting Date & Time		09-11-2024 14:17	

BIOCHEMISTRY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval	
Sample Type: Serum			·		
URIC ACID (Uricase - Trinder)	Н	7.6	mg/dL	2.6 - 7.2	

INTERPRETATION:

High levels of uric acid could be a sign of gout, a condition characterized by inflammation of the joints due to the formation of uric acid crystals. The uric acid level also monitors of a person undergoing the chemotherapy or radiation treatment for cancer.

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

Laboratory test results are to be clinically correlated.

Storage and discard of Specimen shall be as per AIMS specimen retention policy.

Test results are not valid for Medico - Legal purposes.

DR. ASHISH RANJAN SINGH



Bill No.	:	APHHC240001844	Bill Date	:	19-10-2024 09:42		
Patient Name	:	MR. NIRAJ SUMAN	UHID		APH000015363		
Age / Gender	:	42 Yrs 8 Mth / MALE	Patient Type	E	OPD If PHC :		
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	-	1		
Sample ID	:	APH24049217	Current Ward / Bed		1		
	:		Receiving Date & Time	:	19-10-2024 13:34		
			Reporting Date & Time	:	19-10-2024 14:41		

BIOCHEMISTRY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference
				Interval

Sample Type: EDTA Whole Blood, Plasma, Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

BLOOD UREA Urease-GLDH,Kinetic		23	mg/dL	15 - 45
BUN (Calculated)		10.7	mg/dL	7 - 21
CREATININE-SERUM (Modified Jaffe's Kinetic)	L	0.8	mg/dL	0.9 - 1.3
GLUCOSE-PLASMA (FASTING) (UV Hexokinase)	Н	136.0	mg/dL	70 - 100

Note: A diagnosis of diabetes mellitus is made if fasting blood glucose exceeds 126 mg/dL.

(As per American Diabetes Association recommendation)

GLUCOSE-PLASMA (POST PRANDIAL) (UV Hexokinase)	Н	169.0	mg/dL	70 - 140
--	---	-------	-------	----------

Note: A diagnosis of diabetes mellitus is made if 2 hour post load glucose exceeds 200 mg/dL.

(As per American Diabetes Association recommendation)

LIPID PROFILE

CHOLESTROL-TOTAL (CHO-POD)	113	mg/dL	0 - 160
HDL CHOLESTROL Enzymatic Immunoinhibition	46	mg/dL	>40
CHOLESTROL-LDL DIRECT Enzymatic Selective Protection	62	mg/dL	0 - 100
S.TRIGLYCERIDES (GPO - POD)	97	mg/dL	0 - 160
NON-HDL CHOLESTROL (Calculated)	67.0	mg/dL	0 - 125
CHOLESTROL-VLDL (Calculated)	19	mg/dL	10 - 35
TOTAL CHOLESTROL / HDL CHOLESTROL (Calculated)	2.5		1/2Average Risk <3.3 Average Risk 3.3-4.4 2 Times Average Risk 4.5-7.1 3 Times Average Risk 7.2-11.0
LDL CHOLESTROL / HDL CHOLESTROL (Calculated)	1.3		1/2Average Risk <1.0 Average Risk 1.0-3.6 2 Times Average Risk 3.7-6.3 3 Times Average Risk 6.4-8.0

INTERPRETATION:

A lipid profile test measures the different types of lipids in the blood. It measures the levels of four different types of cholesterol and triglycerides.

- •LDL (low-density lipoproteins): LDL is the cholesterol that is considered "bad cholesterol" because it forms plaques in the arteries and adversely affects heart health. Thus, LDL cholesterol should be maintained in the lower range.
- •VLDL (very low-density lipoproteins): VLDL appears in the blood soon after we have consumed food. A lipid profile is done as a fasting test, and thus, if there is an increased level of VLDL in the blood sample, it can be suggestive of some metabolic disease.
- •HDL (high-density lipoproteins): HDL cholesterol is also known as "good cholesterol" because it helps clear away the bad LDL cholesterol and prevents its build-up.
- •Total cholesterol: It is the sum of all the different types of cholesterol in your body, i.e., LDL + VLDL + HDL.
- •Triglycerides: Our body converts the excess calories into triglycerides and stores it as body fat. High levels of triglycerides are harmful to the heart, liver, and pancreas.

LIVER FUNCTION TESTS (LFT)

BILIRUBIN-TOTAL (DPD)		0.88	mg/dL	0.2 - 1.0
BILIRUBIN-DIRECT (DPD)	Н	0.22	mg/dL	0 - 0.2



Bill No.	:	APHHC240001844	Bill Date	T	19-10-2024 09:42			
Patient Name	1	MR. NIRAJ SUMAN	UHID		APH000015363			
Age / Gender	E	42 Yrs 8 Mth / MALE	Patient Type	Г	OPD	If PHC :		
Ref. Consultant	E	MEDIWHEEL	Ward / Bed		: /			
Sample ID	1	APH24049217	Current Ward / Bed		1			
	1		Receiving Date & Time		19-10-2024 13:34			
	Г		Reporting Date & Time		19-10-2024 14:41			
DTI TRUIDTNI TNI	\	FOT	00	7 -11	1000	0		

BILIRUBIN-INDIRECT (Calculated)	0.66	mg/dL	0.2 - 0.8
S.PROTEIN-TOTAL (Biuret)	7.8	g/dL	6 8 1
ALBUMIN-SERUM (Dye Binding-Bromocresol Green)	4.7	g/dL	3.5 - 5.2
S.GLOBULIN (Calculated)	3.1	g/dL	2.8-3.8
A/G RATIO (Calculated)	1.52		1.5 - 2.5
ALKALINE PHOSPHATASE IFCC AMP BUFFER	54.0	IU/L	53 - 128
ASPARTATE AMINO TRANSFERASE (SGOT) (IFCC)	27.1	IU/L	10 - 42
ALANINE AMINO TRANSFERASE(SGPT) (IFCC)	32.7	IU/L	10 - 40
GAMMA-GLUTAMYLTRANSPEPTIDASE (IFCC)	16.4	IU/L	11 - 50
LACTATE DEHYDROGENASE (IFCC; L-P)	173.0	IU/L	0 - 248

INTERPRETATION:

The LFT test is used to diagnose and monitor liver diseases. It can also provide the information about other health conditions that affect the liver, such as viral or alcoholic hepatitis. If a person is taking medications that can impact on the liver, the test results can indicating whether side effects are occurring.

URIC ACID (Uricase - Trinder)	4.9	mg/dL	2.6 - 7.2

INTERPRETATION:

High levels of uric acid could be a sign of gout, a condition characterized by inflammation of the joints due to the formation of uric acid crystals. The uric acid level also monitors of a person undergoing the chemotherapy or radiation treatment for cancer.

** End of Report *

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

Laboratory test results are to be clinically correlated.

Storage and discard of Specimen shall be as per AIMS specimen retention policy.

Test results are not valid for Medico - Legal purposes.

DR. ASHISH RANJAN SINGH



Bill No.	:	APHHC240001844	Bill Date	T:	19-10-2024 09:42			
Patient Name	:	MR. NIRAJ SUMAN	UHID	:	APH000015363			
Age / Gender	:	42 Yrs 8 Mth / MALE	Patient Type	:	OPD	If PHC	1:	
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	:	1			
Sample ID	:	APH24049217	Current Ward / Bed	:	1			
	:		Receiving Date & Time		19-10-2024 13:34			
			Reporting Date & Time		19-10-2024 14:41			

Sample Type: EDTA Whole Blood, Plasma, Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

HBA1C (Turbidimetric Immuno-inhibition)	6.0	%	4.0 - 6.2

INTERPRETATION:

HbA1c %	Degree of Glucose Control							
>8%	Action suggested due to high risk of developing long term complications like Retinopathy, Nephropathy, Cardiopathy and Neuropathy							
7.1 - 8.0	Fair Control							
<7.0	Good Control							

Note:

- 1.A three monthly monitoring is recommended in diabetics.2. Since HbA1c concentration represents the integrated values for blood glucose over the preceding 6 - 10 weeks and is not affected by daily glucose fluctuation, exercise and recent food intake, it is a more useful tool for monitoring diabetics.

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

Laboratory test results are to be clinically correlated.

Storage and discard of Specimen shall be as per AIMS specimen retention policy.

Test results are not valid for Medico - Legal purposes.

DR. ASHISH RANJAN SINGH

DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING

Report: ULTRASOUND

Patient Name	:	MR. NIRAJ SUMAN	IPD No.	:	
Age	:	42 Yrs 8 Mth	UHID	:	APH000015363
Gender	:	MALE	Bill No.	:	APHHC240001844
Ref. Doctor	:	MEDIWHEEL	Bill Date	:	19-10-2024 09:42:10
Ward	:		Room No.	:	
			Print Date	:	19-10-2024 11:02:19

WHOLE ABDOMEN:

Both the hepatic lobes are normal in size and show grade II fatty infiltration. (Liver measures 14.2 cm)

No focal lesion seen. Intrahepatic biliary radicals are not dilated.

Portal vein is normal in calibre.

Gall bladder is well distended. Wall thickness is normal. No calculus seen.

CBD is normal in calibre.

Pancreas is obscured.

Spleen is normal in size (11.2 cm) and echotexture.

Both kidneys are normal in size and echotexture (Right kidney (9.9 cm), Left kidney (9.6 cm). Cortico-medullary distinction is maintained. No calculus or hydronephrosis seen.

Urinary bladder is distended and appears normal. Wall thickness measures~ 4 mm. (Pre void Vol. 280.4 cc, Post void Vol. 19.3 cc).

Prostate appears normal in size (Vol. 24.3 cc), outline and echotexture.

No free fluid or collection seen. No basal pleural effusion seen.

No significant lymphadenopathy seen.

No dilated bowel loop seen.

IMPRESSION:- Grade II fatty infiltration of liver.									
Please correlate clinically									
End of Report									
Prepare By. MD.SALMAN	DR. ALOK KUMAR, M.B.B.S,M.D,DMRD CONSULTANT								

Note : The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.

DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING

Report : XRAY

Patient Name	:	MR. NIRAJ SUMAN	IPD No.	:	
Age	:	42 Yrs 8 Mth	UHID	T:	APH000015363
Gender	:	MALE	Bill No.	:	APHHC240001844
Ref. Doctor	:	MEDIWHEEL	Bill Date	:	19-10-2024 09:42:10
Ward	:		Room No.	:	
			Print Date	:	19-10-2024 11:50:13

CHEST PA VIEW:

Cardiac shadow appears normal.

Both lung fields appear clear.

Both domes of diaphragm and both CP angles are clear.

Both hila appear normal.

Soft tissues and bony cage appear normal.

	lease	COPPO	ata a	linical	llv,
г	ICasc	COLLE	iait c	mma	ıγ.

.....End of Report......

Prepare By. MD.SERAJ

DR. MUHAMMAD SERAJ, MD Radiodiagnosis, FRCR (London) BCMR/46075 CONSULTANT

Note: The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.