Patient Name Mr. PRASHANT KUMAR MEENA Lab No 4028667 UHID 40012145 **Collection Date** 26/03/2024 10:27AM 26/03/2024 10:39AM Age/Gender 35 Yrs/Male **Receiving Date Report Date IP/OP Location** O-OPD 26/03/2024 3:13PM

Referred By Dr. EHS CONSULTANT Report Status Final

Mobile No. 9785365837

BIOCHEMISTRY

 Test Name
 Result
 Unit
 Biological Ref. Range

 BLOOD GLUCOSE (FASTING)
 Sample: Fl. Plasma

 BLOOD GLUCOSE (FASTING)
 101.0
 mg/dl
 71 - 109

Method: Hexokinase assay.

Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

BLOOD GLUCOSE (PP) Sample: PLASMA

BLOOD GLUCOSE (PP) 144.0 mg/dl Non – Diabetic: - < 140 mg/dl

Pre – Diabetic: - 140-199 mg/dl Diabetic: - >=200 mg/dl

Method: Hexokinase assay.

Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

THYROID T3 T4 TSH Sample: Serum

Т3	1.590	ng/mL	0.970 - 1.690
T4	9.63	ug/dl	5.53 - 11.00
TSH	2.73	μIU/mL	0.40 - 4.05

RESULT ENTERED BY : SUNIL EHS

Dr. ABHINAY VERMA

Patient Name	Mr. PRASHANT KUMAR MEENA	Lab No	4028667
UHID	40012145	Collection Date	26/03/2024 10:27AM
Age/Gender IP/OP Location	35 Yrs/Male	Receiving Date	26/03/2024 10:39AM
	O-OPD	Report Date	26/03/2024 3:13PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	9785365837		

BIOCHEMISTRY

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in thediagnosis of T3-hyperthyroidism the detection of early stages ofhyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation: - The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH levels.

LFT (LIVER FUNCTION TEST)				Sample: Serum
BILIRUBIN TOTAL	0.45	mg/dl	0.00 - 1.20	
BILIRUBIN INDIRECT	0.28	mg/dl	0.20 - 1.00	
BILIRUBIN DIRECT	0.17	mg/dl	0.00 - 0.30	
SGOT	52.0 H	U/L	0.0 - 40.0	

U/L

g/dl

0.0 - 41.0

6.6 - 8.7

3.5 - 5.2

g/dl **GLOBULIN** 3.3 1.8 - 3.6 ALKALINE PHOSPHATASE 172 H U/L 40 - 129 A/G RATIO Ratio 1.5 - 2.5 **GGTP** 161.0 H U/L 10.0 - 60.0

8.2

4.9

109.0 H

RESULT ENTERED BY: SUNIL EHS

SGPT

TOTAL PROTEIN

ALBUMIN

Dr. ABHINAY VERMA

MBBS | MD | INCHARGE PATHOLOGY

Page: 2 Of 10

 Patient Name
 Mr. PRASHANT KUMAR MEENA
 Lab No
 4028667

 UHID
 40012145
 Collection Date
 26/03/2024 10:27AM

 Age/Gender
 35 Yrs/Male
 Receiving Date
 26/03/2024 10:39AM

 IP/OP Location
 O-OPD
 Report Date
 26/03/2024 3:13PM

Referred By Dr. EHS CONSULTANT Report Status Final

Mobile No. 9785365837

BIOCHEMISTRY

BILIRUBIN TOTAL: - Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT: - Method: Diazo method Interpretation: - Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS: - Method: Bivert colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder.

ALBUMIN: - Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status.

ALKALINE PHOSPHATASE: - Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in

ALKALINE PHOSPHATASE: - Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE: - Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

LIPID PROFILE

TOTAL CHOLESTEROL	184		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	47.3		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	115.0		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	31	mg/dl	10 - 50
TRIGLYCERIDES	153		Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl
CHOLESTEROL/HDL RATIO	4	%	

RESULT ENTERED BY : SUNIL EHS

Dr. ABHINAY VERMA

Patient Name Mr. PRASHANT KUMAR MEENA Lab No 4028667

UHID **Collection Date** 26/03/2024 10:27AM 40012145 26/03/2024 10:39AM Age/Gender **Receiving Date** 35 Yrs/Male **Report Date IP/OP Location** O-OPD 26/03/2024 3:13PM

Referred By Dr. EHS CONSULTANT **Report Status** Final

Mobile No. 9785365837

BIOCHEMISTRY

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation: -The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders. HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method.

Interpretation: -HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease.

LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay.

Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are synthesized in the liver.
CHOLESTEROL VLDL: - Method: VLDL Calculative

Interpretation: -High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

Sample: Serum

UREA	28.70	mg/dl	16.60 - 48.50
BUN	13	mg/dl	6 - 20
CREATININE	0.85	mg/dl	0.70 - 1.20
SODIUM	138	mmol/L	136 - 145
POTASSIUM	4.39	mmol/L	3.50 - 5.50
CHLORIDE	102.9	mmol/L	98 - 107
URIC ACID	7.0	mg/dl	3.4 - 7.0
CALCIUM	9.77	mg/dl	8.60 - 10.00

RESULT ENTERED BY: SUNIL EHS

Dr. ABHINAY VERMA

MBBS | MD | INCHARGE PATHOLOGY

Page: 4 Of 10

Mr. PRASHANT KUMAR MEENA **Patient Name** Lab No 4028667

UHID **Collection Date** 26/03/2024 10:27AM 40012145 26/03/2024 10:39AM Age/Gender **Receiving Date** 35 Yrs/Male Report Date O-OPD **IP/OP Location** 26/03/2024 3:13PM

Referred By Dr. EHS CONSULTANT **Report Status** Final

Mobile No. 9785365837

BIOCHEMISTRY

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease.

URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume. SODIUM: - Method: ISE electrode. Interpretation: - Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake andkidney reabsorption. POTASSIUM :- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting

renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure.

CHLORIDE - SERUM :- Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake, prolonged vomiting and reduced

renal reabsorption as well as forms of acidosisand alkalosis. Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate

poisoning. UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in

inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL :- Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usuallyassociated with hypercalcemia. Increased serum calcium levels may also beobserved in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

Sample: WHOLE BLOOD EDTA

HBA1C 5.7 < 5.7% Nondiabetic

5.7-6.4% Pre-diabetic > 6.4% Indicate Diabetes

Known Diabetic Patients < 7 % Excellent Control 7 - 8 % Good Control Poor Control > 8 %

Method: - Turbidimetric inhibition immunoassay (TINIA)

Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbA1C and mean blood glucose values during the preceding 2 to 3 months.

RESULT ENTERED BY: SUNIL EHS

Dr. ABHINAY VERMA

MBBS | MD | INCHARGE PATHOLOGY

Page: 5 Of 10

Patient Name Lab No 4028667 Mr. PRASHANT KUMAR MEENA **Collection Date** 26/03/2024 10:27AM UHID 40012145 26/03/2024 10:39AM Age/Gender **Receiving Date** 35 Yrs/Male **Report Date** O-OPD **IP/OP Location** 26/03/2024 3:13PM **Referred By** Dr. EHS CONSULTANT **Report Status** Final

Mobile No. 9785365837

CLINICAL PATHOLOGY

Test Name	Result	Unit	Biological Ref. Range	
URINE SUGAR (POST PRANDIAL)				Sample: Urine
URINE SUGAR (POST PRANDIAL)	NEGATIVE		NEGATIVE	
URINE SUGAR (RANDOM)				Sample: Urine
URINE SUGAR (RANDOM)	NEGATIVE		NEGATIVE	
				Sample: Urine
PHYSICAL EXAMINATION				
VOLUME	20	ml		
COLOUR	PALE YELLOW		P YELLOW	
APPEARANCE	CLEAR		CLEAR	
CHEMICAL EXAMINATION				
PH	6.0		5.5 - 7.0	
SPECIFIC GRAVITY	1.030		1.016-1.022	
PROTEIN	NEGATIVE		NEGATIVE	
SUGAR	NEGATIVE		NEGATIVE	
BILIRUBIN	NEGATIVE		NEGATIVE	
BLOOD	NEGATIVE			
KETONES	NEGATIVE		NEGATIVE	
NITRITE	NEGATIVE		NEGATIVE	
UROBILINOGEN	NEGATIVE		NEGATIVE	
LEUCOCYTE	NEGATIVE		NEGATIVE	
MICROSCOPIC EXAMINATION				
WBCS/HPF	0-1	/hpf	0 - 3	
RBCS/HPF	0-0	/hpf	0 - 2	
EPITHELIAL CELLS/HPF	1-2	/hpf	0 - 1	
CASTS	NIL		NIL	
CRYSTALS	NIL		NIL	

RESULT ENTERED BY: SUNIL EHS

Dr. ABHINAY VERMA

Mr. PRASHANT KUMAR MEENA **Patient Name** Lab No 4028667 UHID 40012145 **Collection Date** 26/03/2024 10:27AM 26/03/2024 10:39AM Age/Gender 35 Yrs/Male **Receiving Date Report Date IP/OP Location** O-OPD 26/03/2024 3:13PM **Referred By** Dr. EHS CONSULTANT **Report Status** Final

Mobile No. 9785365837

CLINICAL PATHOLOGY

NIL **BACTERIA** NIL **OHTERS** NIL NIL

Methodology:-

Methodology:Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific
Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue
(Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method.
interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

RESULT ENTERED BY: SUNIL EHS

Dr. ABHINAY VERMA

Patient Name Mr. PRASHANT KUMAR MEENA Lab No 4028667 UHID 40012145 **Collection Date** 26/03/2024 10:27AM Age/Gender 26/03/2024 10:39AM 35 Yrs/Male **Receiving Date** Report Date **IP/OP Location** O-OPD 26/03/2024 3:13PM

Referred By Dr. EHS CONSULTANT **Report Status** Final

Mobile No. 9785365837

HEMATOLOGY

Test Name	Result	Unit	Biological Ref. Range
CBC (COMPLETE BLOOD COUNT)			Sample: WHOLE BLOOD EDTA
HAEMOGLOBIN	13.4	g/dl	13.0 - 17.0
PACKED CELL VOLUME(PCV)	43.4	%	40.0 - 50.0
MCV	92.7 H	fl	82 - 92
MCH	28.6	pg	27 - 32
MCHC	30.9 L	g/dl	32 - 36
RBC COUNT	4.68	millions/cu.mm	4.50 - 5.50
TLC (TOTAL WBC COUNT)	9.07	10^3/ uL	4 - 10
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHILS	63.5	%	40 - 80
LYMPHOCYTE	31.0	%	20 - 40
EOSINOPHILS	2.1	%	1 - 6
BASOPHIL	0.3 L	%	1 - 2
MONOCYTES	3.1	%	2 - 10
PLATELET COUNT	3.26	lakh/cumm	1.500 - 4.500

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia.

MCV: - Method: - Calculation bysysmex.

MCH: - Method: - Calculation bysysmex.

MCHC: - Method: - Calculation bysysmex.

MCHC: - Method: - Calculation bysysmex.

REC COUNT: - Method: - Hydrodynamicfocusing.Interpretation: - Low-Anemia, High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method: -Optical Detectorblock based on Flowcytometry. Interpretation: -High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry LYMPHOCYTS :- Method: Optical detectorblock based on Flowcytometry EOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry MONOCYTES :- Method: Optical detectorblock based on Flowcytometry BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

ESR (ERYTHROCYTE SEDIMENTATION RATE) 10 mm/1st hr 0 - 15

RESULT ENTERED BY: SUNIL EHS

Dr. ABHINAY VERMA

Patient Name Mr. PRASHANT KUMAR MEENA Lab No 4028667 26/03/2024 10:27AM UHID 40012145 **Collection Date** 26/03/2024 10:39AM Age/Gender **Receiving Date** 35 Yrs/Male **Report Date IP/OP Location** O-OPD 26/03/2024 3:13PM **Referred By** Dr. EHS CONSULTANT **Report Status** Final Mobile No. 9785365837

Method:-Modified Westergrens. Interpretation:-Increased in infections, sepsis, and malignancy.

RESULT ENTERED BY : SUNIL EHS

Mr. PRASHANT KUMAR MEENA **Patient Name** Lab No 4028667 UHID 40012145 **Collection Date** 26/03/2024 10:27AM 26/03/2024 10:39AM Age/Gender **Receiving Date** 35 Yrs/Male **Report Date IP/OP Location** O-OPD 26/03/2024 3:13PM **Referred By** Dr. EHS CONSULTANT **Report Status** Final Mobile No. 9785365837

X Ray

Test Name Result Unit Biological Ref. Range

X-RAY CHEST P. A. VIEW

Both lung fields are clear.

Both CP angles are clear.

Both hemi-diaphragms are normal in shape and outlines.

Cardiac shadow is within normal limits.

Visualized bony thorax is unremarkable.

Correlate clinically & with other related investigations.

End Of Report

RESULT ENTERED BY : SUNIL EHS

Gurer ..

Dr. SURESH KUMAR SAINI

MBBS,MD RADIOLOGIST

Page: 10 Of 10

DEPARTMENT OF RADIO DIAGNOSIS

UHID / IP NO	40012145 (9144)	RISNo./Status:	4028667/
Patient Name:	Mr. PRASHANT KUMAR MEENA	Age/Gender:	35 Y/M
Referred By:	Dr. EHS CONSULTANT	Ward/Bed No:	OPD
Bill Date/No :	26/03/2024 10:15AM/ OPSCR23- 24/16643	Scan Date :	
Report Date :	26/03/2024 11:14AM	Company Name:	Mediwheel - Arcofemi Health Care Ltd.

ULTRASOUND STUDY OF WHOLE ABDOMEN

Liver: Normal in size & shows increased in parenchymal echotexture. No obvious

significant focal parenchymal mass lesion noted. Intrahepatic biliary radicals are not

dilated. Portal vein is normal.

Gall Bladder: Lumen is clear. Wall thickness is normal. CBD is normal.

Pancreas: Normal in size & echotexture.

Spleen: Normal in size & echotexture. No focal lesion seen.

Right Kidney: Normal in shape, size & location. Echotexture is normal. Corticomedullary

differentiation is maintained. No evidence of significant hydronephrosis or

obstructive calculus noted.

Left Kidney: Normal in shape, size & location. Echotexture is normal. Corticomedullary

differentiation is maintained. No evidence of significant hydronephrosis or

obstructive calculus noted.

Urinary Bladder: Normal in size, shape & volume. No obvious calculus or mass lesion is seen. Wall

thickness is normal.

Prostate: Is normal in size and echotexture.

Others: No significant free fluid is seen in pelvic peritoneal cavity.

IMPRESSION: USG findings are suggestive of

Mild fatty liver.

Correlate clinically & with other related investigations.

DR. APOORVA JETWANI

Incharge & Senior Consultant Radiology

MBBS, DMRD, DNB Reg. No. 26466, 16307

DEPARTMENT OF CARDIOLOGY

UHID / IP NO	40012145 (9144)	RISNo./Status:	4028667/
Patient Name:	Mr. PRASHANT KUMAR MEENA	Age/Gender:	35 Y/M
Referred By:	Dr. EHS CONSULTANT	Ward/Bed No:	OPD
Bill Date/No :	26/03/2024 10:15AM/ OPSCR23- 24/16643	Scan Date :	
Report Date:	26/03/2024 12:06PM	Company Name:	Final

REFERRAL REASON: HEALTH CHCEKUP

2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

M MODE DIMENSIONS: -

IVI IVIODE DIIVIEI	TOTAL TOTAL		No	rmal				Normal
IVSD	10.9	6-12mm			LVIDS	24.9	20-40mm	
						1		
LVIDD	39.9		32-	57mm		LVPWS	19.9	mm
LVPWD	11.3		6-1	l2mm		AO	32.2	19-37mm
IVSS	19.5		j	mm		LA	32.6	19-40mm
LVEF	62-64		>:	55%		RA	-	mm
	DOPPLEI	R MEA	SUREN	IENTS &	& CALC	ULATIONS	:	
STRUCTURE	MORPHOLOGY		VELOC	CITY (m/	's)	GRADIENT		REGURGITATION
		(1220 C111 (111/15)			(mmHg)			
MITRAL	NORMAL	E	0.91	e'	-	-		NIL
VALVE		A	0.56	E/e'	-			
TRICUSPID	NORMAL		E	0.4	47	-		NIL
VALVE								
VILLA		A 0.50						
AORTIC	NORMAL	1.02			-		NIL	
VALVE								
PULMONARY	NORMAL	0.80					NIL	
VALVE						-		
1	i	1				1		i

COMMENTS & CONCLUSION: -

- ALL CARDIAC CHAMBERS ARE NORMAL
- NO RWMA, LVEF 62-64%
- NORMAL LV SYSTOLIC FUNCTION
- NORMAL LV DIASTOLIC FUNCTION
- ALL CARDIAC VALVES ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

IMPRESSION: - NORMAL BI VENTRICULAR FUNCTIONS

DR SUPRIY JAIN MBBS, M.D., D.M. (CARDIOLOGY) INCHARGE & SR. CONSULTANT INTERVENTIONAL CARDIOLOGY DR ROOPAM SHARMA
MBBS, PGDCC, FIAE
CONSULTANT & INCHARGE
EMERGENCY, PREVENTIVE CARDIOLOGY
AND WELLNESS CENTRE

Patient Name Mr. PRASHANT KUMAR MEENA Lab No 657230 UHID 345756 **Collection Date** 26/03/2024 1:39PM 26/03/2024 1:42PM Age/Gender **Receiving Date** 35 Yrs/Male **Report Date IP/OP Location** O-OPD 26/03/2024 4:00PM **Referred By** Dr. EHCC Consultant **Report Status** Final Mobile No. 9773349797

BLOOD BANK INVESTIGATION

Biological Ref. Range Test Name Result Unit

"O" Rh Negative **BLOOD GROUPING**

1. Both forward and reverse grouping performed.
2. Test conducted on EDTA whole blood.

End Of Report

RESULT ENTERED BY: Dr. NEHA GUPTA

Neha Cupts

Dr. NEHA GUPTA MBBS | DIHBT |

INCHARGE BLOOD CENTRE