
Mul. Neha Roni Age- ulf. Weight - 71kg Height - 156 cm. BMT - 29.2. BP - 133 88 mm teg Pulle- 73. any History - No History non duretic pt. any redication. Non medication. Date - 27 1/24. Com

plag

Dr. SONAL DHINGRA

1





Meenakshi Diagnostics 73-C, Garh Road, Near Hotel Harmony Inn, Meerut-250002 (U.P.) Ph.: 0121-2766666, 9458802222, 9458803333, 9458804444, 94588066666

Centre equipped with M.R.I. with upgraded software of 3T Platform, 500 Slice VHS C.T. Scan. Digital X-Ray, Mammography, O.P.G., 4D / 5D Ultrasound & Colour Doppler, 2-D Echocardiography

Pt. Name Mrs. Neha Rani	Mrr. Noha Baul			
	Age/Sex	41 Yrs/F		
Ref. By	C/o S. D. A. Diagnostics		12 113/1	
nen by	C/03. D. A. Diagnostics	Date:	27.01.2024	

ECHOCARDIOGRAPHY REPORT

MEASURESMENTS:

DIMENSIONS	5	NORMAL		NORMAL
AO (ed)	2.1 cm	(2.1 – 3.7 cm)	IVS (ed)	0.9 cm (0.6 – 1.2 cm)
LA (es)	2.3 cm	(2.1 – 3.7 cm)	LVPW (ed)	1.0 cm (0.6 – 1.2 cm)
RVID (ed)	2.1 cm	(1.1 – 2.3 cm)	EF	60% (62% - 85%)
LVID (ed)	5.0 cm	(3.6 – 5.2 cm)	FS	30% (28% - 42%)

MORPHOLOGICAL DATA:

Mitral	Normal	LA	Normal
Aortic Valve	Normal	RA	Normal
Pulmonary Valve	Normal	IAS	Intact
Tricuspid Valve	Normal	IVS	Intact
LV	Normal	AO	Normal
RV	Normal	Pericardium	Normal

Contd...2

Note : All congenital anomalies may not be diagnosed in routine USG. The USG findings should always be considered in correlation with clinical and other investigations findings to reach the final diagnosis. Kindly intimate us for any typing mistakes and return the report for correction within 7 days. Not valid for medico-legal purpose.



Meenakshi Diagnostics

73-C, Garh Road, Near Hotel Harmony Inn, Meerut-250002 (U.P.) Ph.: 0121-2766666, 9458802222, 9458803333, 9458804444, 9458806666

Centre equipped with M.R.I. with upgraded software of 3T Platform, 500 Slice VHS C.T. Scan. Digital X-Ray, Mammography, O.P.G., 4D / 5D Ultrasound & Colour Doppler, 2-D Echocardiography

Pt. Name Mrs. Neha Rani	1-10		
	Age/Sex	41 Yrs/F	
Ref. By C/o S. D. A. Diagnostic	CS Date:	27.01.2024	

2-D ECHOCARDIOGRAPHY FINDINGS:

LV normal in size with normal LV systolic function. No regional wall motion abnormality. RV normal in size with adequate contractions. LA and RA are normal. All cardiac valves structurally normal. Pericardium normal. No intra-cardiac mass. Estimated LV ejection fraction is approximately 60%.

COLOR FLOW MAPPING: Normal.

DOPPLER STUDIES: MVIS E > A

Peak systolic velocity across aortic valve = 1.0m/sec. Peak systolic velocity across pulmonary valve = 1.0m/sec.

IMPRESSION:

- > NO RWMA
- > Adequate LV systolic function. LVEF = 60%.

Dr. Sanjeev Kumar MD, Dip. Card, FCCS

Note : All congenital anomalies may not be diagnosed in routine USG. The USG findings should always be considered in correlation with clinical and other investigations findings to reach the final diagnosis. Kindly intimate us for any typing mistakes and return the report for correction within 7 days. Not valid for medico-legal purpose.



Meenakshi Diagnostics

73-C, Garh Road, Near Hotel Harmony Inn, Meerut-250002 (U.P.) Ph.: 0121-27666666, 9458802222, 9458803333, 9458804444, 9458806666

Centre equipped with M.R.I. with upgraded software of 3T Platform, 500 Slice VHS C.T. Scan. Digital X-Ray, Mammography, O.P.G., 4D / 5D Ultrasound & Colour Doppler, 2-D Echocardiography

Pt. Name	Mrs. Neha Rani	Age/Sex	41Yrs/F	Film
Ref. By	C/o S. D. A. Diagnostics	Date:	27.01.2024	
Contraction of the second s	tity can't he would at	Duter	27.01.2024	01

identity can't be verified

USG WHOLE ABDOMEN

Liver: is normal in size (13.8cm) and shows mildly increased parenchymal echogenecity. No focal mass lesion seen. IHBRs are normal. Margins are regular.

Gall Bladder: is well distended. Wall thickness is normal. No calculus / focal mass seen. No pericholecystic collection seen.

CBD: is normal in caliber, measuring approx. 5.7mm.

Portal Vein: is normal in caliber, measuring approx. 12.2mm.

Visualized pancreas: is normal in size and echotexture. No focal mass seen.

Spleen: is normal in size, measuring 10.5 cm and shows normal echopattern.

Right kidney measures 8.8x3.5 cm. It is normal in size, position, contour and cortical echotexture. No calculus/ hydronephrosis seen. Corticomedullary differentiation is maintained. Renal margins are regular.

Left kidney measures 9.3x3.9 cm. It is normal in size, position, contour and cortical echotexture. No calculus/ hydronephrosis seen. Corticomedullary differentiation is maintained. Renal margins are regular.

Urinary Bladder: is partially distended.

Uterus: is anteverted, normal in size, measuring 8.9x3.5 cm. Myometrial echotexture is normal. No focal mass seen. Endometrial thickness is normal.

Right ovary measures 1.6x2.6x3.1cm (vol. 7.2cc). Left ovary measures 1.4x2.6x2.7cm (vol. 5.4cc). Both ovaries show normal size and echopattern. No adnexal mass / free fluid seen.

Few excessive gas filled bowel loops are seen.

IMPRESSION: USG findings reveal:

- > Mild grade fatty infiltration of liver. Adv: Liver function test.
- Excessively gas filled few bowel loops.

Adv: Clinical correlation.

DMRD

Dr. Mohd. Saalim

MD

Dr. Sandeep Sirohi Dr. Sandeep Singh Soam Dr. Renu Diwakar MD

Dr. Mohd. Saalim MBBS

Dr. Mohd. Qasim DMRD KB

MD

Note : All congenital anomalies may not be diagnosed in routine USG. The USG findings should always be considered in correlation with clinical and other investigations findings to reach the final diagnosis. Kindly intimate us for any typing mistakes and return the report for correction within 7 days. Not valid for medico-legal purpose.



Meenakshi Diagnostics

73-C, Garh Road, Near Hotel Harmony Inn, Meerut-250002 (U.P.) Ph.: 0121-27666666, 9458802222, 9458803333, 9458804444, 9458806666

Centre equipped with M.R.I. with upgraded software of 3T Platform, 500 Slice VHS C.T. Scan. Digital X-Ray, Mammography, O.P.G., 4D / 5D Ultrasound & Colour Doppler, 2-D Echocardiography

Pt. Name	Mrs. Neha Rani			
		Age/Sex	41Yrs/F	Film
	C/o S. D. A. Diagnostics	Date:	27.01.2024	03

X-RAY MAMMOGRAPHY

X-Ray mammography of both breasts was done in oblique media lateral and cranio-caudal projection.

- Small well-defined opacity noted in lower half of left breast.
- Mildly increased fibroglandular tissue in right breast.
- Rest both breasts are symmetrical in size and contour.
- > Skin line and subcutaneous fat planes appears regular.
- No focal area of scarring from deeper tissue is seen bilaterally.
- No focus of macro calcification or micro calcification is seen bilaterally.
- Axillary region show no lymphadenopathy.

Corroborative sonomammography

- Small well defined oval (wider than taller) hypoechoic lesion of size 4.4x6.1 mm is seen in retroareolar region at 4-6 O' clock position of left breast. No calcification or internal vascularity seen within.
- Relatively increased echogenicity is seen in upper outer quadrant at 10-12 O' clock position in right breast.
- No significant bilateral axillary lymphnodes are seen.

IMPRESSION:

- > Small well defined oval (wider than taller) hypoechoic lesion in retroareolar region of left breast (BIRADS III) ---Likely fibroadenoma D/D Intramammary lymphnode.
- > Relatively increased echogenicity in right upper outer quadrant at 10-12 O' clock position in right breast - Likely inflammatory ? periductal mastitis (BIRADS II).

Adv- Clinical correlation & further workup, FNAC correlation if clinically indicated.

Dr. Molid. Saalim MD Dr. Sandeep Sirohi Dr. Sandeep Singh Soam Dr. Renu Diwakar Dr. Mohd. Saalim Dr. Mohd. Qasim DMRD MD MBBS MD DMRD KB Note : All congenital anomalies may not be diagnosed in routine USG. The USG findings should always be considered in relation with clinical and other investigations findings to reach the final diagnosis. Kindly intimate us for any typing mistakes and return the report for correction within 7 days. Not valid for medico-legal purpose.



0

Branch-1: I Block, 114/1, Shastri Nagar, Near Kuti Chowraha, PVS Road, Meerut

Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No. : +91 95481 32613

PT. NAME	MRS. NEHA RANI	AGE/SEX	41Y/F	FILM
REF. BY	DR. SELF	DATE:	27/01/2024	01

X-RAY CHEST PA VIEW

T

A Quality Controlled Pathology Lab

- Both CP angles are normal.
- Trachea is normal in position.
- Cardiac size is within normal limits.
- Both hila are normal.
- Heart, aorta & mediastinum are normal
- Bony thoracic cage appears normal.

NORMAL STUDY

DR. MOHIT SHARMA (MBBS)(DMRD) Chief consultant Interventional Radiologist


Dr. Bhavna Sharma M.D. Pathology Dr. Swati Tiwari M.D. Microbiology Dr. Sonal Dhingra Anand M.D. Pathology

- Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
 The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Lab Ref. No. : 234026057	C. NO: 15	Centre Name	: SDA Diagnostics
Name : Mrs. NEHA RANI		Collection Time	: 27-Jan-2024 10:18AM
Age/ Gender : 41Y / Female		Receiving Time	: 27-Jan-2024 10:18AM
Referred By : Dr. SELF		Reporting Time	: 27-Jan-2024 10:44AM
Sample By :			
Test Name	Results	Units	Biological Ref-Interva
	HAEMATOLOGY		
COMPLETE BLOOD COUNT			
HAEMOGLOBIN (Colorimetry)	11.10	g/dl	12-16.5
TOTAL LEUCOCYTE COUNT (Electric Impedence)	5800.00	/Cum m	4000-11000
DIFFERENTIAL LEUCOCYTE COUNT (Microscopy)			
Neutrophils	69.00	%	44-68
Lymphocytes	25.00	%	25- 44
Eosinophils	3.00	%	0.0- 4.0
Monocytes	3.00	%	0.0-7.0
Basophils	0.00	%	0.0-1.0
Immature Cells	00	%	
Absolute Count			
Neutrophils Count (calculated)	4002.00	/cumm	2000-7000
Lymphocytes Count (calculated)	1450.00	/cumm	1000-3000
Eosinophils Count (calculated)	174.00	/cumm	40-440
Monocytes Count (calculated)	174.00	/cumm	200-1000
Basophils Count	0.00	/cumm	0-30



(calculated)l

(Calculated)

(Calculated)

TOTAL R.B.C. COUNT

Haematocrit Value (P.C.V.)

(Electric Impedence)

÷	65		
			_

Dr. Bhavna Shar	ma
M.D. Pathology	

Dr. Swati Tiwari M.D. Microbiology



10^6/uL

%

fL

pg

• Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

3.74

33.90

91.00

29.60

• The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.

Report purports for patients care and not for medicalegal documents.

3.50-5.50

37.0-54.0

76-98

27-32

nd Dhingra





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut




(Calculated)				
Test Name		Results	Units	Biological Ref-Interval
Referred By Sample By	: Dr. SELF :		Reporting Time	: 27-Jan-2024 10:44AM
Lab Ref. No. Name Age/ Gender	: 234026057 : Mrs. NEHA RANI : 41Y / Female	C. NO: 15	Centre Name Collection Time Receiving Time	: SDA Diagnostics : 27-Jan-2024 10:18AM : 27-Jan-2024 10:18AM

()					
MCHC (Calculated)		32.70	g/dl	31-35	
(Calculated) RDW-CV		17.60	%	11.5 - 14.5	
(Calculated)					
Platelet Count (Electric Impedence)		197	Thousand/cumm	150-450	
MPV (Calculated)		7.40	fL	11.5-14.5	
PDW (Calculated)		15.60	fL	9.0-17.0	
E.S.R (Wintrobe methrod)		24.00	mm	00-20	
Peripheral Smear					
BLOOD GROUP					
Blood Group		0			
Rh Status		POSITIVE			
		•			
GLYCATED HAEMOGLOBIN (HbA1c		5.80	%	4.5-6.0	
ESTIMATED AVERAGE GLUCOSE		119.76	mg/dl		
EXPECTED RESULTS :					
Non diabetic patients & Stabilized diabetics	: 4.5 % to				
Good Control of diabetes	: 6.1 % t				
	. 710/ .	0 0 0/			

Fair Control of diabetes:7.1 % to 8.0 %Poor Control od diabetes:8 % and above

The glycosylated hemoglobin assay has been validated as a reliable indicator of mean blood glucose levels for a period of 8-12 week period prior to HBA1C determination. ADA recommends the testing twice a year in patients with stable blood glucose, and quarterly, if treatment changes, or if blood glucose levels are unstable.





Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology

Dr. Sonal Dhingra Anand M.D. Pathology

• Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut

70-140



mg/dl

BLOOD GLU((GOD/POD metho	COSE FASTING	BIOCHEMISTRY 118.00	mg/dl	70 - 110
Test Name		Results	Units	Biological Ref-Interval
Referred By Sample By	: Dr. SELF :		Reporting Time	: 27-Jan-2024 12:30PM
Lab Ref. No. Name Age/ Gender	: 234026057 : Mrs. NEHA RANI : 41Y / Female	C. NO: 15	Centre Name Collection Time Receiving Time	: SDA Diagnostics : :

204.00


BLOOD GLUCOSE P.P. (GOD/POD method)

After 2.0 hrs of meal



Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology



Dr. Sonal Dhingra Anand M.D. Pathology

- Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



	Results	Units	Biological Ref-Interval
		Reporting Time	. 27 500 202 1 12.50110
SELF		Reporting Time	: 27-Jan-2024 12:30PM
′ / Female		Receiving Time	: 27-Jan-2024 10:18AM
S. NEHA RANI		Collection Time	: 27-Jan-2024 10:18AM
	C. NO: 15	Centre Name	: SDA Diagnostics
	1026057	1026057 C. NO: 15	1026057 C. NO: 15 Centre Name

		_
ITVFR	PROFILE	

SERUM BILIRUBIN

SERUM BILIRUBIN			
TOTAL	0.42	mg/dl	0.30-1.20
(Diazo)			
DIRECT	0.18	mg/dl	0.00-0.20
(Diazo)			
INDIRECT (Calculated)	0.24	mg/dl	0.20-1.00
S.G.P.T.	29.00	U/L	0-45
(IFCC method)			
S.G.O.T.	25.00	U/L	0-45
(IFCC method)			
SERUM ALKALINE PHOSPHATASE	78.00	IU/L.	35-145
(4-nitrphenylphosphate to 2-amino-2-methyl-1propan			
SERUM PROTEINS			
TOTAL PROTEINS	6.40	Gm/dL.	6.0-8.0
(Biuret)			
	3.80	Gm/dL.	3.5-5.2
(Bromocresol green Dye)	2.62		
GLOBULIN (Calculated)	2.60	Gm/dL.	2.5-3.5
A : G RATIO	1.46		1.5-2.5
	1.40		1.J-2.J

(Calculated)

LIVER FUNCTION TESTS CHECK THE LEVEL OF CERTAIN ENZYMES AND PROTEINS IN BLOOD

Levels that are higher or lower than normal can indicate liver problems. Some common

liver function tests include :

Alanine transaminase (ALT). ALT is an enzyme found in the liver and When the liver is damaged,

ALT is released into the bloodstream and levels increase.

Aspartate transaminase (AST). AST is an enzyme that helps metabolize alanine, an amino acid.

AST is normally present in blood at low levels. An increase in AST levels may indicate

liver damage or disease or muscle damage.

Alkaline phosphatase (ALP). ALP is an enzyme in the liver, bile ducts and bone.



Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology Dr. Sonal Dhingra Anand M.D. Pathology

nal Mhing


• Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Lab Ref. No.: 234026057C. NO: 15Centre Name: SDA DiagnosticsName: Mrs. NEHA RANICollection Time: 27-Jan-2024 10:18AMAge/ Gender: 41Y / FemaleReceiving Time: 27-Jan-2024 10:18AMReferred By: Dr. SELFReporting Time: 27-Jan-2024 10:18AMSample By:::: 27-Jan-2024 10:18AM			– – –		
Name: Mrs. NEHA RANICollection Time: 27-Jan-2024 10:18AMAge/ Gender: 41Y / FemaleReceiving Time: 27-Jan-2024 10:18AMReferred By: Dr. SELF: Dr. SELF: 27-Jan-2024 10:18AM	Sample By	:		Reporting Time	27 541 2021 12.50111
Name : Mrs. NEHA RANI Collection Time : 27-Jan-2024 10:18AM	Referred By	: Dr. SELF		Reporting Time	· 27-1an-2024 12·30PM
Name: Mrs. NEHA RANICollection Time: 27-Jan-2024 10:18AM	Age/ Gender	: 41Y / Female		Receiving Time	: 27-Jan-2024 10:18AM
				Collection Time	: 27-Jan-2024 10:18AM
			C. NO: 15	Centre Name	: SDA Diagnostics

Test Name	Results	Units	Biological Ref-Interval
RENAL PROFILE			
BLOOD UREA (Urease Glutamate dehydrogenase)	21.0	mg/dl	10-50
SERUM CREATININE (Jaffe`s)	0.80	mg/dL.	0.6-1.2
SERUM URIC ACID (Urecase method)	5.1	mg/dL.	3.5-7.5
SERUM SODIUM (Na) (ISE Direct)	137.0	mmol/l	135 - 155
SERUM POTASSIUM (K) (ISE Direct)	3.90	mmol/l	3.5 - 5.5
SERUM CALCIUM (Arsenazo)	8.5	mg/dl	8.5-10.1
SERUM PROTEIN			
TOTAL PROTEINS (Biuret)	6.40	Gm/dL.	6.0-8.0
SERUM ALBUMIN (Bromocresol green Dye)	3.80	Gm/dL.	3.5-5.2
GLOBULIN (Calculated)	2.60	Gm/dL.	2.5-3.5
A : G RATIO (Calculated)	1.46	Gm/dL.	1.5-2.5

INTERPRETATION:

Urea is the end product of protein metabolism. It reflects on funcioning of the kidney in the body. Creatinine is the end product of creatine metabolism. It is a measure of renal function and eleveted levels are observed in patients typically with 50% or greater impairment of renal function. Sodium is critical in maintaining water & osmotic equilibrium in extracellular fluids. Disturbances in acid base and water balance are typically reflected in the sodium concentrations . Potassium is an essential element involved in critical cell functions. Potassium levels are influenced by electrolyte intake ,excretion and other means of elemination, exercise, hydration and medications. Calcium imbalance my cause a spectrum of disease . High concentrations are seen in Hyperparathyroidism, Malignancy & Sarcoidosis. Low levels may be due to protein deficiency, renal insufficiency and Hypoparathyroidism. Repeat measurement is recommended if the values are outside the reference range.



Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology

Dr. Sonal Dhingra Anand M.D. Pathology

nal Dhingra


Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Lab Ref. No. : 23402 Name : Mrs. N	26057 C. NG NEHA RANI	D: 15		SDA Diagnostics 27-Jan-2024 10:18AM
Age/ Gender : 41Y /	Female			27-Jan-2024 10:18AM
Referred By : Dr. SE	ELF		-	27-Jan-2024 12:30PM
Sample By :			Reporting fine	
Test Name		Results	Units	Biological Ref-Interval
LIPID PROFILE				
SERUM CHOLESTEROL (CHOD - PAP)		158.0	mg/dl	125-200
SERUM TRIGLYCERIDE (GPO-PAP)		91.0	mg/dl	50-150
HDL CHOLESTEROL (Direct Method)		45.0	mg/dl	30-80
VLDL CHOLESTEROL (Calculated)		18.2	mg/dl	5-35
LDL CHOLESTEROL		94.8	mg/dL.	70-130

(Calculated) 0.0-4.9 LDL/HDL RATIO 2.1 (Calculated) CHOL/HDL CHOLESTROL RATIO 3.5 1.5-3.0 (Calculated)

INTERPRETATION

TRIGLYCERIDE level > 250mg/dL is associated with an approximately 2-fold greater risk of coronary vascular disease. Elevation of triglycerides can be seen with obesity, medication, fast less than 12 hrs., alcohol intake, diabetes melitus, and pancreatitis.

CHOLESTEROL, its fractions and triglycerides are the important plasma lipids indefining cardiovascular risk factors and in the managment of cardiovascular disease. Highest acceptable and optimum values of cholesterol values of cholesterol vary with age. Values above 220 mgm/dl are associated with increased risk of CHD regardless of HDL & LDL values.

HDL-CHOLESTEROL level <35 mg/dL is associated with an increased risk of coronary vascular disease even in the face of desirable levels of cholesterol and LDL - cholesterol.

LDL - CHOLESTEROL& TOTAL CHOLESTEROL levels can be strikingly altered by thyroid, renal and liver disease as well as hereditary factors.

Based on total cholesterol, LDL- cholesterol, and total cholesterol/HDL - cholesterol ratio, patients may be divided into the three risk categories.





Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology

Dr. Sonal Dhingra Anand M.D. Pathology

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



THYRIOD P Triiodothyronin (FIA)		0.96	ng/dl	0.52-1.85
		HORMONE		
Test Name		Results	Units	Biological Ref-Interval
Sample By	:		Reporting Time	: 27-Jan-2024 12:30PM
Age/ Gender Referred By	: 41Y / Female : Dr. SELF		Receiving Time	: 27-Jan-2024 10:18AM
Lab Ref. No. Name	: 234026057 : Mrs. NEHA RANI	C. NO: 15	Centre Name Collection Time	: SDA Diagnostics : 27-Jan-2024 10:18AM

Thyroxine (T4)	9.49	ug/dl	4.8-11.6
(FIA)			
THYROID STIMULATING HORMONE (TSH)	1.76	mIU/L	0.50-5.50
(FIA)			

Interpretation Note:

Thyroid Stimulating Hormone (TSH) is a highly effective screening assay for thyroid disorders. In patients with an intact pituitarythyroid axis, TSH provides a physiologic indicator of the functional level of thyroid hormone activity. Increased TSH indicates inadequate thyroid hormone, and suppressed s-TSH indicates excess thyroid hormone. Transient s-TSH abnormalities may be found in seriously ill, hospitalized patients, so this is not the ideal setting to assess thyroid function. However, even in these patients, s-TSH works better than total thyroxine (an alternative screening test). when the s-TSH result is abnormal, appropriate follow-up tests T4 & free T3 levels should be performed. If TSH is between 5.0 to 10.0 & free T4 & free T3 level are normal then it is considered as subclinical hypothyroidism which should be followed up after 4 weeks & If TSH is > 10 & free T4 & free T3 level are normal then it is considered as overt hypothyroidism.

Serum triiodothyronine (T3) levels often are depressed in sick and hospitalized patients, caused in part by the biochemical shift to the production of reverse T3. Therefore, T3 generally is not a reliable predictor of hypothyroidism. However, in a small subset of hyperthyroid patients, hyperthyroidism may be caused by overproduction of T3 (T3 toxicosis). To help diagnose and monitor this subgroup, T3 is measured on all specimens with suppressed s-TSH and normal FT4 concentrations.

Normal ranges of TSH & thyroid hormons vary according trimesper in pregnancy. TSH ref range in Pregnacy Reference range (microIU/ml)

First triemester	0.24 - 2.00
Second triemester	0.43-2.2
Third triemester	0.8-2.5



Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology Dr. Sonal Dhingra Anand M.D. Pathology

• Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.






Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Lab Ref. No.	: 234026057	C. NO: 15	Centre Name	: SDA Diagnostics
Name	: Mrs. NEHA RANI		Collection Time	: 27-Jan-2024 10:18AM
Age/ Gender	: 41Y / Female		Receiving Time	: 27-Jan-2024 10:18AM
Referred By Sample By	: Dr. SELF :		Reporting Time	: 27-Jan-2024 12:33PM
Test Name		Results	Units	Biological Ref-Interval
		CLINICAL PATHOLO	DGY	
	MINATION REPORT			
PHYSICAL E	XAMINATION			
VOLUME		10	ml	
(visual)				
COLOUR (visual)		PALE YELLOW		
APPEARENCE		CLEAR		
(visual)				
pН		6.00		4.6 - 8.0
SPECIFIC GRAV	VITY	1.015		1.010-1.030
(pKa Change)				
BIOCHEMIC	AL EXAMINATION			
UROBILINOGE	Ν	NIL		NIL
(Erlichs)				
	tion)	NEGATIVE		NEGATIVE
(Azo-coupling reac	aon	NEGATIVE		NEGATIVE
NITRITE SUGAR		NEGATIVE		Nil
Glucose Oxidase	Peroxidase)	NIL		INII
ALBUMIN	,	NIL		Nil
(Protein-Error-of-In	ndicator))			
PHOSPHATE		NIL		Nil
MICROSCOP	IC EXAMINATION			
(Microscopy)				
RED BLOOD (CELLS	NIL	/H.P.F.	0-2
PUS CELLS		0-1	/H.P.F.	0-5
EPITHELIAL C	CELLS	1-2	/H.P.F.	0-5
CRYSTALS		NIL	/H.P.F.	NIL
CASTS		NIL	/L.P.F.	
OTHER				





Dr. Bhavna Sharma M.D. Pathology


Dr. Swati Tiwari M.D. Microbiology

Dr. Sonal Dhingra Anand M.D. Pathology

٠

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors. The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.

Report purports for patients care and not for medicalegal documents.



-----{END OF REPORT }------



Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology Dr. Sonal Dhingra Anand M.D. Pathology

white Notice

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.

Developed by: www.saralpath.com